

- 1) Open R Studio and load the library named "datasets" and other required libraries (eg: ggplot2, corrplot)
- 2) Print the dimension of the dataset "iris"
- 3) Print the first 10 rows of the dataset "iris" and Print the last 10 rows of the dataset "iris"
- 4) Print the summary of the dataset "iris" and write at least 5 observations
- 5) Using command find the IQR of the below items
 - a) Sepal Length
 - b) Petal Length
- 6) Find the variance of Standard Deviation of the below columns and write the observations
 - a) Sepal Width
 - b) Petal Width
- 7) Draw the histogram of any one of the numerical column in the "iris" dataset
- 8) Draw a pie chart with the count of flower type in the "iris" dataset, ensure to give a proper title for the graph
- 9) Draw bivariate box plots
 - a) Sepal Length with Species
 - b) Sepal Width with Species
 - c) Petal Length with Species
 - d) Petal Width with Species
- 10) Based on the above box plots, please write your observations in terms of outliers
- 11) Create a new dataframe called "iris_numerical", which contains only numerical columns from the "iris" dataset
- 12) Display the "Correlation Plot" for all the variables in "iris_numerical". Please display the correlation number values
- 13) Write the observations about the correlation value in the above plot.
- 14) Write the iris file as a "iris_new.csv" into a specific folder in the computer.