

Express **JS**



- Express is a fast, assertive, essential and moderate web framework of Node.js. You can assume express as a layer built on the top of the Node.js that helps manage a server and routes.
- ExpressJS is a web application framework that provides you with a simple API to build websites, web apps and back ends.
- Express provides a minimal interface to build our applications. It provides us the tools that are required to build our app. It is flexible as there are numerous modules available on **npm**, which can be directly plugged into Express.



core features of Express framework:

- It can be used to design single-page, multi-page and hybrid web applications.
- It allows to setup middlewares to respond to HTTP Requests.
- It defines a routing table which is used to perform different actions based on HTTP method and URL.
- It allows to dynamically render HTML Pages based on passing arguments to templates.
- Makes Node.js web application development fast and easy

<https://expressjs.com/>

← → ↻ expressjs.com



Black Lives Matter.
[Support the Equal Justice Initiative.](#)

Express

 search

[Home](#) [Getting started](#) [Guide](#) [API reference](#) [Advanced topics](#) [Resources](#)

Express 4.18.1

Fast, unopinionated, minimalist
web framework for [Node.js](#)

```
$ npm install express --save
```

 **Express 5.0 beta documentation is now available.**

The beta [API documentation](#) is a work in progress. For information on what's in the release, see the Express [release history](#).

Web Applications

Express is a minimal and flexible Node.js web application framework that provides a

APIs

With a myriad of HTTP utility methods and middleware at your disposal, creating a robust

Performance

Express provides a thin layer of fundamental web application features, without obscuring

Frameworks

Many [popular frameworks](#) are based on Express.

package.json

- The package.json file is the heart of any Node project. It records important metadata about a project which is required before publishing to NPM, and also defines functional attributes of a project that npm uses to install dependencies, run scripts, and identify the entry point to our package.
- Creating a package.json file is typically the first step in a Node project, and you need one to install dependencies in npm.

<https://www.postman.com/>

- Postman is an API(application programming interface) development tool which helps to build, test and modify APIs. Almost any functionality that could be needed by any developer is encapsulated in this tool. It is used by over 5 million developers every month to make their API development easy and simple.
- Postman is an API testing and development tool that is designed to send requests from the client side to the web server and receive a response from the backend.
- Integrates with build systems.
- Easy to move tests and environments to code repositories.
- Good UI

HTTP

- HTTP is a TCP/IP based communication protocol, that is used to deliver data (HTML files, image files, query results, etc.) on the World Wide Web.
- The default port is TCP 80, but other ports can be used as well.
- It provides a standardized way for computers to communicate with each other.
- HTTP specification specifies how clients' request data will be constructed and sent to the server, and how the servers respond to these requests.

The set of common methods for HTTP

Main methods are:

- GET

The GET method is used to retrieve information from the given server using a given URI. Requests using GET should only retrieve data and should have no other effect on the data.

- POST

A POST request is used to send data to the server, for example, customer information, file upload, etc. using HTML forms.

Or

Submit/create data to the server.

- PUT

Replaces all current representations of the target resource with the uploaded content.

Or

Update

- DELETE

Removes all current representations of the target resource given by a URI.

Or

Delete a resource. an existing data.

Basic routing

- ***Routing*** refers to determining how an application responds to a client request to a particular endpoint, which is a URI (or path) and a specific HTTP request method (GET, POST, and so on).
- Each route can have one or more handler functions, which are executed when the route is matched.
- Route definition takes the following structure:
- `app.METHOD(PATH, HANDLER)`
- Where:
 - `app` is an instance of `express`.
 - `METHOD` is an HTTP request method, in lowercase.
 - `PATH` is a path on the server.
 - `HANDLER` is the function executed when the route is matched.