Git and Github Task
Push Commands

Create new repository

Initialize the git

```
rid.rtl.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap-g
rid.rtl.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap-r
eboot.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap-r
eboot.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap-r
eboot.rtl.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap-r
eboot.rtl.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap-u
tilities.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap-u
tilities.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap-u
tilities.rtl.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap-u
tilities.rtl.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap.c
ss', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap.m
in.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap.r
tl.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/css/bootstrap.r
tl.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/js/bootstrap.bu
ndle.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/js/bootstrap.bu
ndle.min.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/js/bootstrap.es
m.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/js/bootstrap.es
m.min.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/js/bootstrap.js
', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/bootstrap/dist/js/bootstrap.mi
n.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/jquery-validation-unobtrusive/
dist/jquery.validate.unobtrusive.js', LF will be replaced by CRLF the next time
Git touches it
warning: in the working copy of 'Task/wwwroot/lib/jquery-validation-unobtrusive/
dist/jquery.validate.unobtrusive.min.js', LF will be replaced by CRLF the next t
ime Git touches it
warning: in the working copy of 'Task/wwwroot/lib/jquery-validation/dist/jquery.
validate.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Task/wwwroot/lib/jquery-validation/dist/jquery.
validate.min.js', LF will be replaced by CRLF the next time Git touches it
```

Stagging area

```
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.bundle.min.js
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.bundle.min.js.m
ap
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.js
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.js.map
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.min.js
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.min.js.map
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.js
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.js.map
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.min.js
create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.min.js.map
create mode 100644 Task/wwwroot/lib/jquery-validation-unobtrusive/LICENSE.txt
create mode 100644 Task/wwwroot/lib/jquery-validation-unobtrusive/dist/jquery.v
alidate.unobtrusive.js
create mode 100644 Task/wwwroot/lib/jquery-validation-unobtrusive/dist/jquery.v
alidate.unobtrusive.min.js
create mode 100644 Task/wwwroot/lib/jquery-validation/LICENSE.md
create mode 100644 Task/wwwroot/lib/jquery-validation/dist/additional-methods.j
s
create mode 100644 Task/wwwroot/lib/jquery-validation/dist/additional-methods.m
in.js
create mode 100644 Task/wwwroot/lib/jquery-validation/dist/jquery.validate.js
create mode 100644 Task/wwwroot/lib/jquery-validation/dist/jquery.validate.min.
js
create mode 100644 Task/wwwroot/lib/jquery/LICENSE.txt
create mode 100644 Task/wwwroot/lib/jquery/dist/jquery.js
create mode 100644 Task/wwwroot/lib/jquery/dist/jquery.min.js
create mode 100644 Task/wwwroot/lib/jquery/dist/jquery.min.map
create mode 100644 Task/wwwroot/lib/jquery/dist/jquery.slim.js
create mode 100644 Task/wwwroot/lib/jquery/dist/jquery.slim.min.js
create mode 100644 Task/wwwroot/lib/jquery/dist/jquery.slim.min.map

priscilla.godwin@Asplap1642 MINGW64 ~/Desktop/PriscillaTask (master)
$ git remote add origin https://github.com/Pris2011/Sessions.git

priscilla.godwin@Asplap1642 MINGW64 ~/Desktop/PriscillaTask (master)
$ git push origin master
Enumerating objects: 107, done.
Counting objects: 100% (107/107), done.
Delta compression using up to 4 threads
Compressing objects: 100% (101/101), done.
Writing objects: 100% (107/107), 1017.68 KiB | 1.06 MiB/s, done.
Total 107 (delta 34), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (34/34), done.
To https://github.com/Pris2011/Sessions.git
 * [new branch]      master -> master

priscilla.godwin@Asplap1642 MINGW64 ~/Desktop/PriscillaTask (master)
$
```

```
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.min.
css
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.min.
css.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.rtl.
css
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.rtl.
css.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.rtl.
min.css
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.rtl.
min.css.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap.css
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap.css.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap.min.css
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap.min.css.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap.rtl.css
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap.rtl.css.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap.rtl.min.css
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap.rtl.min.css.ma
p
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.bundle.js
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.bundle.js.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.bundle.min.js
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.bundle.min.js.m
ap
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.js
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.js.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.min.js
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.min.js.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.js
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.js.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.min.js
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/js/bootstrap.min.js.map
 create mode 100644 Task/wwwroot/lib/jquery-validation-unobtrusive/LICENSE.txt
 create mode 100644 Task/wwwroot/lib/jquery-validation-unobtrusive/dist/jquery.v
alidate.unobtrusive.js
 create mode 100644 Task/wwwroot/lib/jquery-validation-unobtrusive/dist/jquery.v
alidate.unobtrusive.min.js
 create mode 100644 Task/wwwroot/lib/jquery-validation/LICENSE.md
 create mode 100644 Task/wwwroot/lib/jquery-validation/dist/additional-methods.j
s
 create mode 100644 Task/wwwroot/lib/jquery-validation/dist/additional-methods.m
in.js
 create mode 100644 Task/wwwroot/lib/jquery-validation/dist/jquery.validate.js
 create mode 100644 Task/wwwroot/lib/jquery-validation/dist/jquery.validate.min.
js
 create mode 100644 Task/wwwroot/lib/jquery/LICENSE.txt
 create mode 100644 Task/wwwroot/lib/jquery/dist/jquery.js
```

```
warning: in the working copy of 'Task/wwwroot/lib/jquery/dist/jquery.slim.min.js
', LF will be replaced by CRLF the next time Git touches it

priscilla.godwin@Asplap1642 MINGW64 ~/Desktop/PriscillaTask (master)
$ git commit -m "projet added"
[master (root-commit) 5ae53fe] projet added
 Committer: Priscilla Godwin <priscilla.godwin@aspiresys.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 84 files changed, 83142 insertions(+)
 create mode 160000 EmployeeManagementSystem
 create mode 100644 Task/Controllers/HomeController.cs
 create mode 100644 Task/Models/ErrorViewModel.cs
 create mode 100644 Task/Program.cs
 create mode 100644 Task/Properties/launchSettings.json
 create mode 100644 Task/Task.csproj
 create mode 100644 Task/Views/Home/Index.cshtml
 create mode 100644 Task/Views/Home/Privacy.cshtml
 create mode 100644 Task/Views/Shared/Error.cshtml
 create mode 100644 Task/Views/Shared/_Layout.cshtml
 create mode 100644 Task/Views/Shared/_Layout.cshtml.css
 create mode 100644 Task/Views/Shared/_ValidationScriptsPartial.cshtml
 create mode 100644 Task/Views/_ViewImports.cshtml
 create mode 100644 Task/Views/_ViewStart.cshtml
 create mode 100644 Task/appsettings.Development.json
 create mode 100644 Task/appsettings.json
 create mode 100644 Task/obj/Task.csproj.nuget.dgspec.json
 create mode 100644 Task/obj/Task.csproj.nuget.g.props
 create mode 100644 Task/obj/Task.csproj.nuget.g.targets
 create mode 100644 Task/obj/project.assets.json
 create mode 100644 Task/obj/project.nuget.cache
 create mode 100644 Task/wwwroot/css/site.css
 create mode 100644 Task/wwwroot/favicon.ico
 create mode 100644 Task/wwwroot/js/site.js
 create mode 100644 Task/wwwroot/lib/bootstrap/LICENSE
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-grid.css
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-grid.css.map
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-grid.min.css
 create mode 100644 Task/wwwroot/lib/bootstrap/dist/css/bootstrap-grid.min.css.m
```

Commit to local repository and pushing to remote repository