Maintenance Guide

Preventive maintenance practices that extend a structure's service life

Every building system has a service life, but almost none of them fail on schedule — they fail early, because small, cheap problems were left to become large, expensive ones. Preventive maintenance is not about preventing every failure; it's about catching the ones that are still a $200 fix before they become a $20,000 one. This guide covers the maintenance principles, system-by-system schedule, and seasonal rhythm that keep a structure performing near its full design life.

1. Maintenance Principles

Inspect on a schedule, not a symptom — Waiting for a visible problem means you're already behind — most failures show hidden signs (staining, corrosion, minor cracking) months or years before they become obvious.

Small and often beats big and rare — A 20-minute gutter clearing four times a year prevents the ice dam or fascia rot that a once-a-decade deep-clean won't catch in time.

Water control is the highest-leverage task — The majority of building deterioration — wood rot, corrosion, mold, foundation movement — traces back to uncontrolled water. Prioritize drainage, flashing, and waterproofing tasks above nearly everything else.

Document every cycle — Photos and dated notes turn a one-time inspection into a trend line. Without a record, 'seems about the same' is a guess, not a finding.

Match the task to the season — Some tasks only reveal problems at a specific time of year (ice damming in winter, AC performance in peak summer) — timing the inspection to the stress event catches more.

2. Maintenance Tasks by Building System

Frequencies below are typical starting points — adjust upward for older buildings, harsh climates, or systems already showing wear.

System	Frequency	Key Tasks
Roof	2x/yr + after storms	Clear debris, inspect flashing and seams, check for ponding water, clear gutters/downspouts
Exterior Envelope	Annually	Inspect siding/cladding, re-caulk gaps at trim and penetrations, check window/door seals
Foundation & Structure	Annually	Check grading slope, inspect for new cracking, monitor crawlspace/basement moisture
Plumbing	Annually	Inspect visible supply/drain lines, test shutoff valves, flush water heater, check for slow leaks
HVAC	2-4x/yr	Replace/clean filters, service before peak season, clear condensate drains, check ductwork seals
Electrical	Annually	Inspect panel for corrosion/heat marks, test GFCI/AFCI outlets, check for loose fixtures

System	Frequency	Key Tasks
Fire & Life Safety	2x/yr (test), Annually (service)	Test smoke/CO detectors, check extinguisher charge/tags, verify emergency lighting
Interior	Annually	Check for new cracking, moisture staining, or musty odors; verify doors/windows operate smoothly
Site & Grounds	2x/yr	Maintain drainage/grading, trim vegetation away from structure, inspect pavement/walkways

3. Seasonal Maintenance Calendar

Anchoring tasks to seasons ensures the right problems get caught at the right time — before winter freeze, before summer heat load, before spring rain volume peaks.

Spring

- Clear winter debris from gutters, downspouts, and roof valleys
- Inspect roof and flashing for winter storm or ice damage
- Check grading and drainage after snowmelt/spring rains
- Service HVAC cooling system before summer demand
- Inspect exterior caulking and touch up as needed after freeze-thaw cycles

Summer

- Monitor AC performance during peak load; check condensate drains
- Inspect and clean dryer vents, exhaust fans, and other airflow paths
- Check irrigation systems for leaks and correct spray patterns away from foundation
- Inspect deck, patio, and exterior wood elements for UV/weather wear

Fall

- Clear gutters again after leaf drop, before winter freeze
- Service heating system before cold season
- Inspect and seal any new gaps at windows, doors, and penetrations before winter
- Disconnect and drain exterior hose bibs and irrigation lines in freeze-prone climates

Winter

- Monitor for ice damming at roof eaves and valleys
- Check attic ventilation and insulation if ice damming is occurring
- Inspect for drafts and heat loss at windows and doors
- Watch for frozen or burst pipe risk in unheated or exterior-wall cavities

4. The Cost of Deferred Maintenance

Deferred maintenance rarely stays the same price — most building problems compound. The table below shows typical escalation when a minor issue is left unaddressed.

If Left Unaddressed	Typical Consequence	Cost Escalation
Clogged gutters	Fascia rot, ice damming, foundation splashback	Low → Moderate
Minor roof flashing gap	Sheathing rot, insulation damage, interior mold	Low → High

If Left Unaddressed	Typical Consequence	Cost Escalation
Small foundation crack	Water infiltration, reinforcement corrosion, structural repair	Moderate → Severe
HVAC filter neglect	Reduced efficiency, coil damage, early compressor failure	Low → Moderate
Slow plumbing leak	Hidden wood rot, mold growth, drywall/flooring replacement	Low → High
Peeling exterior caulk/sealant	Water intrusion at windows/doors, wall cavity damage	Low → Moderate

The pattern: almost every deferred item above starts as a water-control problem. Fixing water paths early is consistently the highest return-on-effort maintenance work you can do.

5. Recordkeeping & Professional Help

Good Recordkeeping

- Keep a dated log or folder (physical or digital) with photos from every inspection cycle
- Save receipts, warranties, and service reports for major systems (roof, HVAC, water heater)
- Note the install date and expected service life of major components so replacement timing isn't a surprise
- Record weather events (major storms, hail, floods) alongside any related inspection findings

When to Call a Professional

- Any structural concern — cracking, settlement, or framing damage — warrants a licensed engineer, not a guess
- Roof, electrical, and gas-appliance work generally requires licensed trades for both safety and code compliance
- Recurring leaks that resist simple fixes often indicate a hidden source that needs systematic diagnosis
- Major system replacements (roof, HVAC, water heater) are a good trigger for a full building health audit

---

This guide is a general preventive-maintenance reference. Frequencies and priorities should be adjusted for local climate, building age, and manufacturer guidance, and structural or safety concerns should always be referred to a licensed professional.