

1. Create react app which contains form with following fields.

- **First Name(Input type text)**
- **Email(Input type email)**
- **Password(Input type password)**
- **Confirm Password(Input type password)**
- **Message (Textarea)**
- **Gender(Radio Button)**
- **City (Dropdown)**

Display submitted values in alert box. (Using useState Hook)

2. Create react app which contains form with fields Name, Email Id, Password and Confirm Password and submit button.

- 1. When the form submitted the values of password and confirm password fields must be same else it will give an error message in alert box.**
- 2. Also, length of the password must be greater than 8 else it will give an error message in alert.**
- 3. If form submitted successfully then display entered name and email id in alert box.**

3. Build a React component called Calculator that performs basic arithmetic operations using a single state object.

- **Two number inputs (num1, num2) and a dropdown to select operation (add, sub, mul, div)**
- **All fields are required**
- **Use useState with one object for all inputs**
- **On form submit:**

- Validate all field
 - Prevent divide by zero
 - Show result using alert()
4. Write react component to increase value by 5 while clicking on button. Initialize value with 20. Use useReducer hook to perform the task.
 5. Create react jsx app to increase value by 1 while clicking on button "Increment" and decrease value by 1 while clicking on button "Decrement". Initialize value with 0. Use useReducer hook to perform the task.
 6. Write a react JS program to perform the tasks as asked below.
 - Create one main file (parent file) name PC.jsx and other 2 component files C1.jsx and C2.jsx
 - Pass First name and Last name from PC.jsx file to C2.jsx file. And display **Welcome ABC XYZ** (suppose firstname is ABC and Last name is XYZ) in browser.
 7. Write a reactJS program to perform the tasks as asked below.
 - Create one main file (parent file) name Comp.jsx and other 3 component files Comp1.jsx, Comp2.jsx, Comp3.jsx.
 - Pass Number1 and Number 2 from Comp.jsx file to Comp3.jsx file. Calculate multiplication of the numbers using useContext.
 8. Use multiple contexts in a React application by creating and consuming them across different components.

Comp1.jsx: Creates a context for CSS styling and provides it to Comp2.

Comp2.jsx: Creates a context for a string value ("Students") and provides it to Comp3.

Comp3.jsx: Consumes both contexts and displays a message with the provided styles and string.

9. Write react js app to perform the tasks as asked below.

- **Add two buttons and increment count by one with each click.**
- **Display alert as an effect on specified conditions.**
 - **Effect will be triggered only when page rendered for the 1st time. (empty array)**
 - **Effect will be triggered every time the button A is clicked. (array with value)**
 - **When the Page is Rendered for the First Time and On Every Update/Event Triggered**

10. Write a ReactJS script to create a digital clock running continuously. (useEffect)

11. Create a react app to display images by requesting API using Axios.

12. Write React component that fetches a random joke from the API and displays it when the "Generate Joke" button is clicked.