

QUESTION 1

```
1/prana2@cis106: ~/lab6/q1 ~
prana2@cis106:~$ curl https://cis106.com/assets/lab6/lab6.sh | bash
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
100 471 100 471 0 0 2081 0 --:--:-- --:--:-- --:--:-- 2093
prana2@cis106:~$ cd lab6
prana2@cis106:~/lab6$ ls
q1 q2 q3
prana2@cis106:~/lab6$ cd q1
prana2@cis106:~/lab6/q1$ ls
access.log app.cfg ftp.log game.cfg ssh.log zebra.cnf
apache.log error.log fuse.conf simple.cnf sudo.conf
prana2@cis106:~/lab6/q1$ ls *.log
access.log apache.log error.log ftp.log ssh.log
prana2@cis106:~/lab6/q1$ mkdir ../log-files/
prana2@cis106:~/lab6/q1$
```

QUESTION 2

```
Tilix: prana2@cis106: ~

1: prana2@cis106: ~
prana2@cis106:~$ ls lab6/q2/*.??
lab6/q2/code.go lab6/q2/code.js lab6/q2/code.py lab6/q2/code.rb lab6/q2/code.sh
prana2@cis106:~$ rm lab6/q2/*.??
prana2@cis106:~$ ls lab6/q2/T*.????
lab6/q2/Trip_doc.docx lab6/q2/Trip_doc.pptx lab6/q2/Trip_doc.vsdw lab6/q2/Trip_doc.xlsx
prana2@cis106:~$ rm lab6/q2/T*.????
prana2@cis106:~$ ls lab6/q2/[lr][aeiou]*[0-9].*
lab6/q2/last_0.txt lab6/q2/list_0.txt lab6/q2/lost_0.txt lab6/q2/rest_0.txt
lab6/q2/last_1.txt lab6/q2/list_1.txt lab6/q2/lost_1.txt lab6/q2/rest_1.txt
lab6/q2/last_2.txt lab6/q2/list_2.txt lab6/q2/lost_2.txt lab6/q2/rust_0.txt
lab6/q2/last_3.txt lab6/q2/list_3.txt lab6/q2/lost_3.txt lab6/q2/rust_1.txt
prana2@cis106:~$ mkdir lab6/random
prana2@cis106:~$ mv lab6/q2/[lr][aeiou]*[0-9].* lab6/random/
prana2@cis106:~$

2: prana2@cis106: ~
prana2@cis106:~$ tree lab6/hidden-files/
lab6/hidden-files/
0 directories, 0 files
prana2@cis106:~$ ls lab6/q2
lab6/q2
prana2@cis106:~$ tree lab6/q2
lab6/q2
0 directories, 0 files
prana2@cis106:~$
```

QUESTION 3

```
1: prana2@cis106: ~  
prana2@cis106:~$ mkdir -p lab6/wallpapers/cars/{1080p,2k,4k}  
prana2@cis106:~$ tree lab6  
lab6  
├── hidden-files  
├── hiddent-files  
├── log-files  
├── q1  
│   ├── access.log  
│   ├── apache.log  
│   ├── app.cfg  
│   ├── error.log  
│   ├── ftp.log  
│   ├── fuse.conf  
│   ├── game.cfg  
│   ├── simple.cnf  
│   ├── ssh.log  
│   ├── sudo.conf  
│   └── zebra.cnf  
├── q2  
├── q3  
│   ├── _file0.old  
│   ├── _file1.old  
│   └── _file2.old  
└── random  
    ├── last_0.txt  
    ├── last_1.txt  
    ├── last_2.txt  
    ├── last_3.txt  
    ├── list_0.txt  
    ├── list_1.txt  
    └── list_2.txt
```

```
32 directories, 55 files  
prana2@cis106:~$ mkdir -p lab6/assets/{imgs/{large,small},video/{large,small}}  
prana2@cis106:~$ tree lab6  
lab6  
├── assets  
│   ├── imgs  
│   │   ├── large  
│   │   │   └── video  
│   │   │       ├── large  
│   │   │       └── small  
│   │   └── small  
│   │       └── video  
│   │           ├── large  
│   │           └── small  
└──
```

```
1: prana2@cis106: ~/lab6 v
prana2@cis106:~/lab6$ touch -p docs/books/history/fall/book.pdf docs/bookss/history/spring/book.pdf docs/books/math/2024/book.pdf docs/books/math/2025/book.pdf
touch: invalid option -- 'p'
Try 'touch --help' for more information.
prana2@cis106:~/lab6$ touch docs/books/history/fall/book.pdf docs/bookss/history/spring/book.pdf docs/books/math/2024/book.pdf docs/books/math/2025/book.pdf
prana2@cis106:~/lab6$ tree docs
docs
├── books
│   ├── history
│   │   └── fall
│   │       └── book.pdf
│   └── math
│       ├── 2024
│       │   └── book.pdf
│       └── 2025
│           └── book.pdf
└── bookss
    ├── history
    │   └── spring
    │       └── book.pdf
```

10 directories, 4 files

```
prana2@cis106:~/lab6$
```

QUESTION 4

```
Tilix: prana2@cis106: ~  
1: prana2@cis106: ~  
prana2@cis106:~$ ls lab6/q2/*.??  
lab6/q2/code.go lab6/q2/code.js lab6/q2/code.  
.py lab6/q2/code.rb lab6/q2/code.sh  
prana2@cis106:~$ rm lab6/q2/*.??  
prana2@cis106:~$ ls lab6/q2/T*.????  
lab6/q2/Trip_doc.docx lab6/q2/Trip_doc.pptx  
lab6/q2/Trip_doc.vsdw lab6/q2/Trip_doc.xlsx  
prana2@cis106:~$ rm lab6/q2/T*.????  
prana2@cis106:~$ ls lab6/q2/[lr][aeiou]*[0-9].  
*  
lab6/q2/last_0.txt lab6/q2/list_0.txt lab6/q  
2/lost_0.txt lab6/q2/rest_0.txt  
lab6/q2/last_1.txt lab6/q2/list_1.txt lab6/q  
2/lost_1.txt lab6/q2/rest_1.txt  
lab6/q2/last_2.txt lab6/q2/list_2.txt lab6/q  
2/lost_2.txt lab6/q2/rust_0.txt  
lab6/q2/last_3.txt lab6/q2/list_3.txt lab6/q  
2/lost_3.txt lab6/q2/rust_1.txt  
prana2@cis106:~$ mkdir lab6/random  
prana2@cis106:~$ mv lab6/q2/[lr][aeiou]*[0-9].  
* lab6/random/  
prana2@cis106:~$  
2: prana2@cis106: ~  
prana2@cis106:~$ tree lab6/hidden-files/  
lab6/hidden-files/  
0 directories, 0 files  
prana2@cis106:~$ ls lab6/q2  
prana2@cis106:~$ tree lab6/q2  
lab6/q2  
0 directories, 0 files  
prana2@cis106:~$
```

CQ

```
1: prana2@cis106: ~  
track.wav  
prana2@cis106:~$ mkdir -p challenge-lab6/{audio/{aac,mp3},docs/{docx,pdf,xls},images/{jpg,png}}  
prana2@cis106:~$ touch challenge-lab6/audio/aac/all-aac-files-here  
prana2@cis106:~$ touch challenge-lab6/audio/mp3/all-mp3-files-here  
prana2@cis106:~$ touch challenge-lab6/docs/docx/all-docs-files-here  
prana2@cis106:~$ touch challenge-lab6/docs/pdf/all-pdf-files-here  
prana2@cis106:~$ touch challenge-lab6/docs/xls/all-xls-files-here  
prana2@cis106:~$ touch challenge-lab6/images/jpg/all-jpg-files-here  
prana2@cis106:~$ touch challenge-lab6/images/png/all-png-files-here  
prana2@cis106:~$ tree challenge-lab6  
challenge-lab6  
├── audio  
│   ├── aac  
│   │   └── all-aac-files-here  
│   └── mp3  
│       └── all-mp3-files-here  
├── docs  
│   ├── docx  
│   │   └── all-docs-files-here  
│   ├── pdf  
│   │   └── all-pdf-files-here  
│   └── xls  
│       └── all-xls-files-here  
└── images  
    ├── jpg  
    │   └── all-jpg-files-here  
    └── png  
        └── all-png-files-here  
  
11 directories, 7 files  
prana2@cis106:~$
```