DESIGN EXPLORATION · PRISMLAUNCHER DEVELOP @ 60BCC26

Reworking Prism Launcher's interface

Prism's logo is a grass block refracted into a six-colour spectrum. The window around it still uses the layout inherited from MultiMC: three toolbars, a status bar, and a grid of 100-pixel tiles that show an icon and a name. This page maps how the UI is built, shows where it gets in the way, and proposes a new structure with five visual directions to choose from.



The grass half of the logo already shows up in the default icon theme and the lime selection colour. The spectrum half appears nowhere in the UI.

In short

The cheapest wins are structural. Make Play the primary action, show version, loader and last played on each tile, add search, and open the instance editor on something more useful than an empty log.

Themes can recolour Prism but cannot reshape it. Tile size, icon size, selection style and group headers are hard-coded in three C++ files. A small token layer fixes that, and its defaults can reproduce today's look exactly.

For the identity, I recommend Refraction, which is built from the logo's own

spectrum, as the new Dark and Bright. Keep System for people who want native widgets, and ship Blocks and Cozy as optional theme packs.

Qt Widgets can do all of this. A move to Qt Quick would cost months and no direction on this page needs it.

UI CODE	DESIGNER FORMS	INSTANCE EDITOR	GLOBAL SETTINGS
58.5k lines	**63**	**16 pages**	**~130**
367 files in `launcher/ui`	`.ui` files edited in Qt Designer	12 on a typical modern instance	spread over 9 settings pages

THEME AXES

3


widget theme, icon theme (9 sets), cat pack (4)

PROGRESS · 14 OCTOBER 2026


Blocks is running in the app

You chose Blocks, Tier 1 now and Tier 2 after feedback, as a fork. The first milestone is built on the `blocks-ui` branch. Everything below is a screenshot of the launcher compiled from that branch, rendered headlessly with demo data, not a mockup.






Main window, Blocks. Inventory slots on a dirt backdrop, the version and loader under each name, the modpack platform in the slot corner, search and group chips above the grid, and Launch as the one green button.




Blocks (Deepslate). The dark variant, with the same layout.



The cat, pixelated. Names get a translucent box like a Minecraft name tag, so they stay readable over it.




Instance editor. Now opens on Mods instead of



New Instance. Black text fields, stone buttons and pixel arrows. The dialog's structure is unchanged until Tier 2.

Instance editor. Now opens on Mods instead of an empty console, with a search field above the pages.



Empty library. When a search matches nothing it says so instead, for example “No instances match "atm"”.

What is built

Foundations

- `ThemeTokens` on every theme, readable from `theme.json` so custom themes can use slots, textures and display fonts too
- Per-widget-class fonts that are removed again when you switch themes
- Grid tiles, group headers, the empty state and the cat all read the tokens

Blocks theme

- Two variants, Blocks and Blocks (Deepslate), in Settings → Appearance
- A proxy style for stone buttons, black fields, pixel check boxes, arrows and radio buttons, an XP-bar progress meter, purple tooltips, tabs, tables and scroll bars
- Pixelify Sans (OFL) bundled for buttons and headings; original dirt and deepslate textures
- The console in Minecraft's chat colours

Tier 1

- Version, loader and modpack platform on each tile, read from the pack file once and cached
- Search (Ctrl+F) across names, versions and loaders; group chips; sorting moved out of Settings
- A primary Launch button; Rename, Change Icon, Change Group, Copy, Create Shortcut and Delete in a More menu
- The editor opens on Mods; page search in Settings and the editor; clearer empty states

How it was checked

Dark and Bright render with **0 differing pixels** compared with an unmodified `develop` build, so the token layer changes nothing for existing themes.

All 23 existing tests pass, and the build is clean with the project's warnings-as-errors setting.

Changed lines are formatted with the repository's `.clang-format`.

Before you publish the fork

- Replace `Launcher_MSA_CLIENT_ID` and `Launcher_CURSEFORGE_API_KEY` in `CMakeLists.txt`. Both were issued to Prism Launcher, and CurseForge requires derivative works to use their own key.
- Rebrand `program_info/`: name, app ID, logo and desktop files.
- Point the news feed, bug tracker and updater URLs at your own project.

THE CODE

How the UI is built

Prism is C++20 on Qt 6.8 Widgets, with no QML. Nearly every screen is either the main window or a column of pages hosted by a single component, `PageContainer`. Visual styling comes from `QPalette` on top of the Fusion style, or the platform style when System is selected. Only three files call `setStyleSheet`, and most of those calls paint the Konami-code easter egg.

Main window anatomy

Menu bar
hidden; Alt shows it

Main toolbar
Add Instance · Folders · Settings · Help · Update · Meow · Account

Instance grid
`InstanceView`, `ListViewDelegate`, `VisualGroup`

Instance toolbar
`WideBar`: icon, name, 11 actions

News toolbar
title of the latest blog post

Status bar
instance summary and total playtime

`ui/MainWindow.ui` and `MainWindow.cpp` (1,841 lines) own all six bands. Toolbars can be dragged around until you lock them.

One page container, three hosts

PageContainer
sidebar list plus a stack of pages
`ui/widgets/PageContainer.cpp`

hosted by

Instance editor
InstanceWindow, up to 16 pages, opens on Minecraft Log

Settings
PageDialog, 9 pages, OK / Cancel / Help

New Instance
NewInstanceDialog, 9 sources

Improving `PageContainer` once (section headers, a search box) improves all three. It already filters its list through `PageEntryFilterModel` but never shows a search field.

Theme stack

ThemeManager
`ui/themes/ThemeManager.cpp`

Widget theme
Qt style, QPalette, optional QSS, log colours. Built in: System, Dark, Bright. Custom: `themes/<id>/theme.json`

Icon theme
freedesktop folders. Simple ×4, Breeze ×2, Material ×2, Legacy

Cat pack
an image, or `catpack.json` with dated variants. Kitteh, Rory, Rory flat, Teawie

Three independent axes that users mix freely. Any rework has to keep icon themes and cat packs working.

What a theme cannot reach

These values are fixed in C++. Every custom theme inherits them, which is why every Prism theme still produces the same grid in different colours.


WHAT	TODAY	WHERE
Tile width	100 px, 5 px gaps	`ui/instanceview/InstanceView.h:127-128`
Tile icon	48 px	`ui/instanceview/InstanceDelegate.cpp:147, 266`


Selected tile	solid Highlight fill, `#96DB59` in Dark	`InstanceDelegate.cpp:73`, `ui/themes/DarkTheme.cpp:64`
Unselected label	Window colour at alpha 160 (63%)	`InstanceDelegate.cpp:78`
Status badges	24 px; running and crashed only	`InstanceDelegate.cpp:84-92`
Group header	app font in bold, text at 60%, rule at 5%	`ui/instanceview/VisualGroup.cpp:147-197`
Empty state	`QFont("sans", 20)` in a rounded box	`ui/instanceview/InstanceView.cpp:472-476`
Dark tooltip	`#2a82da` with a white border	`ui/themes/DarkTheme.cpp:87`
Editor's first page	`"console"`	`ui/InstanceWindow.cpp:69`

TODAY

What it looks like today


> Rendered headlessly from the installed Prism Launcher 11.1.1 Flatpak with a throwaway profile of eleven demo instances and the network disabled. The account shows a warning because the sandbox was offline. The status bar is missing the Minecraft version because those demo instances lacked the cached version Prism normally stores. `develop` has since reworked the instance toolbar (#6256), which adds a Rename action but keeps the same structure.






Main window, Dark theme. This is the default for Windows and macOS users in dark mode; Linux defaults to System.

1. **Launch has the same weight as Delete.** It is one row in an eleven-item list. Double-click also launches, unless a setting turns double-click into Edit.
2. **Selection is a solid lime block.** Unselected names sit on grey plates, which exist so text stays readable over the cat.
3. **Columns are a fixed 100 px.** Long names wrap to three lines while the right side of the grid stays empty.
4. **No search, filter or sort in the window.** Sorting lives in Settings. Toolbar grips show because toolbars are unlocked by default.
5. **Instance facts arrive as one run-on sentence** in the status bar, followed by the global playtime.
6. **News takes a full toolbar band** for one line of text.



Instance editor. Opened with Edit; the window is titled “Console window for All the Mods 10”.

1. **One flat list of up to 16 pages** mixes runtime (logs), content (mods, worlds) and configuration (version, settings).
2. **It opens on an empty console** because the




New Instance. Opened by importing a modpack zip.

1. **Name and group come first**, before you have chosen what the instance is.
2. **Nine sources in one list**, and FTB appears three times.
3. **Import is explained in a paragraph** rather than offered as a drop target.

default page id is `"console"`.

3 **Launch, Kill and Close** repeat the main window's actions in a second place.



Bright theme with the cat. The cat is off by default and toggled with the Meow button.

1 **The cat paints at 100% opacity by default**, so tiles need plates to stay legible over it. A lower default opacity would let the tiles drop their plates.

2 **The Meow toggle sits in the main toolbar.** Every direction below keeps it.

Problems worth solving, ranked by impact

1	HIGH	**Play is not the primary action** Launch is one row among eleven in the instance toolbar and is styled like Delete. Double-click launches, which is easy to miss and flips to Edit when "Open Edit window on instance double-click" is on. `ui/MainWindow.ui` `ui/widgets/WideBar.cpp`
2	HIGH	**Tiles hide what makes instances different**

`InstanceList::data()` returns the name, icon key, group and folder path. Minecraft version, loader, pack source, last played and playtime exist on every instance but only reach the status bar.

`InstanceList.cpp` `ui/instanceview/InstanceDelegate.cpp`

---

3 HIGH

There is no way to search the library

With thirty or more instances, people scroll and collapse groups. `InstanceProxyModel` is already a `QSortFilterProxyModel`, so a filter costs very little. Sort order is a setting in Settings → Launcher.

`ui/instanceview/InstanceProxyModel.cpp`

---

4 HIGH

The editor opens on an empty console

Edit opens a window titled “Console window for …” on the log page, with up to sixteen pages in one flat list that mixes runtime, content and configuration.

`ui/InstanceWindow.cpp:58, 69` `InstancePageProvider.h`

---

5 MEDIUM

New Instance asks for a name before you choose what it is

The name and group fields sit above nine sources. FTB appears three times and Import is explained in prose.

`ui/dialogs/NewInstanceDialog.cpp`

---

6 MEDIUM

Five bands of chrome

Menu bar, main toolbar, instance toolbar, news toolbar and status bar each take a strip. Toolbars are movable and show grips by default (`ToolbarsLocked = false`).

`ui/MainWindow.ui`

---

7 MEDIUM

Long tasks block the window

Downloads and imports run through `ProgressDialog::execWithTask`, which is modal. Failures arrive in further modal boxes with raw network errors such as “Protocol "modrinth" is unknown”.

`ui/MainWindow.cpp:883, 1047, 1140` `ui/dialogs/ProgressDialog.cpp`

---

8 MEDIUM

Selection shouts and the rest state is noisy

The selected tile is a solid lime fill with black text. Every other name sits on

a 63%-opaque plate. Together they make the grid look busier than it is.

`InstanceDelegate.cpp:71-80` `ui/themes/DarkTheme.cpp:64`

9 LOW

Settings have no search

About 130 options across nine pages, several of them long forms. The filtering model exists; the search box does not.

`ui/widgets/PageContainer.cpp:61` `ui/pages/global/LauncherPage.ui`

STRUCTURE

Three levels of ambition

Each tier includes the one before it. The art directions further down assume Tier 2, but every one of them can be applied to Tier 1 as a theme.

Tier 1 · Polish in place

START HERE

Effort	**2–4 weeks**
Risk	**Low**
Upstream fit	**High; small PRs**

- Tile v2: 64 px icon, one-line name, a version and loader line, source and state badges, columns that fill the row
- Filter bar with search, group chips and a sort menu
- A primary Play button; rare actions move into an overflow menu
- The editor opens on Mods and gains section headers
- Settings search and a designed empty state

`InstanceDelegate.cpp` `InstanceView.cpp` `InstanceProxyModel.cpp` `InstanceList.cpp` `MainWindow.ui` `PageContainer.cpp`

Tier 2 · New shell

THEN THIS

Effort	**2–3 months**
Risk	**Medium**
Upstream fit	**Needs an RFC first**

- Navigation rail: Library, Discover, Activity, Settings, Account
- A detail panel replaces the instance toolbar and the status bar
- An activity strip and drawer replace modal progress dialogs
- Instance editor regrouped into Overview, Content, Setup and Logs
- A Create hub: start fresh, browse modpacks across providers, or import

Tier 1 files plus `InstanceWindow.cpp` `InstancePageProvider.h` `NewInstanceDialog.cpp` `ProgressDialog.cpp` and a new task model

Tier 3 · Qt Quick surfaces

SKIP

Effort	**4–6 months**
Risk	**High**
Upstream fit	**Low**

- Library and Discover rebuilt in QML inside `QQuickWidget` ; forms stay Widgets
- Gains GPU animation and easier rich cards
- Costs new Qt Quick and Quick Controls dependencies in every package, accessibility parity work, two UI stacks, and a harder native look on KDE and Windows
- Every direction on this page can be painted with `QStyledItemDelegate` and a `QProxyStyle` instead

New: `Qt6::Quick` `Qt6::QuickWidgets` `Qt6::QuickControls2`

The main window: five bands become three zones

The detail panel absorbs the instance toolbar and the status bar. News and task progress share one thin activity strip. The menu bar stays available behind Alt, as it is today.

TODAY

Menu bar
hidden

Main toolbar
7 buttons and the account menu

Instance grid
icon and name per tile

Instance toolbar
11 equal actions

News toolbar

Status bar
facts as a sentence

PROPOSED

Rail

Library header
search, group chips, sort, view, New

Library
tiles with version, loader, source and state; grid, compact or list

Detail panel
Play, launch options, pack status, play stats, links into Mods, Worlds, Screenshots and Servers, then Edit, Folder, Export and More

Activity strip
running tasks with progress, news on the right; opens a drawer

The instance editor: group pages by what people are doing

Same pages, four sections, and a new Overview as the first page. Legacy pages such as Core Mods, Nil Mods and Texture Packs only appear for old versions today; they fit inside Content as tabs. The window title becomes “Edit · All the Mods 10”.

Overview

OPENS HERE

Play stats, pack update status, quick links and a notes preview.

`Overview` `Notes` `Modpack status`

Content

Everything inside the instance folder that people add, remove and browse.

`Mods` `Core Mods` `Nil Mods`

Resource Packs · Texture Packs · Data Packs · Shader Packs · Worlds · Servers · Screenshots

Setup

What the instance is and how it starts.

Version · Modpack · Settings

Logs

Opens automatically on launch, as the console does today.

Minecraft Log · Other Logs

New instance: choose what it is, then name it

TODAY

1. Type a name, pick a group and an icon
2. Pick one of nine sources: Custom, Import, ATLauncher, CurseForge, FTB, FTB Legacy, FTB App Import, Modrinth, Technic
3. OK

PROPOSED

1. Choose a start

   Start fresh
   Minecraft version plus an optional loader, with release, snapshot and old versions as filters

   Browse modpacks
   one search across Modrinth, CurseForge, FTB, ATLauncher and Technic, with providers as chips

   Import
   drop a .zip or .mrpack, paste a link, or pull from the FTB App

2. Review the name, group and icon, already filled in from the pack
3. Create; progress continues in the activity strip

Long tasks stop blocking the window

A task model behind the activity strip collects downloads, imports and updates. Only destructive confirmations stay modal. Errors become rows you can retry or copy instead of stacked dialogs.

ACTIVITY DRAWER

Downloading 3 mods for Fabulously Optimized
sodium, lithium, iris · 4.1 of 6.6 MB
Pause

All the Mods 10 2.40 is ready
12 mods updated, 3 added, 1 removed
Review


Couldn't import modrinth://modpack/fabulously-optimized
This link type needs Prism 11.2 or newer
Retry Copy link


DIRECTIONS

Five visual directions

All five use the proposed structure and the same eleven demo instances, so only the treatment changes. Click a tile, a group chip or the search field; the detail panel, covers and cat respond. Light and Dark switch the mockup only.

Refraction Blocks Native Biome Cozy Light Dark Cat on





These mockups are HTML, not screenshots. Every typeface shown is OFL-licensed, so Prism could bundle it; Native uses whatever font your system provides. Biome covers are generated pixel landscapes whose sky follows your local time of day.

Refraction

BRAND-LED · RECOMMENDED DEFAULT

Graphite or paper surfaces, with the logo's six spectrum colours used as a working palette for group colours, the selection ring, progress and focus. The grass green from the logo's other half becomes the Play button.

Show in mockup

Graphite #121219	Paper #f6f6f9	Grass #8fcf56
Rose #df6277	Light #f3db6c	Blue #4b7cbc

All the Mods 10

Manrope 800 for titles, 500 for UI. Latin, Cyrillic and Greek.

SIGNATURE	A spectral ring around the selected tile, a hexagon motif from the logo for avatars, rail highlight and group dots, and a two-pixel spectrum line under the title bar.
CAT	Same as today, behind the grid, at about 20% default opacity so tiles can drop their plates.
COST	Medium: tokens, a new tile delegate, and a proxy style for primary buttons and chips.
RISK	Low. Works with every icon theme, and the spectrum stays in small doses.
BEST FOR	The new built-in Dark and Bright themes.

Blocks

GAME-LED · OPTIONAL THEME PACK

Minecraft's own UI language: bevelled panels, inventory slots and stone buttons, drawn as original pixel art rather than game textures. The library becomes an inventory, and counts sit in the slot corner like item stacks.

Show in mockup

Inventory #c6c6c6 | Slot #8b8b8b | Deepslate #2c2c31

Grass #5a9e2f | XP #80d020 | Dirt #7a573b

All the Mods 10

Pixelify Sans for titles and buttons; Rubik for anything people must read.

SIGNATURE	A hotbar-style selection frame, an XP-bar progress meter, a dirt backdrop and stack counts on the detail tiles.
CAT	Cat packs pass through a pixelation filter and sit on the window edge like a sprite.
COST	Medium to high: integer scaling, a pixel icon set, bevel painting in the proxy style.
RISK	High for legibility. Pixel faces cover few scripts, so CJK and others fall back to the body face. Mojang's textures and fonts must stay out.
BEST FOR	A theme pack for nostalgic and younger players.

Native

PLATFORM-LED · KEEP AS SYSTEM

System font, system palette, system accent. The rework happens in layout and information, and the widgets look like every other app on the desktop. Shown here with KDE Breeze colours.

Show in mockup

Window #eff0f1 | View #fcfcfc | Breeze Dark #2a2e32

Accent #3daee9 | Button #2a7fba | Text #232629

All the Mods 10

Whatever the platform uses: Noto Sans on KDE, Adwaita Sans on GNOME, Segoe UI on Windows, SF Pro on macOS.

SIGNATURE	A sidebar with text labels, selection drawn by the platform style, and no custom chrome.
CAT	Off by default, one click away.
COST	Low: mostly the structural work from Tiers 1 and 2.
RISK	Low, but the least recognisable, and it looks different on every platform.
BEST FOR	KDE and GNOME users who want Prism to blend in, the audience of today's System theme.

Biome

CONTENT-LED · OPTIONAL VIEW MODE

A game-library look. Each instance gets cover art: its newest screenshot, the modpack's gallery image, or a generated pixel landscape when it has neither. The selected cover fills the detail panel and tints the whole window.

Show in mockup

Night #090b0e | Card #151a20 | Text #f4f6f8

Mesa #e0864a | Jungle #4fae5a | Ocean #3f86c8

All the Mods 10

Archivo, expanded 800 for titles and normal width for UI.

SIGNATURE	Generated covers whose sky follows your local time, a blurred backdrop from the selected cover, and an accent sampled from the art.
CAT	Off by default, since it would compete with the covers.

COST	High: screenshot thumbnails and caching, provider gallery fetches, pre-blurred pixmaps.
RISK	Medium. It needs images to shine, and large libraries need careful caching.
BEST FOR	People with many modpacks, as a “Covers” view inside Refraction.

Cozy

COMMUNITY-LED · OPTIONAL THEME PACK

A sticker-book look built around Prism’s community art. Outlined cards with hard shadows and a slight tilt, a handwritten display face and pastel loader tags. The cat pack becomes a mascot that comments on what is happening.

Show in mockup

Paper #eef3f8 Ink #2b2836 Rose #c84b63

Marker #f6df74 Mint #d4efe0 Night #1c1a2b

All the Mods 10

Shantell Sans for titles and labels, Nunito for body text.

SIGNATURE	A highlighter mark under the selected name, a mascot speech bubble that reacts to running, crashed and update states, and a dotted notebook background.
CAT	Rory, Teawie or any cat pack becomes the mascot. Seasonal variants already exist in `catpack.json`.
COST	Medium. Mascot states need a small manifest extension; the rest is delegate painting.
RISK	Medium. Some people will find it too playful, which is why it suits a theme pack.
BEST FOR	An optional theme pack and a showcase for the token API.

Side by side

My assessment. “Fit” means how well a direction matches where Prism’s recent UI work is heading, such as native list rendering in #6102 and the instance toolbar in #6256.

	REFRACTION	BLOCKS	NATIVE	BIOME	COZY
Distinctive	High	Very high	Low	High	High
Fit with Prism today	Good	Weak	Very good	Weak	Fair
Build effort	Medium	Medium–high	Low	High	Medium
Legibility and translation risk	Low	High	Low	Medium	Medium
Role I would give it	**Default**	Theme pack	Keep as System	View mode	Theme pack

FOUNDATIONS

What every direction needs

These pieces make the directions possible and are worth doing whichever one you pick.

A token layer under the themes

Add a `tokens` block to `theme.json` and a small struct to `ITheme`. The defaults reproduce today's values, so the first PR can merge with no visible change. `CustomTheme::read()` already ignores keys it does not know, so existing themes keep loading.

```
// themes/refraction/theme.json
{
  "name": "Refraction",
  "widgets": "Fusion",
  "colors": { "Window": "#121219", "Base": "#181822",
              "Highlight": "#8fcf56", "...": "..." },
  "tokens": {
    "tile":      { "width": 132, "iconSize": 56,
                  "radius": 12, "metaLine": true },
    "selection": { "style": "ring",
                  "colors": ["#df6277", "#fb9168", "#f3db6c",
                             "#7ab392", "#4b7cbc", "#6f488c"] },
```

```
    "groupHeader":   { "marker": "hexagon" },
    "primaryButton": { "background": "#8fcf56",
                       "text": "#0e1a06", "radius": 10 },
    "font": { "ui": "Manrope" }
  },
  "cat": { "opacity": 20, "treatment": "plain" }
}
```

```
// ui/themes/ITheme.h
struct ThemeTokens {
    int tileWidth = 100;      // InstanceView.h:128 today
    int tileIconSize = 48;    // InstanceDelegate.cpp:147, 266
    int tileRadius = 0;
    bool tileMetaLine = false;
    enum class Selection { Fill, Ring, Underline };
    Selection selection = Selection::Fill;
    QList<QColor> ringColors; // empty: use QPalette::Highlight
    QColor primaryButton;     // invalid: style default
};

class ITheme {
   public:
    virtual ThemeTokens tokens() { return {}; }
    // ...existing interface unchanged
};

// Read by ListViewDelegate::paint/sizeHint,
// VisualGroup::drawHeader, InstanceView::itemWidth,
// and HintOverrideProxyStyle, which already wraps
// every style and can draw primary buttons and chips.
```

Density for large libraries

Comfortable grid, compact grid and list. The list view uses the same model roles as tile v2, so it comes almost free once those roles exist.

NAME	MINECRAFT	LOADER	SOURCE	LAST PLAYED	PLAYTIME
Cobblemon Adventures	1.21.1	Fabric 0.16.9	Modrinth	Running	19 h 43 min
All the Mods 10	1.21.1	NeoForge	CurseForge	Today 12:56	4 d 17 h

All the Mods 10	1.21.1	NeoForge 21.1.90	CurseForge	Today, 13:56	4 d 17 h
Vanilla 1.21.4	1.21.4	None	Custom	Yesterday	23 h 53 min
NeoForge Dev	1.21.4	NeoForge 21.4.10	Custom	2 days ago	1 h 00 min
Fabulously Optimized	1.21.4	Fabric 0.16.10	Modrinth	3 days ago	14 h 26 min
SkyFactory 4	1.12.2	Forge 14.23.5.2860	CurseForge	2 months ago	3 d 0 h

Keyboard first

```
> atm
```

Launch All the Mods 10 — Enter

Launch All the Mods 10 offline — Ctrl Shift O

Open mods of All the Mods 10 — Ctrl Enter

Update All the Mods 10 to 2.40 pack update

Settings › Java settings page

Ctrl+F focuses the library search, and typing `>` turns it into a command palette over instances, actions and settings pages. Ctrl+K is not available for this because it already kills the running instance (`MainWindow.ui`). Prism already defines Ctrl+O, Ctrl+Shift+O and Ctrl+Alt+O for launch modes, Ctrl+I for Edit and Ctrl+G for groups, so the palette mostly needs to make them visible.

Accessibility and translation

- Keep `AccessibleInstanceView` (777 lines) working, and have tile v2 announce the new facts: “All the Mods 10, Minecraft 1.21.1, NeoForge, last played today”.
- Never show state by colour alone. Running, crashed and update badges carry a word or a

shape in every direction above.

- Keep body text at 4.5:1 contrast or better. Check lime and pastel fills against their text in both modes.
- Translations come from Weblate. Leave room for strings 30 to 40 percent longer than English, and let display faces fall back to the UI font for scripts they lack.
- Offer a setting that turns new animations off.

The cat stays

The cat is part of Prism's personality, and the code already supports custom packs with dated variants for birthdays, Halloween and Christmas. Each direction above gives it a treatment. A theme could declare a preferred opacity and treatment, while the user's own choice of pack and opacity still wins.

ROADMAP

Recommended path

Ordered so that each phase ships something useful on its own and the riskiest change comes after people have used the earlier ones.

Phase 0 · Foundations 1–2 WEEKS

Add `ThemeTokens` with today's values as defaults, make the delegates and group header read them, and parse `tokens` in `theme.json`. Nothing changes visually, which makes it an easy first PR.

`ITheme.h` `CustomTheme.cpp` `InstanceDelegate.cpp` `VisualGroup.cpp` `InstanceView.h`

Phase 1 · Library 2–4 WEEKS

New model roles for version, loader, source, last played and playtime. Tile v2, the filter bar, a primary Play button with an overflow menu, an empty state with Create and Import, and settings search.

`InstanceList.cpp` `InstanceProxyModel.cpp` `MainWindow.ui` `MainWindow.cpp` `WideBar.cpp` `PageContainer.cpp`

Phase 2 · Shell 6–10 WEEKS

Rail and detail panel replace the instance toolbar, news toolbar and status bar. Add the activity strip, editor sections with Overview first, and the Create hub. Keep a “Classic layout” setting for one release.