### SQL Questions:

- 1. Retrieve all successful bookings:
- Find the average ride distance for each vehicle type:
- Get the total number of cancelled rides by customers:
- List the top 5 customers who booked the highest number of rides:
- Get the number of rides cancelled by drivers due to personal and car-related issues:
- Find the maximum and minimum driver ratings for Prime Sedan bookings:
- Retrieve all rides where payment was made using UPI:
- 8. Find the average customer rating per vehicle type:
- Calculate the total booking value of rides completed successfully:
- 10. List all incomplete rides along with the reason:

# Power BI Questions:

- 1. Ride Volume Over Time
- 2. Booking Status Breakdown
- 3. Top 5 Vehicle Types by Ride Distance
- Average Customer Ratings by Vehicle Type
- 5. cancelled Rides Reasons
- Revenue by Payment Method
- 7. Top 5 Customers by Total Booking Value
- 8. Ride Distance Distribution Per Day
- 9. Driver Ratings Distribution
- 10. Customer vs. Driver Ratings

### Data Columns

- 1. Date
- 2. Time
- 3. Booking ID
- 4. Booking Status
- 5. Customer ID
- 6. Vehicle Type
- 7. Pickup Location
- 8. Drop Location
- 9. V TAT

- 10. C TAT
- 11, cancelled Rides by Customer
- 12 cancelled Rides by Driver
- 13. Incomplete Rides
- 14. Incomplete Rides Reason
- 15. Booking Value
- 16. Payment Method
- 17. Ride\_Distance
- 18. Driver Ratings
- 19. Customer Rating

# Power BI Answers:

# Segregation of the views:

#### 1. Overall

- Ride Volume Over Time
- Booking Status Breakdown

# 2. Vehicle Type

Top 5 Vehicle Types by Ride Distance

#### 3. Revenue

- Revenue by Payment Method
- Top 5 Customers by Total Booking Value
- Ride Distance Distribution Per Day

#### 4. Cancellation

- Cancelled Rides Reasons (Customer)
- cancelled Rides Reasons(Drivers)

### 5. Ratings

- Driver Ratings
- Customer Ratings

## Answers:

- 1. Ride Volume Over Time: A time-series chart showing the number of rides per day/week.
- Booking Status Breakdown: A pie or doughnut chart displaying the proportion of different booking statuses (success, cancelled by the customer, cancelled by the driver, etc.).
- Top 5 Vehicle Types by Ride Distance: A bar chart ranking vehicle types based on the total distance covered.
- Average Customer Ratings by Vehicle Type: A column chart showing the average customer ratings for different vehicle types.
- cancelled Rides Reasons: A bar chart that highlights the common reasons for ride cancellations by customers and drivers.
- Revenue by Payment Method: A stacked bar chart displaying total revenue based on payment methods (Cash, UPI, Credit Card, etc.).
- Top 5 Customers by Total Booking Value: A leaderboard visual listing customers who have spent the most on bookings.
- Ride Distance Distribution Per Day: A histogram or scatter plot showing the distribution of ride distances for different Dates.
- Driver Rating Distribution: A box plot visualizing the spread of driver ratings for different vehicle types.
- Customer vs. Driver Ratings: A scatter plot comparing customer and driver ratings for each completed ride, analyzing correlations.

# SQL Questions & Answers

Create Database Ola; Use Ola:

# #1. Retrieve all successful bookings:

Create View Successful\_Bookings As SELECT \* FROM bookings WHERE Booking\_Status = 'Success';

# #2. Find the average ride distance for each vehicle type:

Create View ride\_distance\_for\_each\_vehicle As SELECT Vehicle\_Type, AVG(Ride\_Distance) as avg\_distance FROM bookings GROUP BY Vehicle Type;

# #3. Get the total number of cancelled rides by customers:

Create View cancelled\_rides\_by\_customers As SELECT COUNT(\*) FROM bookings WHERE Booking Status = 'cancelled by Customer';

### #4. List the top 5 customers who booked the highest number of rides:

Create View Top\_5\_Customers As
SELECT Customer\_ID, COUNT(Booking\_ID) as total\_rides
FROM bookings
GROUP BY Customer\_ID
ORDER BY total\_rides DESC\_LIMIT 5;

### #5. Get the number of rides cancelled by drivers due to personal and car-related issues:

Create View Rides\_cancelled\_by\_Drivers\_P\_C\_Issues As SELECT COUNT(\*) FROM bookings WHERE cancelled Rides by Driver = "Personal & Car related issue";

## #6. Find the maximum and minimum driver ratings for Prime Sedan bookings:

Create View Max\_Min\_Driver\_Rating As SELECT MAX(Driver\_Ratings) as max\_rating, MIN(Driver\_Ratings) as min\_rating FROM bookings WHERE Vehicle\_Type = 'Prime Sedan';

# #7. Retrieve all rides where payment was made using UPI:

Create View UPI\_Payment As SELECT \* FROM bookings WHERE Payment Method = 'UPI';

## #8. Find the average customer rating per vehicle type:

Create View AVG\_Cust\_Rating As SELECT Vehicle\_Type, AVG(Customer\_Rating) as avg\_customer\_rating FROM bookings GROUP BY Vehicle Type;

# #9. Calculate the total booking value of rides completed successfully:

Create View total\_successful\_ride\_value As SELECT SUM(Booking\_Value) as total\_successful\_ride\_value FROM bookings WHERE Booking\_Status = 'Success';

#### #10. List all incomplete rides along with the reason:

Create View Incomplete\_Rides\_Reason As SELECT Booking\_ID, Incomplete\_Rides\_Reason FROM bookings WHERE Incomplete Rides = 'Yes';

#### Retrieve All Answers

#### #1. Retrieve all successful bookings:

Select \* From Successful Bookings:

### #2. Find the average ride distance for each vehicle type:

Select \* from ride distance for each vehicle;

### #3. Get the total number of cancelled rides by customers:

Select \* from cancelled rides by customers;

### #4. List the top 5 customers who booked the highest number of rides:

Select \* from Top 5 Customers:

#5. Get the number of rides cancelled by drivers due to personal and car-related issues: Select \* from Rides cancelled by Drivers P C Issues;

#6. Find the maximum and minimum driver ratings for Prime Sedan bookings: Select \* from Max Min Driver Rating;

#7. Retrieve all rides where payment was made using UPI:

Select \* from UPI\_Payment;

#8. Find the average customer rating per vehicle type:

Select \* from AVG Cust Rating;

#9. Calculate the total booking value of rides completed successfully:

Select \* from total\_successful\_ride\_value;

#10. List all incomplete rides along with the reason:

Select \* from Incomplete\_Rides\_Reason;