Started on	Friday, 31 July 2026, 2:21 PM
State	Finished
Completed on	Friday, 31 July 2026, 2:35 PM
Time taken	14 mins 35 secs
Marks	7.00/15.00
Grade	**46.67** out of 100.00

Question 1 | Incorrect Mark 0.00 out of 1.00

```
x,y=1,2
if(x or y):
  print("1")
else:
  print("0")
```

a. Runtime error

b. 0 ✖

c. 1

d. Compile time error

Your answer is incorrect.

The correct answer is:
1

Question 2 | Correct Mark 1.00 out of 1.00

What keyword would you use to add an alternative condition to an if statement?

a. elif ✔

b. else if

c. elseif

Your answer is correct.

The correct answer is:
elif

Question 3 | Correct Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if a>=2 : ✔
- b. if (a => 22)
- c. if (a >= 2)

Your answer is correct.

The correct answer is:
if a>=2 :

Question 4 | Correct Mark 1.00 out of 1.00

What will be output for the following code?

```
if 3 == 3:
    print("Python is easy!")
```

- a. NO OUTPUT
- b. Python is easy! ✔
- c. Error

Your answer is correct.

The correct answer is:
Python is easy!

Question 5 | Correct Mark 1.00 out of 1.00

What will be the output?

```
a=11
b=5
if (a%b==0):
   print ( "hello")
if (a//b==0):
   print ( "hi")
else:
   print ("python")
```

a. hello

b. python ✔

c. hi

Your answer is correct.

The correct answer is:
python

Question 6 | Correct Mark 1.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

a. if x is greater than 2, x will equal 0 after this code executes ✔

b. if x is greater than 2, the value in x will be doubled after this code executes

c. if x is lesser then 0,x will be 0 after this code executes

d. x will always equal 0 after this code executes for any value of x

Your answer is correct.

The correct answer is:
if x is greater than 2, x will equal 0 after this code executes

Question 7 | Incorrect Mark 0.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
       value4=10
    else:
       value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
       value4=8
     else:
       value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 2, Code 3 ✖

b. Code 1, Code 2

c. Code 1, Code 3

Your answer is incorrect.

The correct answer is:
Code 1, Code 2

Question 8 | Correct Mark 1.00 out of 1.00

what will be the output for the following question?

```
a, b = 12, 5
if a + b:
   print('True')
else:
 print('False')
```

a. False

b. Error

c. True ✔

Your answer is correct.

The correct answer is:
True

Question 9 | Incorrect Mark 0.00 out of 1.00

Can we write if/else into one line in python?

a. No ✖

b. Yes

Your answer is incorrect.

The correct answer is:
Yes

Question 10 | Incorrect Mark 0.00 out of 1.00

What is the output of the code given below?

```
a = -10
b = -200
c = 2000
d = 4000
if( a*b >=d):
    if(d>c):
        if(d%c!=0):
            print(11)
        else:
            print(22)
else:
    if(b/a >0):
        if(a<b or d%c!=0):
          print(33)
        else:
          print(44)
```

a. 11

b. 33 ✖

c. 44

d. 22

Your answer is incorrect.

The correct answer is:
44

Question 11 | Incorrect Mark 0.00 out of 1.00

What will be the output for the following code?

```
if False:
   print("1001")
else:
   print("2002")
```

a. syntax error ✖

b. 2002

c. 1001

Your answer is incorrect.

The correct answer is:
2002

Question 12 | Incorrect Mark 0.00 out of 1.00

What is the output of the following snippet if 5 is given as the input?

```
c = input("Enter a number: ")
print(c * 3)
```

a. 555

b. 8

c. 2

d. 15 ✖

Your answer is incorrect.

The correct answer is:
555

Question 13 | Incorrect Mark 0.00 out of 1.00

```
if true:
    print("Hello World")
```

a. Hello World

b. No output ✖

c. Name Error

Your answer is incorrect.

The correct answer is:
Name Error

Question 14 | Correct Mark 1.00 out of 1.00

What is the output of the following snippet?

```
s1 = "IIT "  # Remember there is a space after T in IIT
s2 = "Punjab"
s1 = s1 * 2
s2 = "Ropar"
print(s1, s2)
```

a. IIT IIT Punjab

b. IIT IIT Ropar ✔

c. IIT Ropar

d. IIT Punjab

Your answer is correct.

The correct answer is:
IIT IIT Ropar

Question 15 | Incorrect Mark 0.00 out of 1.00

selection is implemented with the help of _____ statement

a. for loop ✖

b. while loop

c. if..else

Your answer is incorrect.

The correct answer is:
if..else