Started on	Monday, 5 October 2026, 7:24 PM
State	Finished
Completed on	Monday, 5 October 2026, 7:27 PM
Time taken	3 mins 6 secs

Question 1 | Complete Marked out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {2,5,3,1}
b. {}
c. {3}
d. {2,5,1}

Question 2 | Complete Marked out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. True
b. False

Question 3 | Complete Marked out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40)

b. (30, 40, 50)(40, 50, 60, 70, 80)

c. (10, 20, 30, 40) (40, 50, 60, 70, 80)

d. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80)

Question 4 | Complete Marked out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['2', '3', '8', '30']

b. ['2', '3', '30', '8']

c. ['8', '30', '3', '2']

d. ['30', '8', '3', '2']

Question 5 | Complete Marked out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. Error

b. {‘rec’, 1, (‘cse’, ‘ece’),True}

c. {‘rec’, 1, (‘cse’, ‘ece’)}

d. {‘rec’, True, (‘cse’, ‘ece’)}

Question 6 | Complete Marked out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the elements of both set1 and set2

b. Elements of set2 will get appended to set1

c. A new set will be created with the unique elements of set1 and set2.

d. Elements of set1 will get appended to set2

Question 7 | Complete Marked out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,4}

b. {2}

c. {1,3,2}

d. {4}

Question 8 | Complete Marked out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. SynatxError: Different types cannot be used with sets

b. {40, 10, 50, 20, 60, 30}

c. {40, '10', 50, 20, 60, 30}

d. {40, 10, '10', 50, 20, 60, 30}

Question 9 | Complete Marked out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. (Computer)

b. Computer

c. ()

d. Error

Question 10 | Complete Marked out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. (11,3)(11,3)(11,3)

b. (11, 3, 11, 3, 11, 3)

c. [11,11,11,3,3,3]

d. (11,3,11,11,3,11,11,11,3)

Question 11 | Complete Marked out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. Error
b. Error
c. False
d. True

Question 12 | Complete Marked out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. <class 'str'>
b. <class 'int'>
c. <class 'tuple'>
d. str

Question 13 | Complete Marked out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True
True

b. False
False

c. True
False

d. False
True

Question 14 | Complete Marked out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. ii,iv

b. i,ii

c. iii,iv

d. i,iii

Question 15 | Complete Marked out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3,3,2,1)

b. (1,2,3)(4,5,6)

c. Error

d. (1,2,3,4,5,6)