Started on	Tuesday, 6 October 2026, 6:03 PM
State	Finished
Completed on	Tuesday, 6 October 2026, 6:28 PM
Time taken	25 mins 1 sec

Question 1 | Complete Marked out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

- a. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}
- b. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70}
- c. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]
- d. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

Question 2 | Complete Marked out of 1.00

pop( ) function delete and ____ the element of dictionary.

- a. not return
- b. return
- c. add
- d. display

Question 3 | Complete Marked out of 1.00

In Python, Dictionaries are immutable

Select one:

- True
- False

Question 4 | Not answered Marked out of 1.00

1,2,3 are the _____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. Items
b. None of the mentioned
c. Values
d. Keys

Question 5 | Not answered Marked out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. {'b': [2, 3, 4], 'a': 1}
b. {'b': [2], 'a': 1}
c. {'b': [2], 'a': [3]}
d. Error

Question 6 | Not answered Marked out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.size()
b. size(d)
c. d.len()
d. len(d)

Question 7 | Not answered Marked out of 1.00

Both keys and values are unique in dictionary.

a. False
b. True

Question 8 | Not answered Marked out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. Invalid Synatx,Error
b. 4
c. A
d. 5

Question 9 | Not answered Marked out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. string
b. list
c. dictionary
d. tuple

Question 10 | Not answered Marked out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. True
b. False

Question 11 | Not answered Marked out of 1.00

Traversing a dictionary can be done using _____.

a. loop
b. if statement
c. jump statement
d. None of the mentioned

Question 12 | Not answered Marked out of 1.00

Keys of dictionary must be _____.

a. mutable
b. integers
c. unique
d. antique

Question 13 | Not answered Marked out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair
b. A python, a dictionary can neither have two same keys nor two same values.
c. A dictionary can have two same values with different keys.
d. A dictionary can have two same keys with different values.

Question 14 | Not answered Marked out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.
b) Items are accessed by their position in a dictionary.
c) A dictionary can contain any object type except another dictionary.
d) Dictionaries can be nested to any depth.
e) Dictionaries are mutable.
f) Dictionaries are accessed by key.

a. c,d,e
b. d,e,f
c. b,c
d. a,b

Question 15 | Not answered Marked out of 1.00

Which one of the following is correct?

a. A python, a dictionary can neither have two same keys nor two same values.
b. A dictionary can have two same keys or same values but cannot have two same key-value pair
c. A dictionary can have two same keys with different values.
d. A dictionary can have two same values with different keys.