Started on	Tuesday, 6 October 2026, 6:40 PM
State	Finished
Completed on	Tuesday, 6 October 2026, 6:47 PM
Time taken	7 mins 10 secs

Question 1 | Complete Marked out of 1.00

Which function/statement delete all the items of the dictionary?

- a. delete( )
- b. pop( )
- c. clear( )
- d. del

Question 2 | Complete Marked out of 1.00

Which of the following is used to delete an element from Dictionary?

- a. delete
- b. remove
- c. pop( )
- d. None of the mentioned

Question 3 | Complete Marked out of 1.00

Key – value concept is in _____.

- a. Dictionary
- b. Tuple
- c. List
- d. String

Question 4 | Complete Marked out of 1.00

_____ datatype fall under mapping.

- a. List
- b. Dictionary
- c. Tuple
- d. String

Question 5 | Complete Marked out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

- a. print(A.keys( ))
- b. print(A.get( ))
- c. print(A.Items( ))
- d. print(A.values( ))

Question 6 | Complete Marked out of 1.00

clear() method is used to delete the dictionary.

- a. True
- b. False

Question 7 | Complete Marked out of 1.00

Suppose d = {“john”:40, “peter”:45}, to delete the entry for “john” what command do we use?

- a. del d[“john”]
- b. d.delete(“john”)
- c. d.delete(“john”:40)
- d. del d(“john”:40)

Question 8 | Complete Marked out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

- a. True
- b. False

Question 9 | Complete Marked out of 1.00

In dictionary Keys and values are separated by _____.

a. Semicolon(;)
b. Colon (:)
c. dot(.)
d. Comma(,)

Question 10 | Complete Marked out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. None of the mentioned
b. It will merge all the elements of dictionary 'D2' in dictionary 'D1'.
c. It will create a new dictionary.
d. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.

Question 11 | Complete Marked out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = dict{ }
b. d1 = { }
c. d1 = ( )
d. d1 = [ ]

Question 12 | Complete Marked out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9

Question 13 | Complete Marked out of 1.00

_____ function returns the number of key: value pairs of the dictionary.

- a. total( )
- b. length( )
- c. items( )
- d. len( )

Question 14 | Complete Marked out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22
for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

- a. ['Emily', 'John', 'Erik']
- b. ['Janice', 'John', 'Erik']
- c. ['Janice', 'Emily', 'John', 'Eleanor']
- d. ['Janice', 'Emily', 'John']

Question 15 | Complete Marked out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

a. merge( )
b. update( )
c. append( )
d. get( )