Started on	Saturday, 10 October 2026, 6:44 PM
State	Finished
Completed on	Saturday, 10 October 2026, 6:48 PM
Time taken	3 mins 27 secs

Question 1 | Complete Marked out of 1.00

To open a file c:\scores.txt for appending data, we use _____

- a. outfile = open("c:\\scores.txt", "a")
- b. outfile = open("c:\\scores.txt", "rw")
- c. outfile = open(file = "c:\\scores.txt", "w")
- d. outfile = open(file = "c:\scores.txt", "w")

Question 2 | Complete Marked out of 1.00

To open a file a.txt for reading, we use _____

- a. infile = open(file, "a.txt", "r")
- b. infile = open(file = "a.txt", "r")
- c. infile = open("a.txt", "r")
- d. infile = open(file = "a.txt", "r")

Question 3 | Complete Marked out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

- a. Overwrites the file with "Adding new data"
- b. Opens the file in read mode
- c. Appends "Adding new data" to the end of the file
- d. Raises an error because the file is opened in append mode

Question 4 | Complete Marked out of 1.00

Which of the following is true about the readlines() method?

a. It reads the entire file and returns it as a string
b. It reads the file and returns it as a dictionary
c. It reads the entire file and returns it as a list of lines
d. It reads a single line from the file

Question 5 | Complete Marked out of 1.00

Which of the following methods is used to read a single line from a file?

a. readlines()
b. readline(size)
c. readline()
d. read()

Question 6 | Complete Marked out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlines()
b. readline()
c. read()
d. readlist()

Question 7 | Complete Marked out of 1.00

What does the buffering parameter in the open() function control?

a. The access mode of the file
b. The buffer size for the file operations
c. The file's read/write position
d. The encoding of the file

Question 8 | Complete Marked out of 1.00

What will the read() method return if used on an empty file?

a. An empty string
b. EOFError
c. 0
d. None

Question 9 | Complete Marked out of 1.00

Which method is used to write a list of strings to a file?

- a. writelines()
- b. write_list()
- c. write()
- d. write_all()

Question 10 | Complete Marked out of 1.00

To open a file c:\scores.txt for writing, we use _____

- a. outfile = open(file = “c:\scores.txt”, “w”)
- b. outfile = open(“c:\\scores.txt”, “w”)
- c. outfile = open(“c:\scores.txt”, “w”)
- d. outfile = open(file = “c:\\scores.txt”, “w”)

Question 11 | Complete Marked out of 1.00

What does the flush() method do in file handling?

- a. Moves the file cursor to the beginning
- b. Flushes the internal buffer to the file
- c. Closes the file
- d. Deletes the file content

Question 12 | Complete Marked out of 1.00

Which method is used to close a file in Python?

- a. finish()
- b. end()
- c. terminate()
- d. close()

Question 13 | Complete Marked out of 1.00

Select the incorrect file access mode

- a. wb+
- b. ab+
- c. rw+
- d. r

Question 14 | Complete Marked out of 1.00

Which of the following modes opens a file for both reading and writing?

- a. r
- b. r+
- c. w
- d. a

Question 15 | Complete Marked out of 1.00

Which method is used to write data to a file?

- a. read()
- b. write()
- c. append()
- d. insert()