Started on	Saturday, 10 October 2026, 6:48 PM
State	Finished
Completed on	Saturday, 10 October 2026, 6:57 PM
Time taken	9 mins 20 secs

Question 1 | Complete Marked out of 1.00

How do you check if a file is closed in Python?

- a. file.closed
- b. file.is_closed()
- c. file.isclosed()
- d. file.closed()

Question 2 | Complete Marked out of 1.00

What is the use of tell() method in python?

- a. tells you the file is opened or not
- b. tells you the end position within the file
- c. tells you the current position within the file
- d. none of the mentioned

Question 3 | Complete Marked out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

- a. • Move file pointer five characters ahead from the current position.
- b. • Move file pointer five characters behind ahead from the end of a file.
- c. • Move file pointer five characters behind from the current position.
- d. Move file pointer five characters ahead from the beginning

Question 4 | Complete Marked out of 1.00

Which method is used to truncate a file to a specific size?

- a. truncate()
- b. reduce()
- c. resize()
- d. shrink()

Question 5 | Complete Marked out of 1.00

f.seek(5,1) means

- a. moves the file pointer to the end of a file
- b. move the file pointer five characters ahead from the current position
- c. move the file pointer to beginning of the file
- d. move the file pointer five characters behind from the current position

Question 6 | Complete Marked out of 1.00

What does the encoding parameter in the open() function specify?

- a. The buffer size
- b. The encoding format of the file
- c. The size of the file
- d. The mode of the file

Question 7 | Complete Marked out of 1.00

How can you read a file line by line efficiently in Python?

- a. Using a for loop
- b. Using the readline() method
- c. Using the read() method
- d. Using the readlines() method

Question 8 | Complete Marked out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and write, w+ is for append only
b. r+ is for read and append, w+ is for read and write
c. r+ is for read and write without truncating, w+ is for read and write with truncating
d. r+ is for binary read and write, w+ is for text read and write

Question 9 | Complete Marked out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
 f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Program
b. An error is raised
c. Python
d. Python Programming

Question 10 | Complete Marked out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints the first 10 characters of the file
b. Prints an error message
c. Prints each line of the file
d. Prints the entire content of the file

Question 11 | Complete Marked out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. 0
b. 2
c. 1
d. null
e. garbage

Question 12 | Complete Marked out of 1.00

Which function is used to open a file in Python?

- a. open()
- b. openfile()
- c. open_file()
- d. file()

Question 13 | Complete Marked out of 1.00

What is the use of seek() method in files?

- a. sets the file's current position at the offset
- b. none of the mentioned
- c. sets the file's previous position at the offset
- d. sets the file's current position within the file

Question 14 | Complete Marked out of 1.00

Which of the following is data file?

- a. Both text and binary file
- b. none of the given choices
- c. Text file
- d. Binary file

Question 15 | Complete Marked out of 1.00

Which method is used to read a specific number of characters from a file?

- a. readlines()
- b. readline()
- c. readchar()
- d. read(size)