SQL Statement:

```sql
SELECT Shippers.ShipperName,count(OrderID) from Orders,Shippers where Orders.ShipperID=Shippers.ShipperID and Shippers.ShipperName="Speedy Express";
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

ShipperName	count(OrderID)
Speedy Express	54

SQL Statement:

```sql
Select Employees.LastName, Count(Orders.OrderID) As NumberOfOrders From Orders
Left Join Employees ON Orders.EmployeeID = Employees.EmployeeID
Group by LastName Order by NumberOfOrders Desc
Limit 1;
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

LastName	NumberOfOrders
Peacock	40

```sql
SELECT p.ProductName
FROM Products p
INNER JOIN (
SELECT ProductID, MAX(Quantity)
FROM (
SELECT ProductID, SUM(Quantity) as Quantity
FROM Orders o
INNER JOIN (
SELECT CustomerID
FROM Customers
WHERE Country = 'Germany') germanCustomer
ON o.CustomerID = germanCustomer.CustomerID
INNER JOIN OrderDetails od
ON od.OrderID = o.OrderID
GROUP BY ProductID )
) mP
ON mP.ProductID = p.ProductID;
```

Result:

Number of Records: 1

ProductName
Boston Crab Meat