SITE FEASIBILITY | CLIENT SUMMARY

Nandi Housing - preliminary feasibility test | Prepared 2026-11-02 | Early-stage review

Current position: possible rule found, confirmation still needed

The selected configured table gives a maximum FAR candidate of 2.5. This is a rule-based starting point, not a sanctioned entitlement. Confirm the jurisdiction, official land-use zone, road width and current rule before relying on it.

PLOT AREA	ROAD WIDTH PROVIDED	PROPOSED PROJECT	SITE SHAPE
2,200 m²	18.50 m	Residential apartments	Irregular / non-rectangular

What this means in everyday language

The selected rule profile identifies a maximum FAR candidate of **2.50**, which gives a preliminary benchmark of **5,500 m²** of floor area using the plot area of **2,200 m²**. This is a rule-based candidate, not an approval. Confirm the exact jurisdiction, official zone, road width and operative notification before relying on it. All 3 concept options currently exceed that working target. Option 01 is the closest, at 432 m² above it. The FAR rule must be confirmed before deciding whether to reduce floor area or test a different permitted scenario.

Site location	Southern Bengaluru (map pin supplied by user) | Open map
Planning zone entered	Residential (Main) (must be checked against the official map)
Building height options	12 m, 15 m, 18 m

Recommended next steps

1. Confirm which planning authority and official land-use zone apply to this exact parcel.

2. Get the authority to clarify the applicable FAR for the entered plot area and road width.

3. Use an authenticated site survey to check the irregular boundary, road edge and any overlays before fixing a building footprint.

COMPARE THE DESIGN OPTIONS

The figures below are based on the footprints, floor counts and FAR scenarios entered by the project team. They are for comparison, not a statement of approved development rights.

Comparison benchmark: **5,500 m²** of floor area (FAR 2.50; rule-derived FAR candidate). Confirm the rule before using this figure as a project limit.

Option	Height / floors	Ground footprint	Approx. floor area*	Compared with working target	Preliminary setback distances
Option 01	12 m / 4 floors	1,483 m²	5,932 m²	432 m² above target	Front 8.16 m; rear 5.44 m; sides 2.64 / 2.64 m
Option 02	15 m / 5 floors	1,271 m²	6,355 m²	855 m² above target	5.00 m on all sides
Option 03	18 m / 6 floors	1,106 m²	6,636 m²	1,136 m² above target	6.00 m on all sides

How to read this table

- **Ground footprint** is the area covered by the building at ground level.
- **Approx. floor area** is footprint × floor count. It assumes similar floor area on each level; it does not model exclusions, terraces, service areas or changes to individual floors.
- **FAR ratio basis** is shown where the selected source table uses a configured net calculation area after a specified reservation/deduction. The area figure above remains the gross concept estimate (footprint × floors); the FAR ratio denominator follows the configured rule profile and needs confirmation.
- **Setbacks** are open spaces between the building and the plot boundary. The distances shown are rule-profile calculations only. Because this plot is irregular, the actual boundary must be surveyed and the distances applied to its real geometry.

Setback rule basis used for each option

Option	Basis used in this study	What still needs checking
Option 01	**Building:** Percentage method (nominal distances): Front 8.16 m; rear 5.44 m; side 2.64/2.64 m **Basement:** Basement: not proposed	Confirm height definition, stilt condition, current applicable table, road-facing edge and surveyed boundary.
Option 02	**Building:** Height-band rule (preliminary): 5.00 m on all sides **Basement:** Basement: not proposed	Confirm height definition, stilt condition, current applicable table, road-facing edge and surveyed boundary.
Option 03	**Building:** Height-band rule (preliminary): 6.00 m on all sides **Basement:** Basement: not proposed	Confirm height definition, stilt condition, current applicable table, road-facing edge and surveyed boundary.

*Approximate floor area is not the final FAR-counted area. Applicable exclusions and authority-approved calculations may change the result.

WHAT NEEDS TO BE CHECKED NEXT

These are the decisions and documents needed before the options can be treated as reliable design feasibility.

Check	Why it matters	Next action	Status
Planning jurisdiction and boundary	Which authority approves this exact site?	Confirm the parcel boundary, corporation/planning authority and sanctioning route from official records.	To confirm
Official land-use zone / selected rule category	Confirm the official land-use classification against the relevant notified map. The selected category drives this FAR lookup.	Review with the project team and relevant authority.	To confirm
Maximum FAR lookup	The table's road-width FAR is 2.50; the plot-area FAR cap is 3.00. SiteIQ uses the lower value, 2.50, following the source's road-width and plot-area limit notes. Confirm the zone and operative table before design freeze.	Review with the project team and relevant authority.	Candidate Match Requires Verification
Survey geometry / boundary	Where exactly can the building sit?	Obtain an authenticated survey for the irregular boundary and verify the stated site area.	To confirm
Building and basement setbacks	Compare the selected rule and each option's building and basement setbacks; special geometry and frontage remain to be checked.	Review with the project team and relevant authority.	Calculated Candidate
Lake, drain, HT line, road widening and other overlays	Are there restrictions affecting the buildable area?	Check the official overlays for water bodies, drains, high-tension lines, flood-prone areas and road widening.	To confirm
Parking, accessibility, structure and services	Can the concept work safely and functionally?	Check dwelling mix, parking, access, accessible routes, fire strategy, structure and services.	Design review
Fire NOC trigger	What fire approvals and design provisions are required?	Confirm the applicable threshold and current procedure with the fire authority and fire consultant.	Nbc Band Requires Confirmation

A few terms in simple language

FAR	A ratio used to limit the floor area counted under the regulations compared with the plot area.
Setback	The open space required between the building and the plot boundary.
Footprint	The area the building covers at ground level.
Working FAR target	A comparison assumption only. It is not a confirmed permission until the applicable rule is verified.

Survey note: the entered frontage × depth equals 2,244.00 m², compared with the stated plot area of 2,200.00 m². The difference is 2.00%. Because the site is irregular, this is only a consistency check; the authenticated survey area and boundary should be used for design.

TECHNICAL REFERENCES & ASSUMPTIONS

This appendix keeps the calculation trail visible without making the client summary difficult to read.

Rule references used by this report

Rule / topic	Document and exact reference	Status / link
Revised Master Plan 2015 - Zoning of Land Use and Regulations, Table 10 (Residential Main) Chapter 4, Regulation 4.1.2, Table 10	BBMP 2015.pdf (provided by user) PDF page 28; printed page 27	provided_source; older base document; applicability must be checked against amendments Open source / authority page
Zonal Regulations of the Revised Master Plan 2015 of Bengaluru and Greater Bengaluru (Amendment) Regulations 2025 Chapter 3, Regulation 3.1 Tables 8-9; Regulation 3.9 basement; Regulation 3.10 ramps; Chapter 4 amendments including Table 16 and Mutation Corridors	UDD 235 MNJ 2025(E) Amendment 01.pdf (provided by user) PDF pages 2-6; printed pages 2-6	final notification in user-supplied document; subsequent updates/applicability still need verification Open source / authority page
Zonal Regulations of Revised Master Plan 2015 of Bengaluru (Amendment) Regulations 2025 - Single Plot Approval / Chapter 6-A Definitions, Regulation 3.9 basement setback and Chapter 6-A	UDD 272 MNJ 2025(E) Amendment 05.pdf (provided by user) PDF pages 2-5; printed pages 2-5	final notification in user-supplied document; applicability and grandfather clause must be checked Open source / authority page
Karnataka Fire Force (Amendment) Act, 2023 Section 13: high-rise definition / Fire NOC trigger at 21 metres or above	Karnataka Act No. 24 of 2023 Amendment 03.pdf (provided by user) PDF pages 1-3	provided primary legislation; current administrative procedure and other fire provisions need review Open source / authority page
Revised Master Plan 2015 - Zoning of Land Use and Regulations, Tables 10-19 Chapter 4, Regulations 4.1-4.10, Tables 10-19; Chapter 3, Regulation 3.4(iii)-(iv)	BBMP 2015.pdf (provided by user) PDF pages 28-37; printed pages 27-36	provided base source; apply supplied subsequent amendments and verify current operative text Open source / authority page
Revised Master Plan 2015 Vol. III, Zoning of Land Use and Regulations (G.O. UDD 540 BEM AA SE 2004, 22-06-2007) Definitions 18 and 40; Regulations 3.4 and 3.9; Tables 10, 12, 14 and 23; Chapter 7	Public copy hosted by OpenCity	Tables 10, 12 and 14 and Table 23 compared with this copy on 2026-11-02. Later amendments may change them. Open source / authority page
UDD 235 MNJ 2025(E), 05-01-2026 Tables 8 and 16; Table 9 notes; Regulations 3.9 and 3.10; Table 10 notes (b) and (c)	UDD 235 MNJ 2025(E) Public scan hosted by OpenCity Pages 2-6	Pages 2-6 compared with the configured rules on 2026-11-02. Open source / authority page

Location auto-identification record

Field	Result	Status / provenance
Coordinates	12.8710030, 77.5699190	illustrative sample only
Authority / rules profile	Bengaluru / Greater Bengaluru RMP 2015 profile	Provisional Geocoder Candidate Illustrative location candidate only; current planning boundary is not established. Source
Land-use zone	Not verified	Layer Not Installed No official land-use polygon match is claimed in this sample.
Approval route	Not sure / needs confirmation	Suggestion Only Confirm official jurisdiction, land-use zone and the applicable approval path.

Indicative only: geocoder results do not establish legal jurisdiction or zoning. A confirmed status requires a current official-source polygon match.

Official map and planning-source links

Source	What it can establish	Link / status
Greater Bengaluru Authority GIS Viewer	Official interactive viewer for city corporation/ward context. It is not treated by SiteIQ as a verified planning-authority or land-use API.	Open official page Reference page; not a verified geometry match

Source	What it can establish	Link / status
Greater Bengaluru Authority — official portal	Use for current notifications and corporate/jurisdiction information; verify the parcel against the notified planning boundary.	Open official page Reference page; not a verified geometry match
Bangalore Development Authority — RMP 2015 maps and zoning regulations	Contains published RMP map sheets and regulations. A PDF map sheet is a reference, not automatically a georeferenced zoning polygon.	Open official page Reference page; not a verified geometry match

Important: This is a preliminary feasibility aid, not a sanction report or confirmation of development rights. Verify operative regulations and authority interpretation before commercial commitments or submission.