NAME: LAKSHMI PRIYA ROLL NO: 231901025

Ex.No:11B Date:24.10.24

ARITHMETIC OPERATIONS USING RPC

AIM:

To Develop a simple calculator using XMLRPC

ALGORITHM:

Server.py

- 1. Import XMLRPCServer package
- 2. Define functions for addition, subtraction, multiplication, division and modulus
- 3. Initialize simple XMLRPCServer with IP address (or localhost) and port number
- 4. Register the functions add, sub, mul, div and mod with the server
- 5. Handle the request
- 6. Close the connection

Client.py

- 1. Import XMLRPC Client package
- 2. Define functions for addition, subtraction, multiplication, division and modulus
- 3. Initialize simple XMLRPC Client with Server IP address (or localhost) and port number
- 4. Get two numbers a and b for arithmetic operations
- 5. Call add() function and print the result
- 6. Call sub() function and print the result
- 7. Call mul() function and print the result
- 8. Call div() function and print the result
- 9. Call mod() function and print the result
- 10. Close the connection

CODE:

Server.py

XML RPC PROGRAM- SERVER SIDE:

from xmlrpc.server import SimpleXMLRPCServer

Define a function

def is even(n):

return n % 2 == 0

def add(a,b): return

a+b def sub(a,b):

return ab def

factorial(n):

server.register function(multiply, 'multiply') server.register_function(divide, 'divide')

Run the server's main loop server.serve forever()

Output:

```
# Define a function

def is_even(n):
    return n % 2 -- 0
                 return n % 2 == 0

def add(a,b):
    return arb

def sub(a,b):
    return a-b

def factorial-(n):
    factorial-1
    for 1 in range(1,n+1):
        factorial-1
    for 2 in range(1,n+1):
        return factorial

def multiply(x, y):
    return x * y

def divide(x, y):
    return x / y

    Create server

server - SimpleXMLRPCServer(("localhost", 8000))
    print("listening on port 8000...")

# Register a function under a different name
    server.register function(3s, even, "is_even")
    server.register function(add, "add")
    server.register function(factorial, "factorial")

# Server. register function(factorial, "factorial")
                    #server.register_function(factorial, "factorial'
server.register_function(multiply, 'multiply')
server.register_function(divide, 'divide')
   30 # Run the server's main
31 server.serve_forever()
PS C:\Users\REC\Desktop\220701010-IP_LAB> & 'c:\Users\REC\AppData\Local\Programs\Pyth
Listening on port 8000...
```

ROLL NO: 231901025

NAME: LAKSHMI PRIYA ROLL NO: 231901025

Client.py

```
XML RPC PROGRAM- CLIENT SIDE:
```

import xmlrpc.client proxy=

xmlrpc.client.ServerProxy('http://localhost:8000/') # local server for i in

range(5): a=int(input("Enter a number:")) b=int(input("Enter

b number:"))

print("%d is even?: %d" % (a, (proxy.is_even(a)))) #access XML-RPC server through proxy print("addition of given number is %d "%((proxy.add(a,b)))) print("sub of given number is

%d "%((proxy.sub(a,b)))) print("factorial: %d"

%((proxy.factorial(a)))) print("factorial: %d"

%((proxy.factorial(b)))) print("Multiplication of 2 numbers is

%d" %(proxy.multiply(a,b)) print("Division of 2 numbers is %d"

%(proxy.divide(a,b))

Output:

Result:

A simple calculator was designed using XMLRPC.