PIZZA HUT

SALES REPORT

INTRODUCTION

Welcome to our Sales Report Presentation. Today, we delve into a comprehensive overview of our sales performance, exploring the highs, challenges, and strategic insights that have shaped our journey. This presentation is more than just numbers, it's a narrative of our collective efforts, showcasing the impact of our sales strategies and the pathways to future success.

RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED

```sql
SELECT
    COUNT(order_id) AS total_orders
FROM
    orders;
```

total_orders
21350

CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES

```sql
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_sales
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id;
```

total_sales
817860.05

PIZZA HUT

IDENTIFY THE HIGHEST-PRICED PIZZA

```sql
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

name	price
The Greek Pizza	35.95

IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED

```sql
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

size	order_count
L	18526
M	15385
S	14137
XL	544
XXL	28

PIZZA HUT

JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED

```sql
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

category	quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES

```sql
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY

```sql
SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count
FROM
    orders
GROUP BY HOUR(order_time);
```

hour	order_count
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642

JOIN RELEVANT TABLES TO FIND THE CATEGORY–WISE DISTRIBUTION OF PIZZAS

```sql
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```

category	COUNT(name)
Chicken	6
Classic	8
Supreme	9
Veggie	9

GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY

```sql
SELECT
    orders.order_date, SUM(order_details.quantity)
FROM
    orders
        JOIN
    order_details ON orders.order_id = order_details.order_id
GROUP BY orders.order_date;
```

order_date	SUM(order_details.quantity)
2015-01-01	162
2015-01-02	165
2015-01-03	158
2015-01-04	106
2015-01-05	125
2015-01-06	147
2015-01-07	138
2015-01-08	173
2015-01-09	127
2015-01-10	146

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE

```sql
select pizza_types.name,
sum(order_details.quantity * pizzas.price) as revenue
from pizza_types join pizzas
on pizzas.pizza_type_id = pizza_types.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.name order by revenue desc limit 3;
```

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5