

SALES REPORT



INTRODUCTION

Welcome to our Sales Report Presentation. Today, we delve into a comprehensive overview of our sales performance, exploring the highs, challenges, and strategic insights that have shaped our journey. This presentation is more than just numbers, it's a narrative of our collective efforts, showcasing the impact of our sales strategies and the pathways to future success.

QUESTIONS

- 01 Retrieve total number of order placed
- 02 Calculate the total revenue generated from pizza sales
- 03 Identity the highest price pizza
- 04 identity the mose common pizza size ordered
- 05 list the top 5 ordered pizza types along with their quantites
- 06 Join the necessary tables to find total quantity of each pizza
- 07 Determine the distribution of orders by hours of tha day
- 08 join relevant tables to find the category-wise distribution pizza
- 09 Group the orders by date and calculate the average number
- 10 Determine the top 3 most ordered pizza types

RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED

```
SELECT  
    COUNT(order_id) AS total_orders  
FROM  
    orders;
```

total_orders

21350

CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES

```
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
          2) AS total_sales
FROM
    order_details
    JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id;
```

total_sales
817860.05

IDENTIFY THE HIGHEST-PRICED PIZZA

```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

name	price
The Greek Pizza	35.95

IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED

```
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
    JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

size	order_count
L	18526
M	15385
S	14137
XL	544
XXL	28

JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED

```
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

category	quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```



name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY

```
SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count
FROM
    orders
GROUP BY HOUR(order_time);
```

	hour	order_count
▶	11	1231
	12	2520
	13	2455
	14	1472
	15	1468
	16	1920
	17	2336
	18	2399
	19	2009
	20	1642

JOIN RELEVANT TABLES TO FIND THE CATEGORY-WISE DISTRIBUTION OF PIZZAS

```
SELECT  
    category, COUNT(name)  
FROM  
    pizza_types  
GROUP BY category;
```

category	COUNT(name)
Chicken	6
Classic	8
Supreme	9
Veggie	9

GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY

```
SELECT
    orders.order_date, SUM(order_details.quantity)
FROM
    orders
    JOIN
    order_details ON orders.order_id = order_details.order_id
GROUP BY orders.order_date;
```

order_date	SUM(order_details.quantity)
2015-01-01	162
2015-01-02	165
2015-01-03	158
2015-01-04	106
2015-01-05	125
2015-01-06	147
2015-01-07	138
2015-01-08	173
2015-01-09	127
2015-01-10	146

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE

```
select pizza_types.name,  
sum(order_details.quantity * pizzas.price) as revenue  
from pizza_types join pizzas  
on pizzas.pizza_type_id = pizza_types.pizza_type_id  
join order_details  
on order_details.pizza_id = pizzas.pizza_id  
group by pizza_types.name order by revenue desc limit 3;
```

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

THANK YOU