

LAB MINI PROJECT

Building a Version-Controlled BI Solution for BrewMetrics Coffee Co. *Power*

BI · GitHub · GitHub Copilot

Requirements

- Power BI Desktop (recent version, with the “Power BI Project (.pbip) save option” preview feature turned on in Options → Preview features)
- A free GitHub account and either GitHub Desktop or the git command line
- Visual Studio Code with the GitHub Copilot extension installed (a free student/education Copilot license is available through GitHub Education)
- File provided: brewmetrics_sales.csv

The Scenario

BrewMetrics Coffee Co. runs Flagship stores, Kiosks, and Drive-Thrus across four cities. Leadership wants an internal BI team — you — to build their first real analytics solution, and they've specifically asked that the development process itself be auditable: every change to the data model or the dashboard should be traceable, reviewable, and explainable, the way any other piece of company software would be.

Field	Description
date, city, store_format	When and where the sale happened (4 cities × 3 formats)
category, item	Coffee / Bakery / Merchandise, and the specific item
quantity, unit_price, sales_amount	Transaction-level detail


About 15,500 transactions across April–June, with real seasonal and city patterns built in — Cold Brew sales spike in April–May specifically, and Bengaluru consistently outperforms the other three cities.

PHASE 1


Repository Setup and the Star Schema

1. Create a new GitHub repository named brewmetrics-bi. Add a README.md with just a project title and a one-line description as your very first commit.
2. In Power BI Desktop, enable the .pbip preview feature, then import brewmetrics_sales.csv and save the report as a Power BI Project directly inside your cloned repository folder.
3. Use Power Query to split the flat file into a Fact_Sales table and at least three dimension tables (Dim_Date, Dim_City, Dim_Product or similar). Build the relationships in Model view.
4. Commit this as its own step, with a clear message (e.g., “Add star schema: fact and dimension tables”). This is your first graded commit — not the finished file, just this one step.


GitHub repository page




First README Commit




Power BI PBIP Enabled



GitHub Desktop Installed



Local GitHub Folder




All Tables

sale_id	date	city	store_format	category	item	quantity	unit_price	sales_amount	ProductKey
32	Wednesday, 1 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	136.01	Coffee-Cappuccino
38	Wednesday, 1 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	136.94	Coffee-Cappuccino
183	Thursday, 2 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	143.98	Coffee-Cappuccino
189	Thursday, 2 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	137.69	Coffee-Cappuccino
353	Friday, 3 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	138.85	Coffee-Cappuccino
508	Saturday, 4 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	137.86	Coffee-Cappuccino
509	Saturday, 4 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	143.14	Coffee-Cappuccino
516	Saturday, 4 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	142.26	Coffee-Cappuccino
898	Monday, 6 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	140.08	Coffee-Cappuccino
903	Monday, 6 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	139.36	Coffee-Cappuccino
905	Monday, 6 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	140.52	Coffee-Cappuccino
1053	Tuesday, 7 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	137.5	Coffee-Cappuccino
1182	Wednesday, 8 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	140.66	Coffee-Cappuccino
1328	Thursday, 9 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	140.57	Coffee-Cappuccino
1340	Thursday, 9 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	144	Coffee-Cappuccino
1512	Friday, 10 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	141.14	Coffee-Cappuccino
1670	Saturday, 11 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	142.03	Coffee-Cappuccino
1671	Saturday, 11 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	141.11	Coffee-Cappuccino
1679	Saturday, 11 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	140.52	Coffee-Cappuccino
1680	Saturday, 11 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	142.29	Coffee-Cappuccino
1682	Saturday, 11 April 2026	Chennai	Flagship	Coffee	Cappuccino	1	140	141.43	Coffee-Cappuccino

Table: Fact_Sales (15,482 rows)

Star Schema



Star Schema Commit

Current repository
brewmetrics-bi

Current branch
main

Fetch origin
Last fetched 1 minute ago

Changes

History

No branches to compare

Add star schema: fact and dimension t...
Priya Dharshini R • 1 minute ago

Initial README
Priya Dharshini R • 11 hours ago

Initial README

1 changed file

README.md

@@ -0,0 +1,3 @@

1 + # BrewMetrics BI

2 +

3 + Business Intelligence dashboard for BrewMetrics Coffee Co.


PHASE 2

Copilot-Assisted DAX Development


Open your project's .SemanticModel folder in VS Code, where GitHub Copilot can now see and assist with your DAX and TMDL files directly.

- Using Copilot's suggestions as a starting point, write at least four DAX measures: a year-over-year or month-over-month growth measure, a running total, a RANKX-based ranking of items or cities, and one measure of your own choosing.
- For each measure, keep a short note (in a NOTES.md file in the repo) of what Copilot suggested first, and what you had to correct or rewrite yourself. At least one measure must show a real correction — if Copilot got everything right on the first try for all four, try a harder measure.
- Commit each measure separately as you finish it, so your commit history shows the model growing one measure at a time, not arriving all at once.

VSCode Semantic Model




GitHub Copilot Installed



Measure 1

Total Sales



Copilot Sales Growth

Create a DAX measure for month-over-month sales growth using the Total Sales measure and Dim_Date date field. Explain the DAX.

Completed 12 steps in 54s

Added **MoM Sales Growth %** beside **[Total Sales]** in **Fact_Sales.tmdl**.

```
MoM Sales Growth % =
VAR PreviousMonthSales =
    CALCULATE(
        [Total Sales],
        PREVIOUSMONTH('Dim_Date'[date])
    )
RETURN
    DIVIDE([Total Sales] - PreviousMonthSales, PreviousMonthSales)
```

PREVIOUSMONTH shifts the date filter to the prior month, and **CALCULATE** evaluates **[Total Sales]** over those dates. The measure compares current sales with prior-month sales and divides the difference by prior-month sales. **DIVIDE** returns blank when there's no prior-month baseline; the measure is formatted as a percentage with two decimal places.

Validation: no file diagnostics reported. For charts that should also show months with no sales, use a continuous calendar date table; this model's **Dim_Date** currently contains only distinct sale dates.

10:51 AM • GPT-6 Luna • 0.7 credits

Measures in Model

Fact_Sales.tmdl X

BrevMetrics.SemanticModel > definition > tables > Fact_Sales.tmdl

```
1 table Fact_Sales
2     lineageTag: 06972525-bd9b-40e5-8b05-b7dd34de97f4
3
4     measure 'Total Sales' = SUM(Fact_Sales[sales_amount])
5     lineageTag: 3c829389-c689-4c04-ae05-1b97ae3e9970
6
7     annotation PBI_FormatHint = {"isGeneralNumber":true}
8
9     measure 'MoM Sales Growth %' =
10         VAR PreviousMonthSales =
11             CALCULATE(
12                 [Total Sales],
13                 PREVIOUSMONTH('Dim_Date'[date])
14             )
15         RETURN
16             DIVIDE([Total Sales] - PreviousMonthSales, PreviousMonthSales)
17         formatString: 0.00%;-0.00%;0.00%
18         lineageTag: b34bdacf-f5ae-4e81-b88e-041e7da0d9c9
19
20 column sale_id
21     dataType: int64
22     formatString: 0
23     lineageTag: 7c49141f-810a-42bc-add6-10483e72a313
24     summarizeBy: sum
25     sourceColumn: sale_id
26
```

NOTES Content

```
# DAX Development Notes|
# Copilot Notes

## Measure 1: Month-over-Month Sales Growth

### Copilot Suggestion

GitHub Copilot checked the existing `Fact_Sales.tmdl` file and identified a month-over-month sales growth measure:

```DAX
MoM Sales Growth % =
VAR PreviousMonthSales =
 CALCULATE(
 [Total Sales],
 PREVIOUSMONTH('Dim_Date'[date])
)
RETURN
 DIVIDE([Total Sales] - PreviousMonthSales, PreviousMonthSales)
```

## Sales Growth Commit

Current repository

brewmetrics-bi

Current branch

main

Fetch origin

Last fetched 2 minutes ago

Changes

History

No branches to compare

Add sales growth measure

Priya Dharshini R • 2 minutes ago

Add star schema: fact and dimension tables

Priya Dharshini R • 13 hours ago

Initial README

Priya Dharshini R • yesterday

23 changed files

.gitignore

BrewMetrics.Report\platform

BrewMetrics....\Fluent2-CY26SU08.json

BrewMetrics.Report\definition.pbir

.gitignore

1 + \*\*/.pbi/localSettings.json

2 + \*\*/.pbi/cache.abf

## MEASURE 2

## Running Total Sales

```
1 Running Total Sales =
2 CALCULATE(
3 [Total Sales],
4 FILTER(
5 ALL(Dim_Date[Date]),
6 Dim_Date[Date] <= MAX(Dim_Date[Date])
7)
8)
```

## Copilot Running Total

Create a DAX measure for a running total of sales using the Dim\_Date column.

12:34 PM

Completed 5 steps in 34s

Added Running Total Sales to Fact\_Sales.tblmdl :

```
Running Total Sales =
 CALCULATE(
 [Total Sales],
 FILTER(
 ALL(Dim_Date[date]),
 Dim_Date[date] <= MAX(Dim_Date[date])
)
)
```

ALL removes the current date filter, and FILTER reapplies dates up to and including the latest date in the current context. CALCULATE then evaluates [Total Sales] across that date range, while other filters such as city or product remain in effect.

Measures in Model

```
measure 'Running Total Sales' =
 CALCULATE(
 [Total Sales],
 FILTER(
 ALL(Dim_Date[date]),
 Dim_Date[date] <= MAX(Dim_Date[date])
)
)
lineageTag: c7380afd-592b-463a-9cc4-f0fcf79317ad
```

NOTES content

## Measure 2 - Running Total Sales

Copilot suggested a DAX measure to calculate the running total of sales over time.

The suggested formula was reviewed and used after checking it with the Dim\_Date table and Total Sales measure.

The measure was tested in Power BI using a date-based visual, and the running total increased cumulatively over time.

Running Total Commit

Current repository  
brewmetrics-bi

Current branch  
main

Fetch origin  
Last fetched 1 minute ago

Changes

History

No branches to compare

Add running total measure  
Priya Dharshini R • 1 minute ago

Add sales growth measure  
Priya Dharshini R • 31 minutes ago

Add star schema: fact and dimension t...  
Priya Dharshini R • 14 hours ago

Initial README  
Priya Dharshini R • yesterday

Add star schema: fact and dimension tables

Priya Dharshini R 7ce12bc

23 changed files

.gitignore

BrewMetrics.Report\platform

BrewMetrics....\Fluent2-CY26SU08.json

BrewMetrics.Report\definition.pbir

BrewMetrics.Report\definit...\page.json

BrewMetrics.Report\defini...\pages.json

.gitignore

@@ -0,0 +1,2 @@

1 + \*\*/.pbi/localSettings.json

2 + \*\*/.pbi/cache.abf No newline at end of file

Measure 3

City Sales Rank

✖

✓

Total Sales  
3.97M

Count of city  
by Year

1 City Sales Rank = RANKX(

2 ALL(Dim\_City[city]),

3 [Total Sales],

4 ,

5 DESC,

6 DENSE

7 )

Copilot RANKX

Restore Checkpoint

Create a DAX RANKX measure to rank cities by total sales, with the highest sales receiving rank 1.

12:59 PM

Completed 5 steps in 20s

Added `City Sales Rank` to `Fact_Sales.tmdl`:

City Sales Rank =  
RANKX(  
ALL(Dim\_City[city]),  
[Total Sales],  
,  
DESC,  
DENSE  
)

`RANKX` evaluates `[Total Sales]` for each city. `DESC` puts the highest sales first, giving that city rank 1. `ALL(Dim_City[city])` compares all cities while respecting other active filters, and `DENSE` gives tied cities the same rank without gaps afterward.

Validation: no file errors reported.

1:00 PM • GPT-6 Luna • 0.5 credits

Measures in Model

```
26
27
28 lineageTag: c7380afd-592b-463a-9cc4-f0fcf79317ad
29
30 measure 'City Sales Rank' =
31 RANKX(
32 ALL(Dim_City[city]),
33 [Total Sales],
34 ,
35 DESC,
36 DENSE
37)
38 lineageTag: a4da347a-2055-4a04-a8ea-a8ce69a686e7
39
```

NOTES RANKX

## Measure 3 - City Sales Rank

Copilot suggested a RANKX measure to rank cities based on Total Sales.

The suggested measure uses `ALL(Dim_City[city])` to compare all cities, `DESC` to rank the highest sales as rank 1, and `DENSE` for consecutive ranking when there are ties.

I checked the measure against the city field and Total Sales measure and used the generated formula in the Power BI model.

Ln 1, Col 24

1,183 characters

Plain text

100%

Windows (CRLF)

UTF-8

RANKX Commit

No branches to compare

Priya Dharshini R 7ce12bc

Add city ranking measure

Priya Dharshini R • just now

Add running total measure

Priya Dharshini R • 14 minutes ago

Add sales growth measure

Priya Dharshini R • 1 hour ago

Add star schema: fact and dimension t...

Priya Dharshini R • 14 hours ago

Initial README

Priya Dharshini R • yesterday

23 changed files

.gitignore

+

BrewMetrics.Report\platform

+

BrewMetrics....\Fluent2-CY26SU08.json

+

BrewMetrics.Report\definition.pbir

+

BrewMetrics.Report\definit...\page.json

+

BrewMetrics.Report\defini...\pages.json

+

BrewMetrics.Report\defini...\report.json

+

BrewMetrics.Report\def...\version.json


+

.gitignore


@@ -0,0 +1,2 @@  
1 + \*\*/.pbi/localSettings.json  
2 + \*\*/.pbi/cache.abf No newline at end of f

## MEASURE 4


### Average Transaction Value




## Copilot Measure



## Measures in Model



## NOTES Measure



## Measure Commit

Current repository  
brewmetrics-bi

Current branch  
main

Fetch origin  
Last fetched just now

Changes

History

No branches to compare

Add average transaction value measure  
Priya Dharshini R • just now

Add city ranking measure  
Priya Dharshini R • 19 minutes ago

Add running total measure  
Priya Dharshini R • 32 minutes ago

Add sales growth measure  
Priya Dharshini R • 1 hour ago

Add star schema: fact and dimension tables  
Priya Dharshini R • 14 hours ago

Initial README  
Priya Dharshini R • yesterday

Add star schema: fact and dimension tables

Priya Dharshini R 7ce12bc

23 changed files

.gitignore

BrewMetrics.Report\platform

BrewMetrics...\Fluent2-CY26SU08.json

BrewMetrics.Report\definition.pbir

BrewMetrics.Report\definit...\page.json

BrewMetrics.Report\defini...\pages.json

BrewMetrics.Report\defini...\report.json

BrewMetrics.Report\def...\version.json

BrewMetrics.Se...\editorSettings.json

BrewMetrics.SemanticModel\platform

.gitignore

@@ -0,0 +1,2 @@

1 + \*\*/.pbi/localSettings.json

2 + \*\*/.pbi/cache.abf No newline at end of file

## PHASE 3


## Build the Dashboard

- Design a report with at least three visuals that together let a manager explore the seasonal Cold Brew pattern and the city-level performance gap already built into the data.
- Include at least one slicer and one drill-down hierarchy (e.g., City → Store Format, or Date → Month → Day).
- Commit the finished report. Your commit history should now show a clear, readable progression: schema → measures (one at a time) → report.


## Cold Brew Chart



Sales by City Chart



Sales by Store Format





City Slicer


City

- ☐ Bengaluru
- ☐ Chennai
- ☐ Coimbatore
- ☐ Hyderabad

## Drill-down



## Final Dashboard



## Dashboard Commit.

brewmetrics-bi main Last fetched 37 min...

Changes History

No branches to compare

Add BrewMetrics dashboard  
Priya Dharshini R • just now

Document Measure 4 DAX correction  
Priya Dharshini R • 1 hour ago

Add average transaction value measure  
Priya Dharshini R • 2 hours ago

Add city ranking measure  
Priya Dharshini R • 3 hours ago

Add running total measure  
Priya Dharshini R • 3 hours ago

Add sales growth measure  
Priya Dharshini R • 3 hours ago

Add star schema: fact and dimension t...  
Priya Dharshini R • 17 hours ago

Initial README  
Priya Dharshini R • yesterday

6 changed files

BrewMetrics.Report\definition\pages\5e59866e60540c\BrewMetrics.Report\definition\visual.json

BrewMetrics.Report\definition\pages\5e59866e60540c\BrewMetrics.Report\definition\visual.json

BrewMetrics.SemanticModel\Dim\_City.tmdl

BrewMetrics.SemanticModel\Fact\_Sales.tmdl

NOTES.md.txt

Add average transaction value measure

@@ -0,0 +1,16 @@

```
1 + {
2 + "$schema": "https://developer.m
3 + "name": "07fca7ca025343c2bead",
4 + "position": {
5 + "x": 885,
6 + "y": 48,
7 + "z": 1003,
8 + "height": 270,
9 + "width": 463,
10 + "tabOrder": 1003
11 + },
12 + "visual": {
13 + "visualType": "cardVisual",
14 + "drillFilterOtherVisuals": tr
15 + }
16 + }
```

## PHASE 4

## Documentation and Reflection

11. Use Copilot Chat to help you draft a full README.md: what the project does, the data model (a short description of the fact and dimension tables), and 2–3 key insights your dashboard reveals. Edit whatever Copilot drafts until it's actually accurate — don't ship a description of a chart you don't have.
12. Write a 200-word reflection (as a REFLECTION.md file) covering: where Copilot's suggestions were directly usable, where they needed real correction, and whether working with full commit history changed how you approached building the model compared to a normal single-file Power BI lab.

## Copilot to draft the README

Chat

DAX measure for MoM sales growth

Create a README.md for my BrewMetrics Coffee Co. Business Intelligence project...

The data contains date, city, store, format, category, item, quantity, unit\_price, and sales\_amount.

My Power BI model contains Fact\_Sales, Dim\_Date, Dim\_City, and Dim\_Product.

The dashboard analyzes Cold Brew seasonal sales and city-level performance.

Include sections for:

1. Project Overview
2. Dataset
3. Data Model
4. DAX Measures
5. Dashboard
6. Key Insights

Do not invent any information that I have not provided.

Click to Edit

Completed 6 steps in 21s

Expanded README.md with all six requested sections: Project Overview, Dataset, Data Model, DAX Measures, Dashboard, and Key Insights. It documents the provided tools, fields, tables, and model measures without inventing specific findings. Diagnostics report no errors.

4:26 PM • GPT-4o • 0.6 credits

## Final README.

```
1 # BrewMetrics BI
2
3 Business Intelligence dashboard for BrewMetrics Coffee Co.
4
5 ## 1. Project Overview
6
7 This project is a Business Intelligence dashboard for BrewMetrics Coffee Co. It uses Power BI for analysis and GitHub and GitHub Copilot as part of the project workflow.
8
9 ## 2. Dataset
10
11 The dataset contains the following fields:
12
13 - 'date'
14 - 'city'
15 - 'store_format'
16 - 'category'
17 - 'item'
18 - 'quantity'
19 - 'unit_price'
20 - 'sales_amount'
21
22 ## 3. Data Model
23
24 The Power BI model contains four tables:
25
26 - 'Fact_Sales'
27 - 'Dim_Date'
28 - 'Dim_City'
29 - 'Dim_Product'
30
31 ## 4. DAX Measures
32
33 The model includes these measures:
34
35 - **Total Sales**: total sales amount.
36 - **MoM Sales Growth %**: sales growth compared with the previous month.
37 - **Running Total Sales**: cumulative sales over the date context.
38 - **City Sales Rank**: ranks cities by sales.
39 - **Average Sales per Transaction**: total sales divided by the distinct transaction count.
40
41 ## 5. Dashboard
42
43 The dashboard analyzes Cold Brew seasonal sales and city-level performance.
44
45 ## 6. Key Insights
46
47 1. Cold Brew sales increased from approximately $130K in April to $142.7K in May, before decreasing to approximately $118.2K in June.
48
49 2. Bengaluru recorded the highest city-level sales among the four cities shown in the dashboard, followed by Chennai, Hyderabad, and Coimbatore.
50
51 3. Flagship stores generated the highest sales among the three store formats. The drill-down also shows that Bengaluru Flagship sales were $523,524.
```

## NOTES.md

```
File Edit View H1 [List Icon] B I S [Link Icon] [Table Icon] [Undo Icon]

DAX Development Notes
Copilot Notes

Measure 1: Month-over-Month Sales Growth

Copilot Suggestion

GitHub Copilot checked the existing 'Fact_Sales.tmdl' file and identified a month-over-month sales growth measure:

'''DAX
MoM Sales Growth % =
VAR PreviousMonthSales =
 CALCULATE(
 [Total Sales],
 PREVIOUSMONTH('Dim_Date'[date])
)
RETURN
 DIVIDE([Total Sales] - PreviousMonthSales, PreviousMonthSales)
'''

Measure 2 - Running Total Sales

Copilot suggested a DAX measure to calculate the running total of sales over time.

The suggested formula was reviewed and used after checking it with the Dim_Date table and Total Sales measure.

The measure was tested in Power BI using a date-based visual, and the running total increased cumulatively over time.

Measure 3 - City Sales Rank

Copilot suggested a RANKX measure to rank cities based on Total Sales.

The suggested measure uses ALL(Dim_City(city)) to compare all cities, DESC to rank the highest sales as rank 1, and DENSE for consecutive ranking when there are ties.

I checked the measure against the city field and Total Sales measure and used the generated formula in the Power BI model.

Measure 4 - Average Sales per Transaction

Copilot Suggestion

My initial approach used COUNTROWS to calculate the average sales per transaction:

'''DAX
Average Transaction Value =
 DIVIDE(
 [Total Sales],
 COUNTROWS(Fact_Sales)
)
'''

Correction

After checking the data model, Copilot identified Fact_Sales[sale_id] as the transaction identifier. Therefore, the COUNTROWS approach was changed to DISTINCTCOUNT so that unique transactions are counted.


The corrected measure is:

Average Sales per Transaction =
 DIVIDE(
 [Total Sales],
 DISTINCTCOUNT(Fact_Sales[sale_id])
)


The corrected measure was entered in Power BI and tested successfully using a card visual.

This corrected measure was used as the final Measure 4 in the Power BI report
```

## REFLECTION.md



## Documentation Files



Documentation Commit

Current repository  
brewmetrics-bi

Current branch  
main

Fetch origin  
Last fetched just now

Changes

History

No branches to compare

Add project documentation and reflect...  
Priya Dharshini R • just now

Add BrewMetrics dashboard  
Priya Dharshini R • 1 hour ago

Document Measure 4 DAX correction  
Priya Dharshini R • 3 hours ago

Add average transaction value measure  
Priya Dharshini R • 4 hours ago

Add city ranking measure  
Priya Dharshini R • 4 hours ago

Add running total measure  
Priya Dharshini R • 4 hours ago

Add sales growth measure  
Priya Dharshini R • 5 hours ago

Add star schema: fact and dimension t...  
Priya Dharshini R • 18 hours ago

Initial README  
Priya Dharshini R • yesterday

Add project documentation and reflection

Priya Dharshini R f99598b

3 changed files

REFLECTION.md

NOTES.md.txt

README.md

REFLECTION.md

1 + # Refle:

2 +

3 + GitHub :

understi:

ales, Ci

the mea

4 +

5 + I also l

ion mea:

model, l

rtance :

6 +

7 + Using Gi

ce, I c

process

from th

GitHub

Priya-DharshiniRamesh / brewmetrics-bi

Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings

brewmetrics-bi Public

main 1 Branch 0 Tags

Go to file Add file Code

Priya-DharshiniRamesh Add project documentation and reflection f99598b - 8 minutes ago 15 Commits

BrewMetrics.Report Add BrewMetrics dashboard 1 hour ago

BrewMetrics.SemanticModel Add BrewMetrics dashboard 1 hour ago

.gitignore Add star schema: fact and dimension tables 18 hours ago

BrewMetrics.pbip Add star schema: fact and dimension tables 18 hours ago

NOTES.md Add sales growth measure 4 hours ago


NOTES.md.txt Add project documentation and reflection 8 minutes ago

README.md Add project documentation and reflection 8 minutes ago

REFLECTION.md Add project documentation and reflection 8 minutes ago

README

## Commit history



## GitHub Repository Link

[Priya-DharshiniRamesh/brewmetrics-bi](https://github.com/Priya-DharshiniRamesh/brewmetrics-bi)

## Deliverables

- A link to your GitHub repository, with the full commit history intact (do not squash your commits before submitting)
- The NOTES.md file documenting each DAX measure's Copilot-assisted development
- The README.md and REFLECTION.md files
- A PDF export of the final dashboard, in case the grader can't open the .pbip file directly

## Grading Rubric (30 marks)

Criterion	What earns full credit	Marks
Star schema correctness	Fact and dimension tables correctly separated, related, and free of obvious modelling errors	5
Commit history quality	Commits are incremental and clearly labelled, showing real step-by-step development rather than one dump at the end	6
DAX measures	All four required measures work correctly and are used meaningfully in the report	6
Dashboard design	Visuals genuinely surface the seasonal and city patterns in the data, with a working slicer and drill-down	5
Copilot documentation (NOTES.md)	Specific, honest record of what Copilot got right and what needed correction — not just “Copilot helped a lot”	4
README and reflection	README accurately describes the actual project; reflection shows genuine thought about the AI-assisted, version-controlled workflow	4