

Microsoft Windows [Version 10.0.19045.2065]

(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>ping -4 pec.paavai.edu.in

Pinging pec.paavai.edu.in [18.170.14.141] with 32 bytes of data:

Request timed out.

Reply from 18.170.14.141: bytes=32 time=250ms TTL=51

Reply from 18.170.14.141: bytes=32 time=355ms TTL=51

Request timed out.

Ping statistics for 18.170.14.141:

Packets: Sent = 4, Received = 2, Lost = 2 (50% loss),

Approximate round trip times in milli-seconds:

Minimum = 250ms, Maximum = 355ms, Average = 301ms

C:\Users\Admin>



Type here to search



29°C

1:25 PM
6/15/2024



Your Internet access is blocked


Firewall or antivirus software may have blocked the connection.

Try:

- [Checking the connection](#)
- [Checking firewall and antivirus configurations](#)
- [Running Windows Network Diagnostics](#)

ERR_NETWORK_ACCESS_DENIED

[Details](#)



Untitled - Notepad				
File Edit Format View Help				
1	FTP (Data Transfer)	20	TCP	Transfers data between client and server
2	FTP (Control)	21	TCP	FTP command and control connection
3	SSH	22	TCP	Secure remote login and administration
4	Telnet	23	TCP	Remote login (insecure)
5	SMTP	25	TCP	Sending emails
6	DNS	53	TCP/UDP	Domain name resolution
7	DHCP Server	67	UDP	Assigns IP addresses
8	DHCP Client	68	UDP	Receives IP addresses
9	TFTP	69	UDP	Simple file transfer
10	HTTP	80	TCP	Web browsing
11	POP3	110	TCP	Receiving emails
12	NTP	123	UDP	Time synchronization
13	IMAP	143	TCP	Accessing emails on server
14	SNMP	161	UDP	Network management
15	SNMP Trap	162	UDP	SNMP notifications
16	LDAP	389	TCP/UDP	Directory services
17	HTTPS	443	TCP	Secure web communication
18	SMB	445	TCP	File and printer sharing
19	Syslog	514	UDP	Logging events
20	LDAPS	636	TCP	Secure LDAP
21	FTPS	989/990	TCP	Secure FTP
22	Microsoft SQL Server	1433	TCP	Database communication
23	Oracle Database	1521	TCP	Oracle DB access
24	MySQL	3306	TCP	MySQL database access
25	RDP	3389	TCP	Remote Desktop access

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

dm

No.	Time	Source	Destination	Protocol	Length	Info
4.	16.126.	10.151.73.172	10.151.73.135	DNS	72	Standard query 0x422c HTTPS c.clarity.ms
4.	16.126.	10.151.73.172	10.151.73.135	DNS	72	Standard query 0xc5c4 AAAA c.clarity.ms
4.	16.127.	10.151.73.172	10.151.73.135	DNS	72	Standard query 0x3663 A c.clarity.ms
4.	16.128.	10.151.73.172	10.151.73.135	DNS	77	Standard query 0x28de HTTPS fonts.gstatic.com
4.	16.129.	10.151.73.172	10.151.73.135	DNS	77	Standard query 0x68c4 AAAA fonts.gstatic.com
4.	16.130.	10.151.73.172	10.151.73.135	DNS	77	Standard query 0xb54e A fonts.gstatic.com
4.	16.168.	10.151.73.135	10.151.73.172	DNS	137	Standard query response 0x90ef HTTPS fonts.googleapis.com SOA ns1.google.com
4.	16.168.	10.151.73.135	10.151.73.172	DNS	188	Standard query response 0x2f00 AAAA fonts.googleapis.com AAAA 2404:6800:4000:810:
4.	16.168.	10.151.73.135	10.151.73.172	DNS	96	Standard query response 0x3e67 A fonts.googleapis.com A 142.250.67.202
4.	16.168.	10.151.73.135	10.151.73.172	DNS	154	Standard query response 0x422c HTTPS c.clarity.ms CNAME c.msn.com CNAME c-msn-afd.
4.	16.168.	10.151.73.135	10.151.73.172	DNS	251	Standard query response 0xc5c4 AAAA c.clarity.ms CNAME c.msn.com CNAME c-msn-afd.
4.	16.168.	10.151.73.135	10.151.73.172	DNS	159	Standard query response 0x3663 A c.clarity.ms CNAME c.msn.com CNAME c-msn-afd.
4.	16.175.	10.151.73.135	10.151.73.172	DNS	182	Standard query response 0x28de HTTPS fonts.gstatic.com HTTPS
4.	16.175.	10.151.73.135	10.151.73.172	DNS	185	Standard query response 0x68c4 AAAA fonts.gstatic.com AAAA 2404:6800:4000:810::3
4.	16.175.	10.151.73.135	10.151.73.172	DNS	93	Standard query response 0xb54e A fonts.gstatic.com A 142.251.223.3

Frame 55: Packet, 77 bytes on wire (616 bits), 77 bytes captured (616 bits) on interface 'Ded...

Ethernet II, Src: 62:e2:4f:a3:c4:b2 (62:e2:4f:a3:c4:b2), Dst: c6:04:58:c2:b5:27 (c6:04:58:c2:b5:27)

Internet Protocol Version 4, Src: 10.151.73.172, Dst: 10.151.73.135

User Datagram Protocol, Src Port: 52760, Dst Port: 53

Domain Name System (query)

0000

c6 04 58 c2 b5 27 62 e2 4f a3 c4 b2 08 00 45 00

--X--b--0----E-

0010

00 3f 78 a1 00 00 00 11 10 ac 0a 07 40 ac 0a 07

--p-----I---

0020

49 87 ce 18 00 35 00 2b 60 c6 38 3f 01 00 00 01

I-----5+--87----

0030

00 00 00 00 00 00 01 77 77 77 00 6d 00 01 72 bf

-----w w w w m i c r o

0040

73 6f 66 74 03 63 6f 6d 00 00 41 00 01

soft com --A-

Wi-Fi (live capture in progress)

Packets: 2017 - Displayed: 116 (5.7%)

Profile: Default

Type here to search

33°C

1:53 PM 6/16/2016

No.	Time	Source	Destination	Protocol	Length	Info
5	64.564	10.151.73.172	10.151.73.135	DNS	74	Standard query 0xf43f AAAA www.google.com
6	64.565	10.151.73.172	10.151.73.135	DNS	74	Standard query 0x5a49 A www.google.com
7	64.842	10.151.73.135	10.151.73.172	DNS	298	Standard query response 0xf43f AAAA www.google.com AAAA 2001:4860:4860::8888
8	64.842	10.151.73.135	10.151.73.172	DNS	282	Standard query response 0x5a49 A www.google.com A 142.251.157.110 A 142.251.158.1
9	64.843	10.151.73.135	10.151.73.172	DNS	145	Standard query response 0x87e6 HTTPS oqs.google.com CNAME www3.l.google.com SOA r
10	64.843	10.151.73.135	10.151.73.172	DNS	123	Standard query response 0xbefa AAAA oqs.google.com CNAME www3.l.google.com AAAA 2
11	64.843	10.151.73.135	10.151.73.172	DNS	111	Standard query response 0xf87f A oqs.google.com CNAME www3.l.google.com A 172.213
12	64.843	10.151.73.135	10.151.73.172	DNS	111	Standard query response 0x8c8a A oqs.google.com CNAME www3.l.google.com A 172.213
13	64.844	10.151.73.135	10.151.73.172	DNS	123	Standard query response 0x873f AAAA oqs.google.com CNAME www3.l.google.com AAAA 2
14	65.408	10.151.73.172	10.151.73.135	DNS	75	Standard query 0x3c14 HTTPS ssl.gstatic.com
15	65.481	10.151.73.172	10.151.73.135	DNS	75	Standard query 0x28a7 AAAA ssl.gstatic.com
16	65.481	10.151.73.172	10.151.73.135	DNS	75	Standard query 0x88cd A ssl.gstatic.com
17	65.668	10.151.73.135	10.151.73.172	DNS	132	Standard query response 0x3c14 HTTPS ssl.gstatic.com SOA ns1.google.com
18	65.668	10.151.73.135	10.151.73.172	DNS	183	Standard query response 0x28b7 AAAA ssl.gstatic.com AAAA 1404:6380:4807:834::2001
19	65.668	10.151.73.135	10.151.73.172	DNS	91	Standard query response 0x88cd A ssl.gstatic.com A 142.251.43.35

```

Frame 28: Packet, 98 bytes on wire (720 bits), 98 bytes captured (720 bits) on interface 'Dev1'
Ethernet II, Src: 62:e2:4f:a3:c4:b2 (62:e2:4f:a3:c4:b2), Dst: c6:04:58:c2:b9:f2 (c6:04:58:c2:b9:f2)
Internet Protocol Version 4, Src: 10.151.73.173, Dst: 10.151.73.155
User Datagram Protocol, Src Port: 61871, Dst Port: 53
Domain Name System (query)

```

```
00000000  c6 04 58 c2 0f 27 62 e2 4f 83 c4 b2 08 08 45 08  -X' b 0 - - - E
00000010  80 4c 7c 75 05 80 08 08 11 1c ad 0a 97 40 ac 0a 97  Lu - - - I
00000020  49 87 f1 a7 08 35 00 38 59 93 04 78 91 08 00 81  I - - 5 8 V x - -
00000030  00 00 00 00 00 00 00 00 74 74 70 3d 00 0e 74 21  - - - h etp-inta
00000040  60 65 84 6c 6f 67 67 73 89 64 61 74 61 64 6f 67 68  ke-logs - datadogh
00000050  71 05 63 0f 6d 00 00 01 00 01
```

Microsoft Windows [Version 10.0.19045.2065]

(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>ping www.microsoft.com/en-in

Ping request could not find host www.microsoft.com/en-in. Please check the name and try again.

C:\Users\Admin>ping www.microsoft.com

Pinging 613678.dsrb.akamailedge.net [1600:140f:4:f28::356e] with 32 bytes of data:

Reply from 1600:140f:4:f28::356e: time=66ms

Reply from 1600:140f:4:f28::356e: time=59ms

Reply from 1600:140f:4:f28::356e: time=63ms

Reply from 1600:140f:4:f28::356e: time=47ms

Ping statistics for 1600:140f:4:f28::356e:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:


Minimum = 47ms, Maximum = 66ms, Average = 59ms


C:\Users\Admin>



Type here to search

1:55 PM
6/16/2025





APERC

Admin Login

Admin Login, Admin, Forgot password? [Read more](#)

Government of Kerala

Please Login

Please Login (and-otp-OTP) For Login. Please input the otp and continue Login NEW URL: <https://otp.kerala.gov.in/1043> (and-otp)

Panna I. Agency

Login

Login (and-otp-OTP) For Login. Please input the otp and continue Login NEW URL: <https://otp.kerala.gov.in/1043> (and-otp)

gaurang.gov.in

Login panel

Sign in (and-otp-OTP) For Login. Please input the otp and continue Login NEW URL: <https://otp.kerala.gov.in/1043> (and-otp)

Missing link


Copyright

Login :: Copyright

Enter your valid User ID and Password to login. Click and Register. If you have not yet registered. Note down User ID and Password for future use.

USDP

DRN Admin Login



stead on in ext old



Al-Munira

2000

Introduction

Wardlaw, 1990]

Short videos

Abstract

10/10/2009 10:00:00 AM

Trade =



EPFD United Fortia

<https://unitedports.org/en/enda-2021-home-1041>

EPFO: Establishment Search

19 Dec 2025 — Details can be searched through part of establishment name and/or establishment code number only (7 digits)



EPFD

<http://www.konkani.org/india.htm>

IN Portal-EPFO

1 - APPLICATION FOR COC ; 1 - APPLICATION FOR EXTENSION OF COC ; 1 - CANCELATION OF COC/BALANCE PERIOD ; 2 - UPLOAD SIGNED APPLICATION FOR COC




GPS Based Mobile Application For Vehicle Tracking

<https://its.missouri.edu/arc/en-games-classic-atade-erme>

Classic Arcade Games Extension

28 Mar 2026 — 16+ years and older info. To find and enable Classic Arcade Games Extension, open your browser's Extensions/Add-ons page, locate the extension.



Google

shagov.in filetype:pdf

All results All Shopping Images Short videos News Videos More Tools

Government e Marketplace
https://gem.gov.in/entry_point/entry_point.html (PDF)

GOVERNMENT E-MARKETPLACE

The Government e Marketplace (GeM) platform was launched on 8th August, 2019 as an online, end-to-end solution for procurement of commonly used goods and. [Go to Source](#)

updatelive.gov.in
https://updatelive.gov.in/11287_2025_FR_Eng_06_03_2026_06032026.pdf (PDF)

CSE_2025_FR_Eng_06032026.pdf

Pay Scales
https://www.dpp.gov.in/departmental_documents/2026/06032026.pdf (PDF)

Pay Scales

1st Jan 2026 — Department of Pension & Pensions' Pay Scales' Pay Band and Grade Pay Based on the Pension is estimated at 4th, 5th, 6th & 7th Central Pay. [Go to Source](#)

Krishak Bandhu
https://www.krishakbandhu.gov.in/documents/sop/15112019.pdf (PDF)

Revised SOP of Krishak Bandhu (Assured Income) Scheme

Krishak Bandhu (Assured Income) Scheme to support farmers financially during post-harvest stage to make agriculture profitable for the farmers. [Go to Source](#)


DIRECTORATE OF PUBLIC GRIEVANCES
https://dpg.gov.in/entry_point/entry_point.html (PDF)

Advisory on handling of grievances in DPG

15 Nov 2019 — The Directorate of Public Grievances (DPG) has a dedicated Portal (http://dpg.gov.in/) for business logging of grievances online. [Go to Source](#)

Copyright
https://www.dpp.gov.in/departmental_documents/2026/06032026.pdf (PDF)

https://www.google.com/search?q=shagov.in+filetype:pdf&sa=esv=ec2bf8bd1a2a21&biw=2049&bih=961&ccsrf=ANBL-n7S8C3FGvsiZKac_2Ihsvt57D8pA%3A1...&btnG=GO



```
Session Actions Edit View Help

valid_lft forever preferred_lft forever
21 #ip netns -BROADCAST,MULTICAST,UP,LOWER_UP mdu 1500 qlen 1024 state UP g
rarp default gw 1000
link/ether 00:0c:29:14:4d:83 brd 00:00:00:00:00:00
inet 100.100.1.1/24 brd 100.100.1.255 scope global dynamic noprefixroute
with
    valid_lft 86399sec preferred_lft 86399sec
    inet 1000 - 7af8:abcd:8000::5a scope link noprefixroute
    valid_lft forever preferred_lft forever

root@kali:~# ip netns exec ns1 ping -c 4 google.com
PING google.com (142.251.220.69) 64 bytes of data:
64 bytes from ns1-100-100-100-100: icmp_seq=1 ttl=110
time=28.2 ms
64 bytes from ns1-100-100-100-100: icmp_seq=2 ttl=110
time=28.0 ms
64 bytes from ns1-100-100-100-100: icmp_seq=3 ttl=110
time=27.9 ms
64 bytes from ns1-100-100-100-100: icmp_seq=4 ttl=110
time=27.8 ms

--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 1000ms
rtt min/avg/max/mdev = 27.848/28.067/28.847/2.047 ms

root@kali:~# ip netns exec ns1 cat /dev/null
```

```
Session Actions Edit View Help
kali@kali:~$ sudo netplan add-ssh
1. link loopback,UP,LOWER_UP* eth 65536 address none state UNKNOWN group def
ault qlen 1000
   link/loopback 00:00:00:00:00:00 addr 00:00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
       valid:1ft forever preferred:1ft forever
   inet6 ::1/128 scope host noprefixroute
       valid:1ft forever preferred:1ft forever
2. eth0: 00000000,00000000,UP,LOWER_UP* eth 1500 qlen 1500 state UP g
roup default qlen 1000
   link/ether 00:0c:29:1a:2d:1a addr ff:ff:ff:ff:ff:ff
   inet 192.168.1.10/24 brd 192.168.1.255 scope global dynamic noprefixroute
       eth0
       valid:1ft 00:00:00 preferred:1ft 00:00:00
       inet6 fe80::c29:1a2d:1a2d:1a2d scope link noprefixroute
       valid:1ft forever preferred:1ft forever
kali@kali:~$
```



Offset	Packet	Hex	ASCII
0000	Frame 4100: Packet, 1832 bytes on wire (14656 bits), 1832 bytes captured on interface 0	58 b7 db 57 6f 20 00 0c	20 44 38 83 00 00 45 00
0010	Ethernet II, Src: VMware_44:38:83 (08:0c:29:44:38:83), Dst: GOIP610t	97 3a 39 ba 48 08 48 06	ed 4b c9 a8 01 4d 2c ee
0020	Internet Protocol Version 4, Src: 192.168.1.77, Dst: 44.238.29.244	10 f4 b1 e4 00 50 d9 bc	24 7c 66 5b 66 5d 80 18
0030	Transmission Control Protocol, Src Port: 45548, Dst Port: 80, Seq: 1	01 53 13 e4 00 00 01 01	00 0a 32 15 e5 dc 03 8e
0040	Hypertext Transfer Protocol	7e b8 50 4f 53 54 20 2f	6c 0f 67 69 60 20 61 73
0050	HTML Form URL Encoded: application/x-www-form-urlencoded	78 78 20 48 54 54 50 2f	31 2e 31 3d 6a 48 6f 73
0060		74 3a 20 74 65 73 74 61	73 70 6e 65 74 2e 75 75
0070		5c 0e 77 05 62 2e 63 6f	6d 8d 6a 55 73 65 72 2d
0080		41 67 65 6e 74 3a 20 4d	6f 7a 69 6c 6c 61 2f 35
0090		2e 38 20 28 58 31 31 3b	20 4c 69 6e 75 78 29 78
00a0		38 30 5f 36 34 30 20 72	70 3a 31 34 30 2e 30 29
00b0		26 47 65 63 6b 6f 2f 32	39 31 30 30 31 30 31 20
00c0		46 60 72 65 66 6f 78 2f	31 34 30 2e 30 00 0a 41
00d0		63 63 65 73 74 3a 20 74	65 78 74 2f 68 74 6d 6c
00e0		2c 61 70 70 6c 60 63 61	74 69 6f 6e 2f 78 68 74
00f0		6d 6c 2b 78 6d 6c 2c 61	78 79 6c 69 63 61 74 69
0100		6f 6e 2f 70 60 6c 3b 71	3d 30 2e 39 2e 2e 2f 2a



No.	Time	Source	Destination	Protocol	Length	Info
353	17.949658530	192.168.1.77	44.238.29.244	HTTP	504	[TCP Previous segment not captured] GET /login.aspx HTTP/1.1
357	18.214937721	44.238.29.244	192.168.1.77	HTTP	4857	HTTP/1.1 200 OK (text/html)
1740	50.168978048	192.168.1.77	44.238.29.244	HTTP	504	GET /login.aspx HTTP/1.1
1765	50.442626234	44.238.29.244	192.168.1.77	HTTP	513	HTTP/1.1 200 OK (text/html)
2373	84.808144518	192.168.1.77	44.238.29.244	HTTP	1832	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
2386	85.880000229	44.238.29.244	192.168.1.77	HTTP	13558	HTTP/1.1 200 OK (text/html)
2899	116.267961763	192.168.1.77	44.238.29.244	HTTP	1832	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
2913	116.538996985	44.238.29.244	192.168.1.77	HTTP	526	HTTP/1.1 200 OK (text/html)

Frame 353: Packet, 504 bytes on wire (4032 bits), 504 bytes captured	0000	88 b7 db 57 6f 29 00 6c	29 44 38 83 00 00 45 00	Wo	10
Ethernet II, Src: VMware_44:38:83 (08:0c:29:44:38:83), Dst: GOIPGlo	0010	81 ea 88 34 48 03 48 06	cc 92 c9 a8 01 4d 2c ee	48 @	
Internet Protocol Version 4, Src: 192.168.1.77, Dst: 44.238.29.244	0020	1d f4 e7 5e 00 50 a0 4d	39 a6 c9 02 66 ba 80 18	A P N 0	
Transmission Control Protocol, Src Port: 51038, Dst Port: 88, Seq:	0030	81 5e 9e b4 08 03 81 61	66 0a 32 13 56 1f 09 8d	A	
Hypertext Transfer Protocol	0040	06 f6 47 45 54 20 2f 6c	6f 67 69 6e 2e 81 73 70	GET /l 0g	
	0050	78 29 48 54 54 59 2f 31	2e 31 6d 0a 48 6f 73 74	x HTTP/1 .1	
	0060	3a 20 74 65 73 74 61 73	70 6e 65 74 2e 76 75 6c	: testas pm	
	0070	6e 77 85 62 2e 63 8f 6d	6d 0a 55 73 65 72 2d 43	rweb.com i	
	0080	67 65 6e 74 3a 20 4d 6f	7a 69 6c 6c 61 2f 35 2e	gent: Mo z1	
	0090	30 28 28 5a 31 31 3b 28	4c 69 6e 75 78 20 78 38	@ [X11; Li	
	00a0	36 5f 36 34 3b 20 72 76	3a 31 34 30 2e 30 29 20	6.64; rv 11	
	00b0	47 05 63 0b 6f 2f 32 39	31 39 39 31 39 31 20 40	Gecko/28 18	
	00c0	69 72 65 68 6f 78 2f 31	34 30 2e 30 6d 0a 41 63	Irefox/1 40	
	00d0	63 05 70 74 3a 28 74 65	78 74 2f 68 74 5d 6c 2c	cept: te xt	
	00e0	61 70 70 6c 69 63 61 74	60 6f 6e 2f 78 68 74 6d	applicat io	
	00f0	5c 2b 78 6d 6c 2e 61 70	78 6c 69 63 61 74 69 6f	l+xml, ap pl	
	0100	6e 2f 78 6d 6c 30 71 3d	30 2e 39 2c 2e 2f 2a 3b	n/xml;q= 0.	

Packets: 3826 - Displayed: 8 (0.2%) - Dropped: 0 (0.0%) | Profile: Default

Session Actions Edit View Help

```
(kali@kali)~$  
└─$ sudo mkdir /internship/day4  
mkdir: cannot create directory '/internship/': Permission denied  
  
(kali@kali)~$  
└─$ sudo mkdir /internship  
  
(kali@kali)~$  
└─$ cd /internship  
  
(kali@kali)~/internship$  
└─$ sudo mkdir /internship/day4  
  
(kali@kali)~/internship$  
└─$ cd /internship/day4  
  
(kali@kali)~/internship/day4$  
└─$ pwd  
/home/kali/internship/day4  
  
(kali@kali)~/internship/day4$  
└─$
```

kali@kali: ~/internship/day4

Session Actions Edit View Help

```
(kali@kali)~$
```

```
$ mkdir -p /internship/day4
```

mkdir: cannot create directory '/internship': Permission denied

```
(kali@kali)~$
```

```
$ mkdir internship
```

```
(kali@kali)~$
```

```
$ cd internship
```

```
(kali@kali)~/internship$
```

```
$ mkdir day4
```

```
(kali@kali)~/internship$
```

```
$ cd day4
```

```
(kali@kali)~/internship/day4$
```

```
$ pwd
```

/home/kali/internship/day4

```
(kali@kali)~/internship/day4$
```

```
$ mkdir webconfig
```

```
(kali@kali)~/internship/day4$
```

```
$ nano webconfig/apache.conf
```

```
(kali@kali)~/internship/day4$
```

```
$ cat webconfig/apache.conf
```

serverName localhost

DocumentRoot /var/www/html

```
(kali@kali)~/internship/day4$
```

```
kali@kali:~/internship/day4

Session Actions Edit View Help

└─$ pwd
/home/kali/internship/day4

└─$ (kali@kali) - [~/internship/day4]
└─$ mkdir webconfig

└─$ (kali@kali) - [~/internship/day4]
└─$ nano webconfig/apache.conf

└─$ (kali@kali) - [~/internship/day4]
└─$ cat webconfig/apache.conf
serverName localhost
DocumentRoot /var/www/html

└─$ (kali@kali) - [~/internship/day4]
└─$ mkdir backups

└─$ (kali@kali) - [~/internship/day4]
└─$ ls
backups webconfig

└─$ (kali@kali) - [~/internship/day4]
└─$ nano backup.sh

└─$ (kali@kali) - [~/internship/day4]
└─$ cat backup.sh
#!/bin/bash

tar -czf backups/webbackup.tar.gz webconfig

echo "$(date) : Backup Successful" >> backup.log

└─$ (kali@kali) - [~/internship/day4]
```

```
kali@kali:~/internship/day4

Session Actions Edit View Help

$ cat webconfig/apache.conf
serverName localhost
DocumentRoot /var/www/html

(kali@kali)~$ cd ~/internship/day4
$ mkdir backups

(kali@kali)~$ cd ~/internship/day4
$ ls
backups webconfig

(kali@kali)~$ cd ~/internship/day4
$ nano backup.sh

(kali@kali)~$ cat backup.sh
#!/bin/bash

tar -czf backups/webbackup.tar.gz webconfig

echo "$(date) : Backup Successful" >> backup.log

(kali@kali)~$ cd ~/internship/day4
$ chmod 644 backup.sh

(kali@kali)~$ cd ~/internship/day4
$ ls -l
total 12
drwxrwx-x 2 kali kali 4096 Jun 15 09:29 backups
-rw-r--r-- 1 kali kali 107 Jun 15 09:32 backup.sh
drwxrwx-x 2 kali kali 4096 Jun 15 09:28 webconfig

(kali@kali)~$ cd ~/internship/day4
$
```

kali@kali:~/internship/day4

Session Actions Edit View Help

(kali@kali)~|~/internship/day4|

ls
backups webconfig

(kali@kali)~|~/internship/day4|

\$ nano backup.sh

(kali@kali)~|~/internship/day4|

\$ cat backup.sh

#!/bin/bash

tar -czf backups/webbackup.tar.gz webconfig

echo "\$(date) : Backup Successful" >> backup.log

(kali@kali)~|~/internship/day4|

\$ chmod 644 backup.sh

(kali@kali)~|~/internship/day4|

\$ ls -l

total 12

drwxrwxr-x 2 kali kali 4096 Jun 19 09:29 backups

-rw-r--r-- 1 kali kali 107 Jun 19 09:32 backup.sh

drwxrwxr-x 2 kali kali 4096 Jun 19 09:28 webconfig

(kali@kali)~|~/internship/day4|

\$ nano system.log

(kali@kali)~|~/internship/day4|

\$ cat system.log

Jun 19 02:00 backup.sh : Permission denied

Backup failed

(kali@kali)~|~/internship/day4|

\$

Session Actions Edit View Help

(kali@kali)~\$ cd ~/internship/day4

\$ nano system.log

(kali@kali)~\$ cd ~/internship/day4

\$ cat system.log

Jun 19 02:00 backup.sh : Permission denied
Backup failed

(kali@kali)~\$ cd ~/internship/day4

\$ ls -l

total 16
drwxrwxr-x 2 kali kali 4096 Jun 19 09:29 backups
-rw-r--r-- 1 kali kali 107 Jun 19 09:32 backup.sh
-rw-rw-r-- 1 kali kali 37 Jun 19 09:33 system.log
drwxrwxr-x 2 kali kali 4096 Jun 19 09:28 webconfig

(kali@kali)~\$ cd ~/internship/day4

\$ cat system.log

Jun 19 02:00 backup.sh : Permission denied
Backup failed

(kali@kali)~\$ cd ~/internship/day4

\$ ls -l backup.sh

-rw-r--r-- 1 kali kali 107 Jun 19 09:32 backup.sh

(kali@kali)~\$ cd ~/internship/day4

\$ chmod +x backup.sh

(kali@kali)~\$ cd ~/internship/day4

\$ ls -l backup.sh

-rwxr-xr-x 1 kali kali 107 Jun 19 09:32 backup.sh

(kali@kali)~\$ cd ~/internship/day4

\$

Session Actions Edit View Help

Backup Failed

(kali@kali)~\$ cd ~/internship/day4

\$ ls -l

total 16

drwxrwxr-x 2 kali kali 4096 Jun 19 09:29 backups

-rw-r--r-- 1 kali kali 107 Jun 19 09:32 backup.sh

-rw-rw-r-- 1 kali kali 57 Jun 19 09:35 system.log

drwxrwxr-x 2 kali kali 4096 Jun 19 09:28 webconfig

(kali@kali)~\$ cd ~/internship/day4

\$ cat system.log

Jun 19 09:00 backup.sh : Permission denied

Backup failed

(kali@kali)~\$ cd ~/internship/day4

\$ ls -l backup.sh

-rw-r--r-- 1 kali kali 107 Jun 19 09:32 backup.sh

(kali@kali)~\$ cd ~/internship/day4

\$ chmod +x backup.sh

(kali@kali)~\$ cd ~/internship/day4

\$ ls -l backup.sh

-rwxr-xr-x 1 kali kali 107 Jun 19 09:32 backup.sh

(kali@kali)~\$ cd ~/internship/day4

\$./backup.sh

(kali@kali)~\$ cd ~/internship/day4

\$ ls backups

(kali@kali)~\$ cd ~/internship/day4

\$

Session Actions Edit View Help

```
total 16
drwxrwx-x 2 kali kali 4096 Jun 19 09:29 backups
-rw-r--r-- 1 kali kali 107 Jun 19 09:32 backup.sh
-rw-r--r-- 1 kali kali 37 Jun 19 09:35 system.log
drwxrwx-x 2 kali kali 4096 Jun 19 09:28 webconfig
```

(kali@kali) - [~/internship/day4]

\$ cat system.log

Jun 19 09:00 backup.sh : Permission denied
Backup failed

(kali@kali) - [~/internship/day4]

\$ ls -l backup.sh

rw-r--r-- 1 kali kali 107 Jun 19 09:32 backup.sh

(kali@kali) - [~/internship/day4]

\$ chmod +x backup.sh

(kali@kali) - [~/internship/day4]

\$ ls -l backup.sh

rw-rwx-x 1 kali kali 107 Jun 19 09:32 backup.sh

(kali@kali) - [~/internship/day4]

\$./backup.sh

(kali@kali) - [~/internship/day4]

\$ ls backups

(kali@kali) - [~/internship/day4]

\$ cat backup.log

Fri Jun 19 09:38:45 AM EDT 2020 : Backup Successful

(kali@kali) - [~/internship/day4]

\$

Session Actions Edit View Help

[kali@kali] (~)/internship/day4

\$ cat system.log

Jun 19 01:00 backup.sh : Permission denied
Backup failed

[kali@kali] (~)/internship/day4

\$ ls -l backup.sh

rw-r--r-- 1 kali kali 107 Jun 19 09:32 backup.sh

[kali@kali] (~)/internship/day4

\$ chmod +x backup.sh

[kali@kali] (~)/internship/day4

\$ ls -l backup.sh

rw-r-xr-x 1 kali kali 107 Jun 19 09:32 backup.sh

[kali@kali] (~)/internship/day4

\$./backup.sh

[kali@kali] (~)/internship/day4

\$ ls backups

webconfig.tar.gz

[kali@kali] (~)/internship/day4

\$ cat backup.log

Fri Jun 19 09:38:43 AM EDT 2020 : Backup Successful

[kali@kali] (~)/internship/day4


\$ tar -czf backups/webbackup.tar.gz

webconfig/


webconfig/apache.conf


[kali@kali] (~)/internship/day4

\$



No	OWASP Top 10 Vulnerability	Example Attack
1	Broken Access Control	Unauthorized access to admin pages
2	Cryptographic Failures	Stealing data due to weak encryption
3	Injection	SQL Injection, Command Injection
4	Insecure Design	Poor security architecture
5	Security Misconfiguration	Default passwords, open ports
6	Vulnerable and Outdated Components	Exploiting old software versions
7	Identification and Authentication Failures	Brute Force Attack
8	Software and Data Integrity Failures	Malicious software updates
9	Security logging and Monitoring Failures	Attacks go undetected
10	Server-Side Request Forgery (SSRF)	Server forced to access internal resources





Completed rooms

Certificate

First Four
Completing four rooms
in a week of joining!
[View badge](#)

Webbed
Understands how things
work!
[View badge](#)



cat linux.txt

Being competent in Linux

Earned on February 16, 2026

- in LinkedIn
- WhatsApp
- Telegram
- X Twitter / X
- Facebook
- Copy link

Day Streak
Achieving a 3 day hacking streak!
[View badge](#)

cat linux.txt
Being competent in Linux
[View badge](#)

TryHackMe | priyaeaswaran368

Ask Gemini

tryhackme.com/js/priyaeaswaran368

TryHackMe

Dashboard

Learn

Practice

Compete

Go Premium

18

0

priyaeaswaran368

[0x3][PATHFINDER]

Student

0 Following

0 Followers

Add Socials

Add Calendly Link

Share room badges

Rank

Top 40%

Badges

6

Streak

0

Completed rooms

12

Completed rooms

Certificates

Skills matrix

Badges

Created rooms

Yearly activity

Linux Fundamentals Part 1

Embark on the journey of learning the fundamentals of Linux. Learn to run

How Websites Work

To exploit a website, you first need to know how they are created.

Putting it all together

Learn how all the individual components of the web work together to bring you

DNS

DNS in Detail

Learn how DNS works and how it helps you access internet services.

Type here to search

31°C Mostly cloudy

7:31 PM 6/20/2024

```
Session Actions Edit View Help
(kali@kali)~$ echo "this is a test file for VirusTotal internship task" > sample.txt
(kali@kali)~$ ls
Desktop Documents Downloads intern internship Music Pictures Public sample.txt Templates Videos
(kali@kali)~$ sha1sum sample.txt
722c762d0168b222e88df94d818e16a74749e670102f0675a993914a5eeF51bc  sample.txt
(kali@kali)~$
(kali@kali)~$
```

[illegible]

The screenshot displays a Kali Linux desktop environment. The primary focus is a web browser window showing the VirusTotal website. The address bar contains a URL that has been decoded from a hexadecimal string: `www.virustotal.com/gui/url/fc82f7dcdd0ed9c21274a0376ef0a7ef2a79ad31506e4e26df6b0a411`. The browser's tab bar shows several open tabs, including 'VirusTotal - URL', 'Priya1364 (Priya Dharshini)', 'OffSec', 'Kali Linux', 'Kali Tools', 'Kali Docs', 'Kali Forums', 'Kali NetHunter', 'Exploit-DB', and 'Google Hacking DB'. The desktop background is a dark blue theme. In the bottom-left corner, a terminal window is open, showing a root shell prompt `root@kali:~#`. The taskbar at the bottom of the screen contains various application icons, including the Dash icon, Firefox, and several terminal windows.

[illegible]

The screenshot displays the CyberChef web application in a browser. The browser's address bar shows the URL: `gchq.github.io/CyberChef/#recipe=From_Base64(A-Za-z0-9%20/%3D,true,false)&input=80dWc2IHQ...`. The application interface includes a sidebar on the left with 'Operations' and 'Favourites' sections. The 'Recipe' panel in the center shows the 'From Base64' recipe selected, with the 'Alphabet' dropdown set to 'A-Za-z0-9+/=' and the 'Remove non-alphabet chars' checkbox checked. The 'Input' panel on the right contains the Base64 string: `86VsbG8gUHJpewFkYXJza61ua8wgdGhpcyBpcyBhIEh5mrvyQ2h1Z1B0ZXN0Lg==`. The 'Output' panel at the bottom right displays the decoded result: 'Hello Priyadarshini, this is a CyberChef test.'

Operations Recipe ^    Input +     

SHA	SHA2	  	priyadharshini-Cybersecurity-Internship
-----	------	--	---

SHA0	Size	Rounds
	512	160

Shake 100% 100% 100% 100%

Compare SSDREP hashes

Sharpen image


5000 HTML 1000

Simp UDP header

Help iPad header

 STEP
  BAKE!
  Auto Drive

GCSE Physics UNIT 10: ELECTRICITY PAGES 129 - 131 129



TOTAL RESULTS

14,140,015

TOP COUNTRIES



United States
4,127,820

Japan
1,253,115

Germany
1,252,004

France
383,278

China

View Report

Browse Images

View on Map

Advanced Search

Product Spotlight: We've Launched a new API for Fast Vulnerability Lookups. Check out [CVEsDB](#)

ERROR: The requested URL could not be retrieved

2020-06-24 09:41:02 GMT

183.79.127.208

[View Collection](#)

United States: Pasadena City

HTTP/1.1 400 Bad Request

Server: **Apache/2.4.41 (Ubuntu)** Linux

PHP-Version: 7.1.0

Date: Wed, 24 Jun 2020 09:41:02 GMT

Content-Type: text/html; charset=utf-8

Content-Length: 3424

Connection: close

ERROR: The requested URL could not be retrieved

2020-06-24 09:40:58 GMT

183.82.14.221

[View Collection of Subsequent European Union](#)

United Kingdom: Sunderland

HTTP/1.1 400 Bad Request

Server: **Apache/2.4.41 (Ubuntu)** Linux

PHP-Version: 7.1.0

Date: Wed, 24 Jun 2020 09:38:03 GMT

Content-Type: text/html; charset=utf-8

Content-Length: 3424

Connection: close


```

kali@kali:~$ sudo apt update
Hit:1 http://http.kali.org/kali kali-rolling InRelease
259 packages can be upgraded. Run 'apt list --upgradable' to see them.

kali@kali:~$ sudo apt install dirb -y
dirb is already the newest version (2.22+dfsg-7).
dirb set to manually installed.
The following packages were automatically installed and are no longer required:
  enchant-2 libipc-run-perl libpostl1 libskia146 libunisect1 postgresql-common-dev python3-tz
  libavc1364-0 libbcbcrypt06 libraw1394 librsodium1 libunisect1-openssl python3-urbs
  libgdal36 libgocrypt147 libstdc++-classic libteardot10 openjdk-21-jre python3-pluginbase
  libio-pty-perl libpostl1-data libstdc++11 libunibreak openjdk-21-jre-headless python3-pytemp4
Use 'sudo apt autoremove' to remove them.

Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 259

kali@kali:~$ sudo gobuster dir -u http://127.0.0.1/dvwa/ -w /usr/share/wordlists/dirb/common.txt -o -/internship/day-gobuster-nikto/gobuster/dvwa_gobuster.txt

Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehner (@Firefart)

[+] Url: http://127.0.0.1/dvwa/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s

Starting gobuster in directory enumeration mode

[ERROR] error on creating output file: open /home/kali/internship/day-gobuster-nikto/gobuster/dvwa_gobuster.txt: no such file or directory

kali@kali:~$

```

Screenshot taken

View image

kali@kali: ~/Internship/day-gobuster-nikto

Session Actions Edit View Help

```
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
```

Starting gobuster in directory enumeration mode

Progress: 0 / 1 (0.00%)

2025/06/14 06:15:56 error on running gobuster on http://127.0.0.1/dvwa/: connection refused

```
(kali@kali) [~/Internship/day-gobuster-nikto]
$ gobuster dir -u http://127.0.0.1/utilidades/ -w /usr/share/wordlists/dirb/common.txt
```

Gobuster v3.8.2

By OJ Reeves (@TheColonial) & Christian Wählbauer (@Pfirehart)


```
[+] Url: http://127.0.0.1/utilidades/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
```


Starting gobuster in directory enumeration mode

Progress: 0 / 1 (0.00%)

2025/06/14 06:18:27 error on running gobuster on http://127.0.0.1/utilidades/: connection refused

```
(kali@kali) [~/Internship/day-gobuster-nikto]
```





All Products




Apple Juice (1000ml)

1.99€



Add to Basket



Apple Pomace

0.89€



Add to Basket



1.99€



This website uses third cookies to ensure you get the juiciest tracking experience. [Learn more](#)

No, thank you

kali@kali:~\$

Session Actions Edit View Help

```
> echo '<html><body><h1>Test</h1></body></html>' | nc 127.0.0.1 80 /var/www/html/site2/login/index.html
```

```
<html><body><h1>
```

```
[kali@kali]~$
```

```
> echo '<html><body><h1>Test</h1></body></html>' | nc 127.0.0.1 80 /var/www/html/site2/test/index.html
```

```
<html><body><h1>
```

```
[kali@kali]~$
```

```
> nikto -h http://127.0.0.1/site1/ --output ~/internship/day-gobuster-nikto/nikto/site1_nikto.txt
```

```
- Nikto v2.6.0
```

```
+ Target IP: 127.0.0.1
+ Target Hostname: 127.0.0.1
+ Target Port: 80
+ Platform: Linux/Unix
+ Start Time: 2026-06-24 07:18:07 (GMT+6)
```

```
+ Server: Apache/2.4.68 (Debian)
+ ERROR: Failed to check for updates: 401
+ No CGI Directories found (use '-C all' to force check all possible dirs). CGI tests skipped.
+ [013507] /site1/: Suggested security header missing: content-security-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP
+ [013507] /site1/: Suggested security header missing: x-content-type-options. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options
+ [013507] /site1/: Suggested security header missing: permissions-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Permissions-Policy
+ [013507] /site1/: Suggested security header missing: strict-transport-security. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security
+ [013507] /site1/: Suggested security header missing: referrer-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy
```

```

kali@kali:~$ cat /usr/share/doc/sft/README.md
Session Actions Edit View Help

should only have an index.html when using the import website
functionality.

1) Web Templates
2) Site Cloner
3) Custom Import

99) Return to WebAttack Menu

cat:~$ cat /usr/share/doc/sft/README.md
[-] Credential harvester will allow you to utilize the clone capabilities within SFT
[-] to harvest credentials or parameters from a website as well as place them into a report


--- + IMPORTANT + READ THIS BEFORE ENTERING IN THE IP ADDRESS + IMPORTANT + ---

The way that this works is by cloning a site and looking for form fields to
rewrite. If the POST fields are not usual methods for posting forms this
could fail. If it does, you can always save the HTML, rewrite the forms to
be standard forms and use the "IMPORT" feature. Additionally, really
important:


If you are using an EXTERNAL IP ADDRESS, you need to place the EXTERNAL
IP address below, not your NAT address. Additionally, if you don't know
basic networking concepts, and you have a private IP address, you will
need to do port forwarding to your NAT IP address from your external IP
address. A browser doesn't know how to communicate with a private IP
address, so if you don't specify an external IP address if you are using
this from an external perspective, it will not work. This isn't a SFT issue
this is how networking works.

cat:~$ cat /usr/share/doc/sft/README.md
IP address for the POST back in Harvester/Tabnabbing [192.168.146.131]:

```







```
kali@kali:~$  
Session Actions Edit View Help  
should only have an index.html when using the import website  
functionality.  
  
1) Web Templates  
2) Site Cloner  
3) Custom Import  
  
(99) Return to Mebatlack Menu  
  
kali@kali:~$ cat:~/mebatlack>4  
[-] Credential harvester will allow you to utilize the clone capabilities within SFT  
[-] to harvest credentials or parameters from a website as well as place them into a report  
  
— + IMPORTANT + READ THIS BEFORE ENTERING IN THE IP ADDRESS + IMPORTANT + —  
  
The way that this works is by cloning a site and looking for form fields to  
rewrite. If the POST fields are not usual methods for posting forms this  
could fail. If it does, you can always save the HTML, rewrite the forms to  
be standard forms and use the "IMPORT" feature. Additionally, really  
important:  
  
If you are using an EXTERNAL IP ADDRESS, you need to place the EXTERNAL  
IP address below, not your NAT address. Additionally, if you don't know  
basic networking concepts, and you have a private IP address, you will  
need to do port forwarding to your NAT IP address from your external IP  
address. A browser doesn't know how to communicate with a private IP  
address, so if you don't specify an external IP address if you are using  
this from an external perspective, it will not work. This isn't a SFT issue  
this is how networking works.  
  
kali@kali:~$ cat:~/mebatlack> IP address for the POST back in Harvester/Tabnabbing [197.168.146.131]:
```

Screenshot taken

View image

Screenshot taken

View image

127.0.0.1/login.html

127.0.0.1/login.html

http://127.0.0.1/login.html


OffSec · Kali Linux · Kali Tools · Kali Docs · Kali Forums · Kali NetHunter · Exploit-DB · Google Hacking DB


Login Page


Username
Password
Login

Screenshot taken

View Image











Username :

Password :

Login





Session Actions Edit View Help

```
[+] Url: http://127.0.0.1/dvwa/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
```

Starting gobuster in directory enumeration mode

ERROR error on creating output file: open /home/kali/internship/day-gobuster-nikto/gobuster/dvwa_gobuster.txt: no such file or directory

(kali@kali)~\$

\$ mkdir -p ~/internship/day-gobuster-nikto

(kali@kali)~\$

\$ cd ~/internship/day-gobuster-nikto

(kali@kali)~/internship/day-gobuster-nikto\$

\$ mkdir screenshots gobuster nikto burp report

(kali@kali)~/internship/day-gobuster-nikto\$

\$ gobuster dir -u http://127.0.0.1/dvwa/ -w /usr/share/wordlists/dirb/common.txt

Gobuster v3.8.2

by OJ Reeves (@TheColonial) & Christian Mahleeder (@firefart)

```
[+] Url: http://127.0.0.1/dvwa/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
```

Starting gobuster in directory enumeration mode

Progress: 0 / 1 (0.00%)

2026/06/24 06:15:56 error on running gobuster on http://127.0.0.1/dvwa/: connection refused

(kali@kali)~/internship/day-gobuster-nikto\$

\$

Interception controls: Intercept (blue), Forward (orange), Drop (grey). Request to http://127.0.0.1:80. Open browser button.

Time	Type	Description	Method	URL	Status code	Length
13:50:52.14	HTTP	Request	GET	http://127.0.0.1/index		

Request details area (currently empty).

Request tab with Pretty, Raw, and Hex views. The Pretty view shows the raw HTTP request text.

```
1 GET /index HTTP/1.1
2 Host: 127.0.0.1
3 sec-ch-ua: "Not-A.Brand";v="24", "Chromium";v="140"
4 sec-ch-ua-mobile: ?0
5 sec-ch-ua-platform: "Linux"
6 Accept-Language: en-US,en;q=0.9
7 Upgrade-Insecure-Requests: 1
8 User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
```

Inspector panel with expand/collapse icons and a list of request attributes.

Request attributes	2	✓
Request query parameters	0	✓
Request body parameters	0	✓
Request cookies	0	✓

hwd@kali: ~

Session Actions Edit View Help

repackaging, dissemination or other use of this data is expressly prohibited without the prior written consent of Verisign. You agree not to use electronic processes that are automated and high-volume to access or query the whois database except as reasonably necessary to register domain names or modify existing registrations. Verisign reserves the right to restrict your access to the whois database in its sole discretion to ensure operational reliability. Verisign may restrict or terminate your access to the whois database for failure to abide by these terms of use. Verisign reserves the right to modify these terms at any time.

The Registry database contains only .com, .net, .info domains and Registrars.

Domain Name: redhat.com

Registry Domain ID: 4411804_DOMAIN_COM-VRSN

Registrar WHOIS Server: whois.crsnicloud.com

Registrar URL: <https://www.crsnicloud.com>

Updated Date: 2024-06-07T18:11:00Z

Creation Date: 1994-05-26T04:00:00Z

Registrar Registration Expiration Date: 2025-06-07T00:00:00Z

Registrar: 80663D-LIN LLC One Lake

Registrar IANA ID: 476

Domain Status: clientDeleteProhibited <https://www.icann.org/epp/clientDeleteProhibited.htm>

Domain Status: clientTransferProhibited <https://www.icann.org/epp/clientTransferProhibited.htm>

Domain Status: clientUpdateProhibited <https://www.icann.org/epp/clientUpdateProhibited.htm>

Registry Registrant ID: REDACTED FOR PRIVACY

Registrant Name: REDACTED FOR PRIVACY

Registrant Organization: Red Hat, Inc.

Registrant Street: REDACTED FOR PRIVACY

Registrant City: REDACTED FOR PRIVACY

Registrant State/Province: North Carolina

Registrant Postal Code: REDACTED FOR PRIVACY

Registrant Country: US

Registrant Phone: REDACTED FOR PRIVACY

Registrant Phone Ext.: REDACTED FOR PRIVACY

Registrant FAX: REDACTED FOR PRIVACY

Registrant Fax Ext.: REDACTED FOR PRIVACY

Registrant Email: redhat.com-admin@crsnicloud.com

Registry Admin ID: REDACTED FOR PRIVACY

Admin Name: REDACTED FOR PRIVACY

Admin Organization: REDACTED FOR PRIVACY

Admin Street: REDACTED FOR PRIVACY

Admin City: REDACTED FOR PRIVACY

Admin State/Province: REDACTED FOR PRIVACY

Admin Postal Code: REDACTED FOR PRIVACY

Admin Country: REDACTED FOR PRIVACY

Admin Phone: REDACTED FOR PRIVACY

Admin Phone Ext.: REDACTED FOR PRIVACY

Admin Fax: REDACTED FOR PRIVACY


Admin Fax Ext.: REDACTED FOR PRIVACY

Admin Email: redhat.com-admin@crsnicloud.com

Registry Tech ID: REDACTED FOR PRIVACY

1000

USDM of USG. We are not authorizing a search or query on World Database through the use of electronic processes that are high-volume and automated except as reasonably necessary to register domain names or to verify existing registrations; the data in VeriSign Global Registry Services ("VeriSign") World Database is provided by VeriSign for information purposes only, and to assist persons in obtaining information about or relating to a domain name registration record. VeriSign does not guarantee its accuracy. By submitting a World Query, you agree to abide by the following terms of use. You agree that you may use this Data only for lawful purposes and that under no circumstances will you use this Data to: (i) allow, enable, or otherwise support the transmission of mass unsolicited, commercial advertising or solicitations via e-mail, telephone, or facsimile; or (ii) enable high volume, automated, electronic processes that apply to VeriSign (or its computer systems), the compilation, repackaging, dissemination or other use of this Data is expressly prohibited without the prior written consent of VeriSign. You agree not to



Select a Domain to Test:

redhat.com


Start Test

Free users are limited to 50 results for a single domain. Get 10 million DNS records - Go Gold!

System Locations



Hosting / Networks



Services / Banners




Microsoft-edge-application 20
Citigroup 1
Amazon 1
redhat.com 1
CloudFront 1
Apple 1

Showing 50 records out of a total of 2214 found.

4 Records (subdomains from dataset)


Host	IP	ASN	ASN Name	Open Services (from DB)	Script
www.redhat.com	12.255.142.255	14618	AMAZON-02 - Amazon.com, Inc.	Microsoft Server Apache HTTP Server Drupal 10	10



Showing 50 records out of a total of 2274 rows.

4 Records (subdomains from dataset)

Host	IP	ASN	ASN Name	Open Services (from IP)	Size
ipsecm.redhat.com	12.255.142.258 12.255.142.258 12.255.142.258 12.255.142.258	18018 12.255.142.258	AS1255-AS - Amazon.com, Inc. United States	ssh server Apache HTTP Server Drupal: 10 PHP Apache SSH Forward www.redhat.com Red Hat, Inc. PHP Apache HTTP Server Drupal: 10	10
access.redhat.com	23.23.42.114 23.23.42.114 23.23.42.114 23.23.42.114	16048 23.23.42.114	AS16048-AS - Akamai International B.V. United States		1
api.access.redhat.com	23.58.71.124 23.58.71.124 23.58.71.124 23.58.71.124	16025 23.58.71.124	AS16025-AS - Akamai Technologies, Inc. United States	AmazonS3 Invalid URL AmazonS3 Invalid URL www.repository.redhat.com Red Hat, Inc.	3
attachment.access.redhat.com	23.281.183.218 23.281.183.218 23.281.183.218 23.281.183.218	16025 23.281.183.218	AS16025-AS - Akamai Technologies, Inc. United States	AmazonS3 Invalid URL AmazonS3 Invalid URL www.repository.redhat.com Red Hat, Inc.	4
cert-api.access.redhat.com	23.58.71.11 23.58.71.11 23.58.71.11 23.58.71.11	16025 23.58.71.11	AS16025-AS - Akamai Technologies, Inc. United States	AmazonS3 Invalid URL AmazonS3 Invalid URL cert-api.access.redhat.com	3



attachments.access.redhat.com 23.281.183.218

1000
23.281.183.8/19

Amazon - Amazon Technologies, Inc.
United States

AmazonDns
Invalid DNS
AmazonDns
Invalid DNS
aws-repository.access.redhat.com
Red Hat, Inc.

4

cert-ssl.access.redhat.com

23.34.71.11

1000
23.34.71.8/19

Amazon - Amazon Technologies, Inc.
United States

AmazonDns
Invalid DNS
AmazonDns
Invalid DNS
cert-ssl.access.redhat.com
Red Hat, Inc.

7

origin-api.access.redhat.com

208.102.181.121

10753
208.102.178.8/20

Red Hat, Inc.
United States

1

origin-

stage.access.redhat.com

208.102.181.90

10753
208.102.178.8/20

Red Hat, Inc.
United States

1

registry.access.redhat.com

54.152.249.113

14018
54.152.8.8/18

Amazon.com, Inc.
United States

aws-logs-9
AWS Certificate
portal.amazonaws.com
Amazon, LLC
Amazon Web Services

7

security.access.redhat.com

23.280.72.13

10048
23.280.72.8/14

Amazon - Amazon International S.P.A.
United States

265

in.redhat.com

54.157.188.138

14018
54.156.8.8/14

Amazon.com, Inc.
United States

redirected

5000

www.in.redhat.com

54.157.188.138

14018
54.156.8.8/14

Amazon.com, Inc.
United States

redirected

5000

at.redhat.com

54.157.188.138

14018
54.156.8.8/14


Amazon.com, Inc.
United States

redirected

5000

[illegible]

[illegible]



IP Logger Log and Track IP

Create or Track URL's


Grabify IP Logger is an advanced URL shortener offering analytics for link traffic and visitor insights on your site. Use IPLogger or IP Grabber to detect your IP, locate IP's geographically, and track device locations. It also checks URLs for hidden redirects to ensure safety. Our patented technology allows for legal user consent collection.

Create new link, track IP or mobile phone:

By logging IP Logger you agree to our [privacy](#) and [terms of use](#)

Create URL

Tracking Code



Link Information

SHARE

EXPORT

Original URL

https://github.com/Priya1254

Link info

New URL



https://uho.me/271k9

Change domain / make a custom link

Tracking Code



wDW55p1NxJ1e

Access Link



https://grabify.org/track/wDW55p1NxJ1e/

Email Notification



Destination preview



Smart Logger



Consent collection



Collect GPS data



Forward GET parameters



Note

Enter a note - (You only visible to you)

Clicks/Unique: 0/0

Note: If you have posted your link on Facebook, Twitter, or in a URL shortener, you may see results from various "bots" (BingBot, FacebookBot, etc.)

☐ Hide Data

Date/Time


IP/Provider

Country

Device

Source of transition







👤 Priyadharsini L Cyber Security & Ethical Hacking Student | Aspiring Security Analyst 🎓 B.E. Cybersecurity – 2nd Year 📍 Paavai Engineering College 🧡 Passionate about learning cybersecurity, ethical hacking, and real-world security practices. 🛠️ Skills & Technologies Cyber Security Fundamentals Ethical Hacking (Beginner) Linux & Kali Linux (Learning) Networking Basics Vulnerability Assessment Git & GitHub 🌱 Internships & Experience Cyber Security & Ethical Hacking Intern – CodTech IT Solutions Future Interns – Cybersecurity Tasks Elevate Labs – Technical Internship Forge Virtual Internships Tata Mastercard PwC Deloitte Commonwealth Bank 📁 Projects & Tasks Network Traffic Analysis using Wireshark Cybersecurity Internship Tasks Security Awareness & Password Analysis Basic Vulnerability and System Analysis 📁 Check my repositories for hands-on internship work and learning projects. 🔄 Currently Learning Linux commands & system administration Kali Linux tools Cybersecurity fundamentals step-by-step Building a stronger security portfolio 📞 Connect with Me 🌐 LinkedIn (add your LinkedIn profile link here) 🐙 GitHub: <https://github.com/Priya1354> ⭐ I am continuously learning and improving my skills to build a strong career in cybersecurity.

Priva1364 she/her

Cybersecurity enthusiast | Ethical Hacking learner | SOC & Web Security projects | Intern @ Future Interns & CODETECH

[Edit profile](#)

Popular repositories

Private364

Findings

[spc-threat-hunters-incident-response](#)

Findings

Complete SOC Analyst project including network analysis, log analysis, SIEM monitoring, phishing detection, and incident response simulation.

Note: If you have posted your link on Facebook, Twitter, or in a URL shortener, you may see results from various "bots" (DribbbleFacebookBot, etc.)

 Home Depot

1

Internet Search Tool

kat@kali -

Session Actions Edit View Help

(kali@kali)~\$

\$ dig google.com

\$ <<> DIG 9.10.23-1-Debian <<> google.com

;; global options: +cmd

;; Get answer:

;; --HEADER-- opcode: QUERY, status: NOERROR, id: 37782

;; flags: qr rd ra ad; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:

google.com. IN A

;; ANSWER SECTION:

google.com. 5 IN A 172.217.26.14

;; Query time: 11 msec

;; SERVER: 192.168.146.2#53(192.168.146.2) (UDP)

;; WHEN: Thu Jul 02 03:57:21 EDT 2020

;; MSG SIZE rcvd: 44

(kali@kali)~\$

\$ dig google.com +short

172.258.182.206

(kali@kali)~\$

\$ dig google.com NS

\$ <<> DIG 9.10.23-1-Debian <<> google.com NS

;; global options: +cmd

;; Get answer:

;; --HEADER-- opcode: QUERY, status: NOERROR, id: 16885

;; flags: qr rd ra; QUERY: 1, ANSWER: 4, AUTHORITY: 0, ADDITIONAL: 0

;; OPT PSEUDOSECTION:

```

kali@kali: ~
Session Actions Edit View Help

<>> dig 9.10.23-1-Debian <>> google.com NS
;; global options: +cmd
;; Got answer:
;; --HEADER-- opcode: QUERY, status: NOERROR, id: 16005
;; flags: qr rd ra; QUERY: 1, ANSWER: 4, AUTHORITY: 0, ADDITIONAL: 9

;; OPT PSEUDOSECTION:
;; EDNS: version: 0, flags: 0, udp: 1280
;; QUESTION SECTION:
google.com.                IN      NS

;; ANSWER SECTION:
google.com.                5       IN      NS      ns2.google.com.
google.com.                5       IN      NS      ns4.google.com.
google.com.                5       IN      NS      ns3.google.com.
google.com.                5       IN      NS      ns1.google.com.

;; ADDITIONAL SECTION:
ns1.google.com.            5       IN      A        216.239.32.10
ns1.google.com.            5       IN      AAAA     2001:4860:4802:32::a
ns2.google.com.            5       IN      A        216.239.34.10
ns2.google.com.            5       IN      AAAA     2001:4860:4802:34::a
ns4.google.com.            5       IN      A        216.239.36.10
ns4.google.com.            5       IN      AAAA     2001:4860:4802:36::a
ns3.google.com.            5       IN      A        216.239.36.10
ns3.google.com.            5       IN      AAAA     2001:4860:4802:36::a

;; Query time: 150 msec
;; SERVER: 192.168.146.2#53(192.168.146.2) (UDP)
;; WHEN: Thu Jul 02 04:07:03 EDT 2026
;; MSG SIZE  rcvd: 267

kali@kali: ~$ dig google.com

```



```

kali@kali: ~
Session Actions Edit View Help

ns4.google.com.      5      IN      AAAA    2001:4860:4802:38::a
ns3.google.com.      5      IN      A       216.239.36.10
ns3.google.com.      5      IN      AAAA    2001:4860:4802:36::a

;; Query time: 150 msec
;; SERVER: 192.168.146.2#53(192.168.146.2) (UDP)
;; WHEN: Thu Jul 02 04:07:03 EDT 2016
;; MSG SIZE  rcvd: 267

(kali@kali)~$ dig google.com MX

<>> DIG 9.10.23-1-Debian <>> google.com MX
;; global options: +cmd
;; Got answer:
;; --HEADER-- opcode: QUERY, status: NOERROR, id: 44879
;; Flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags: 0, MSG: 0-0005, udp: 1280
;; QUESTION SECTION:
google.com.                IN      MX

;; ANSWER SECTION:
google.com.                5      IN      MX      10 smtp.google.com.

;; Query time: 71 msec
;; SERVER: 192.168.146.2#53(192.168.146.2) (UDP)
;; WHEN: Thu Jul 02 04:07:51 EDT 2016
;; MSG SIZE  rcvd: 60

(kali@kali)~$

```

```
Session Actions Edit View Help

;; ANSWER SECTION:
google.com.          5      IN      RR      10 smtp.google.com.

;; Query time: 71 msec
;; SERVER: 192.168.146.2#53(192.168.146.2) (UDP)
;; WHEN: Thu Jul 02 04:07:51 EDT 2016
;; MSG SIZE  rcvd: 60

(kali@kali)~$ dig google.com AAAA

<>> DIG 9.10.23-1-Debian <>> google.com AAAA
;; global options: +cmd
;; Got answer:
;; --HEADER-- opcode: QUERY, status: NOERROR, id: 46284
;; Flags: qr rd ra QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags: 0, RSZ: 0-0005, udp: 1280
;; QUESTION SECTION:
google.com.          IN      AAAA

;; ANSWER SECTION:
google.com.          5      IN      AAAA    2404:6800:4002:810::200e

;; Query time: 43 msec
;; SERVER: 192.168.146.2#53(192.168.146.2) (UDP)
;; WHEN: Thu Jul 02 04:11:20 EDT 2016
;; MSG SIZE  rcvd: 67

(kali@kali)~$
```

```
Session Actions Edit View Help

;; ANSWER SECTION:
google.com.          5      IN      RR      10 smtp.google.com.

;; Query time: 71 msec
;; SERVER: 192.168.146.2#53(192.168.146.2) (UDP)
;; WHEN: Thu Jul 02 04:07:51 EDT 2016
;; MSG SIZE  rcvd: 60

[kali@kali]~$ dig google.com AAAA

<>> DIG 9.10.23-1-Debian <>> google.com AAAA
;; global options: +cmd
;; Got answer:
;; --HEADER-- opcode: QUERY, status: NOERROR, id: 46284
;; Flags: qr rd ra QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags: 0, RSZ: 0-0005, udp: 1280
;; QUESTION SECTION:
google.com.          IN      AAAA

;; ANSWER SECTION:
google.com.          5      IN      AAAA    2404:6800:4002:810::200e

;; Query time: 43 msec
;; SERVER: 192.168.146.2#53(192.168.146.2) (UDP)
;; WHEN: Thu Jul 02 04:11:20 EDT 2016
;; MSG SIZE  rcvd: 67

[kali@kali]~$
```



Pritya Dhanashin's Workspace

Search

Invita Upgrade

AI

COLLECTIONS

- My Collection
 - Get data
 - Post data

ENVIRONMENTS

- SPECS
- FLAWS

Connect Git Console Terminal

Get data https://httpbin.org/status/200

Save Share

GET https://httpbin.org/status/200

Send

Docs Params Authorization Headers Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body 200 OK 3.27 s 226 B

HTML Preview Visualize

New Chat

Verify status codes with data

Add a test for 200 OK

Check request timing & failures

Describe what you want. Press @ for context, / for docs.

Auto

Getters View Tools



Pritya Dhanashin's Workspace

Search

Invita Upgrade

AI

COLLECTIONS

- My Collection
 - Get data
 - Post data

ENVIRONMENTS

- SPECS
- FLOWS

Connect Git Console Terminal

Get data https://httpbin.org/status/200

Save Share

GET https://httpbin.org/status/200

Send

Docs Params Authorization Headers Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body 200 OK 3.27 s 226 B

HTML Preview Visualize

New Chat

Verify status codes with data


Add a test for 200 OK

Check request timing & failures

Describe what you want. Press @ for context, / for docs.

Auto

Get docs View Tools



► **PERFORMANCE**

PLANTS

Gettable Year Book   


 Springer

The issue is clear. The request is hitting `https://httpbin.org/status/204`, which is an endpoint that intentionally returns a 204 No Content response.

Pritya Chaudhri's Workspace

Search

Invite Update

Get datahttps://httpbin.org/status/301No environment

SaveShare

https://httpbin.org/status/301

GEThttps://httpbin.org/status/301Send

DocsParamsAuthorizationHeadersBodyScriptsTestsSettingsCookies

Query Params

Key	Value	Description	Roll Edit
Key	Value	Description	

Body200 OK · 645 ms · 644 BRawPreviewVisualize

```
1 {
2   "args": {},
3   "headers": {
4     "Accept": "*/*",
5     "Accept-Encoding": "gzip, deflate, br",
6     "Host": "httpbin.org",
7     "Postman-Token": "c829a338-b49c-46ca-a8fa-72f367166237",
8     "Referer": "https://httpbin.org/redirect/1",
9     "User-Agent": "PostmanRuntime/7.34.6",
10    "X-Amzn-Trace-Id": "Root=1-6a48548b-2f65a9488a30e565839ae959",
11  },
12  "origin": "166.197.189.138"
13 }
```

Describe what you tested. Press ⌘ for context, or Shift.

Auto

DetailsViewTools

COLLECTIONS

My Collection

Get data

Post data


ENVIRONMENTS

SPECS

FLOWS

24°C

11:24 PM 7/1/2025



+ 2

October Year Book

29

Examined

Click here

Key	Value	Description	Full Edit	...
Key	Value	Description		

719

PLCAMS

+2

Chapter 10



Summary

Click here

Key	Value	Description	Ref. Exp.	...
Key	Value	Description		

403 Forbiden 883 ms 133 ms

FLOW

 Contract
  Clipboard
  Terminal
  Print

 Type here to search

Pritya Chaudhri's Workspace

Search

Invite Update

Get data

https://httpbin.org/status/404

No environment

AI

https://httpbin.org/status/404

Save Share

GET

https://httpbin.org/status/404

Send

Docs Params Authorization Headers Body Scripts Tests Settings

Cookies

Query Params

Key	Value	Description	Raw Edit
Key	Value	Description	

Body

404 Not Found · 1.01s · 133 B

Raw Preview Debug with AI

COLLECTIONS

My Collection

Get data

Post data

ENVIRONMENTS

SPECS

FLOWS

Contract-GR

Console

Terminal

Adding visualization...

Help me add a visualization script response as a clean HTML table.

Add Visualiza... Approve Reject

Allow agent to add visualization script?

```
// Visualization Script
const template = `
<style>
  body { font-family:
  h2 { color: #333;
  table { border-collapse: collapse;
  th { background-color: #f2f2f2;
  td { padding: 5px 10px;
  tr:last-child td {
  .key-col { font-weight: bold;
  .nested-table { width: 100%;
  .nested-table td {
  .nested-table tr:last-child td {
  .nested-key { font-weight: bold;

```

Waiting for approval...

Describe what you want. Pick up the context, if for SQL.

Auto

Pritya Chaudhri's Workspace

Search

Invite Update

Get datahttps://httpbin.org/status/500

No environment

AI

COLLECTIONS

My Collection

Get data

Post data

https://httpbin.org/status/500

SaveShare

GEThttps://httpbin.org/status/500Send

DocsParamsAuthorizationHeadersBodyScriptsTestsSettingsCookies

Query Params

Key	Value	Description	Raw Edit
Key	Value	Description	

Body500 Internal Server Error722 ms145 BRawPreviewDebug with AI

ENVIRONMENTS

SPECS

FLOWS

Contract-GRContractParameters

Adding visualization...

Help me add a visualization script response as a clean HTML table.

Add Visualiza... Approve Reject

Allow agent to add visualization script?

```
// Visualization Script
const template = `
<style>
  body { font-family:
  h2 { color: #333;
  table { border-coll
  th { background:
  td { padding: 9px 1
  tr:last-child td {
  .key-col { font-wid
  .nested-table { wid
  .nested-table td {
  .nested-table tr:la
  .nested-key { font-
```

Waiting for approval...

Describe what you want. Pick a table to convert, or a graph.

Auto-

Type here to search

24°C

11:25 PM 7/1/2025

kali@kali -

Session Actions Edit View Help

(kali@kali)~\$

➜ nmap -iV 192.168.56.101

Starting Nmap 7.99 (<https://nmap.org>) at 2026-07-02 04:30 -0400

Nmap scan report for 192.168.56.101

Host is up (0.0058s latency).

All 1000 scanned ports on 192.168.56.101 are in ignored states.


Not shown: 1000 filtered tcp ports (no-response)

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 51.51 seconds

(kali@kali)~\$





kali@kali: ~

Session Actions Edit View Help

(kali@kali)~\$

➤ docker --version

Docker version 20.10.17, build 10a3c50

(kali@kali)~\$

➤ docker run -d -p 3000:3000 bkimminich/juice-shop

[root@kali ~]#

87924a014c571fba15aca90bfc8mbes0645c751c6bd3314fb0e08f194cb6b8f0

docker: Error response from daemon: failed to set up container networking: driver failed programming external connectivity on endpoint musing_hertz (ffa0579e109db61d91d188284d5e6616724dbcc51b5f521cb74625b0642f838e): Bind for 0.0.0.0:3000 failed: port is already allocated

Run 'docker run --help' for more information

(kali@kali)~\$

➤ docker ps

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
ad991c51f3d4	bkimminich/juice-shop	/node.js/bin/node ./...	3 minutes ago	Up 3 minutes	0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp	eager_newton

(kali@kali)~\$

h0r@kali:~

Session Actions Edit View Help

```
valid_lft forever preferred_lft forever;
inet6 fe80::c19:47ff:fe21:c83b/64 scope link proto kernel ll
valid_lft forever preferred_lft forever;
A: with:73f8ebgiff1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue master docker0 state UP group default
link/ether 96:82:06:a3:50:08 brd ff:ff:ff:ff:ff:ff link-netnsid 0
inet6 fe80::9402:9fff:fe23:5000/64 scope link proto kernel ll
valid_lft forever preferred_lft forever;
```

(kali@kali)~\$

code docker ps

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
ad391c51f3d4	belminich/juice-shop	"/node.js/bin/node ./l..."	6 minutes ago	Up 6 minutes	0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp	eager_newton

(kali@kali)~\$

curl http://localhost:3000

```
- Copyright (c) 2014-2026 Joern Kimminich & the OWASP Juice Shop contributors.
- SPDX-License-Identifier: MIT
```

```
<!doctype html>
<html lang="en" data-beasties-container>
<head>
  <meta charset="utf-8">
  <title>OWASP Juice Shop</title>
  <meta name="description" content="Probably the most modern and sophisticated insecure web application">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <style>@font-face{font-family:'VT323';font-style:normal;font-weight:400;font-display:swap;src:url(https://fonts.gstatic.com/s/vt323/v18/pXkYp0ihIEF2isQF3XGdg.woff2) format('woff2');unicode-range:U+0102-0103, U+0110-0111, U+0128-0129, U+0168-0169, U+01A0-01A1, U+01AF-01B0, U+0300-0301, U+0303-0304, U+0308-0309, U+0323, U+0329, U+1EAE-1E9F, U+20A8;}@font-face{font-family:'VT323';font-style:normal;font-weight:400;font-display:swap;src:url(https://fonts.gstatic.com/s/vt323/v18/pXkYp0ihIEF2isQF3XGdg.woff2) format('woff2');unicode-range:U+0100-010A, U+01B0-01C5, U+02C7-02CC, U+02CE-02D7, U+02DD-02FF, U+0304, U+0308, U+0329, U+1000-108F, U+1E00-1E9F, U+1EFF-1EFF, U+2020, U+20A0-20AB, U+2113, U+2C60-2C7F, U+A720-A7FF;}@font-face{font-family:'VT323';font-style:normal;font-weight:400;font-display:swap;src:url(https://fonts.gstatic.com/s/vt323/v18/pXkYp0ihIEF2isQF3XGdg.woff2) format('woff2');unicode-range:U+0000-00FF, U+0131, U+0152-0153, U+0258-025C, U+02C6, U+02DA
```



kali@kali: ~

Session Actions Edit View Help

```
118:--mat-sys-on-error:#fff}@media screen and (-webkit-min-device-pixel-ratio:0){}</style><link rel="stylesheet" href="styles.css" media="print" onload="this.media='all'"><script><link rel="stylesheet" href="styles.css"></script></head>
<body class="bluegray-lightgreen-theme">
  <app-root></app-root>
<link rel="modulepreload" href="chunk-5K74QZ2F.js"><link rel="modulepreload" href="chunk-PX7UKXVL.js"><link rel="modulepreload" href="chunk-VS3A3LTT.js"><link rel="modulepreload" href="chunk-VJL3IV10.js"><link rel="modulepreload" href="chunk-0xA3JW78.js"><link rel="modulepreload" href="chunk-UNFVUSM2.js"><link rel="modulepreload" href="chunk-0YXS4MM4.js"><link rel="modulepreload" href="chunk-Q8vXW7Z.js"><link rel="modulepreload" href="chunk-VVDT53XT.js"><link rel="modulepreload" href="chunk-AMQAIMFA.js"><script src="polyfills.js" type="module"></script><script src="scripts.js" defer></script><script src="main.js" type="module"></script></body>
</html>
```

(kali@kali)~\$

 nmap -sV -sC -sn -p 3000 192.168.146.131

Starting Nmap 7.90 (<https://nmap.org>) at 2025-07-02 04:50 -0400

Nmap scan report for 192.168.146.131

Host is up.

PORT	STATE	SERVICE	VERSION
3000/tcp	filtered	gpp	

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 3.54 seconds

(kali@kali)~\$

```

kali@kali: ~
Session Actions Edit View Help

ref="styles.css">/noscript></head>
<body class="bluegray-lightgreen-theme">
  <app-root></app-root>
<link rel="modulepreload" href="chunk-5K74Q2ZF.js"><link rel="modulepreload" href="chunk-PX7UXVL.js"><link rel="modulepreload" href="chunk-VS3A2ITT.js"><link rel="modulepreload" href="chunk-Y2L3DVIO.js"><link rel="modulepreload" href="chunk-0KA37W7S.js"><link rel="modulepreload" href="chunk-LWPVUBM2.js"><link rel="modulepreload" href="chunk-0YX34MM4.js"><link rel="modulepreload" href="chunk-QS0XW7Z.js"><link rel="modulepreload" href="chunk-VY0TS3KT.js"><link rel="modulepreload" href="chunk-MMAIMF4.js"><script src="polyfills.js" type="module"></script><script src="scripts.js" defer></script><script src="main.js" type="module"></script></body>
</html>

(kali@kali)~$
$ nmap -iV -sC -n -p 3000 localhost
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-02 04:53 -0400
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00010s latency).
Other addresses for localhost (not scanned): ::1

PORT      STATE SERVICE VERSION
3000/tcp  open  pop3
|_ fingerprint-strings:
|_   GetRequest:
|_     HTTP/1.1 300 OK
|_     Access-Control-Allow-Origin: *
|_     X-Content-Type-Options: nosniff
|_     X-Frame-Options: SAMEORIGIN
|_     Feature-Policy: payment 'self'
|_     X-Recruiting: /#/jobs
|_     Accept-Ranges: bytes
|_     Cache-Control: public, max-age=0
|_     Last-Modified: Thu, 02 Jul 2026 08:40:33 GMT
|_     ETag: W/"26af-19f21fca73f7"
|_     Content-Type: text/html; charset=UTF-8
|_     Content-Length: 9903
|_     Vary: Accept-Encoding
|_     Date: Thu, 02 Jul 2026 08:53:19 GMT
|_     Connection: close

```



Session Actions Edit View Help

```
dirb http://url/directory/ (Simple Test)
dirb http://url/-X.html (Test files with ".html" extension)
dirb http://url/ /usr/share/dirb/wordlists/vulns/apache.txt (Test with apache.txt wordlist)
dirb https://secure_url/ (Simple Test with SSL)
```

```
(kali@kali)~$
dirb http://192.168.146.131:3000/
```

DIRB v2.22
By The Dark Raver

START TIME: Thu Jul 2 04:58:41 2016
URL BASE: http://192.168.146.131:3000/
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt

GENERATED WORDS: 4613

Scanning URL: http://192.168.146.131:3000/
+ http://192.168.146.131:3000/assets (CODE:301|SIZE:156)
+ http://192.168.146.131:3000/ftp (CODE:200|SIZE:11116)
+ http://192.168.146.131:3000/media (CODE:301|SIZE:155)

{ } FATAL: Too many errors connecting to host
(Possible cause: COULDN'T CONNECT)

END TIME: Thu Jul 2 04:59:55 2016
DOWNLOADED: 2513 ~ FOUND: 3

```
(kali@kali)~$
```

kali@kali-

Session Actions Edit View Help

dirsearch -s http://localhost:3000 -o dirsearch.txt

/usr/lib/python3/dist-packages/dirsearch/dirsearch.py:33: DeprecationWarning: pkg_resources is deprecated as an API. See https://setuptools.pypa.io/en/latest/pkg_res

sources.html
from pkg_resources import DistributionNotFound, VersionConflict

dirsearch v0.0.2

Extensions: php, aspx, jsp, html, js | HTTP method: GET | Threads: 25 | Wordlist size: 11448

Output File: dirsearch.txt

Target: http://localhost:3000/

[05:08:32] Starting:

[05:08:32] 200 - 4158 - /well-known/security.txt

[#####] 21% 3417/11448 21%

job:1/1 #####:Exception in thread Thread-20 (thread_proc):

Exception in thread Thread-21 (thread_proc):

Exception in thread Thread-13 (thread_proc):

Exception in thread Thread-27 (thread_proc):

Exception in thread Thread-29 (thread_proc):

Exception in thread Thread-14 (thread_proc):

Exception in thread Thread-33 (thread_proc):

Exception in thread Thread-34 (thread_proc):

Exception in thread Thread-35 (thread_proc):

Exception in thread Thread-25 (thread_proc):

Exception in thread Thread-10 (thread_proc):

Exception in thread Thread-24 (thread_proc):

Exception in thread Thread-18 (thread_proc):

Exception in thread Thread-36 (thread_proc):

Exception in thread Thread-19 (thread_proc):

Exception in thread Thread-28 (thread_proc):

Traceback (most recent call last):

Exception in thread Thread-15 (thread_proc):

Exception in thread Thread-12 (thread_proc):



Traceback (most recent call last):

Traceback (most recent call last):

```
File ~/usr/lib/python3/dist-packages/Streamlit/Util/Future/Future.py, line 188, in run
    response = self._requester.request(path)
```

```
Traceback (most recent call last):
```

Screen shot taken

Session Actions Edit View Help

```
lib.core.exceptions.RequestException: Cannot connect to localhost:3000
File "/usr/lib/python3/dist-packages/django/core/exceptions.py", line 104, in __init__
    response = self._requester.request(path)
File "/usr/lib/python3/dist-packages/django/core/exceptions.py", line 104, in request
    raise RequestException(err_msg)
File "/usr/lib/python3/dist-packages/django/core/exceptions.py", line 104, in __init__
    raise RequestException(err_msg)
```

Traceback (most recent call last):

During handling of the above exception, another exception occurred:


```
lib.core.exceptions.RequestException: Cannot connect to localhost:3000
Traceback (most recent call last):
File "/usr/lib/python3/dist-packages/django/core/exceptions.py", line 104, in __init__
    raise RequestException(err_msg)
lib.core.exceptions.RequestException: Cannot connect to localhost:3000
lib.core.exceptions.RequestException: Cannot connect to localhost:3000
File "/usr/lib/python3/dist-packages/django/core/exceptions.py", line 104, in __init__
    raise RequestException(err_msg)
```

```
File "/usr/lib/python3/dist-packages/django/core/exceptions.py", line 104, in __init__
    response = self._requester.request(path)
Traceback (most recent call last):
Traceback (most recent call last):
File "/usr/lib/python3/dist-packages/django/core/exceptions.py", line 104, in __init__
    raise RequestException(err_msg)
File "/usr/lib/python3/dist-packages/django/core/exceptions.py", line 104, in __init__
    raise RequestException(err_msg)
```

```
File "/usr/lib/python3/dist-packages/django/core/exceptions.py", line 104, in __init__
    raise RequestException(err_msg)
```

```
lib.core.exceptions.RequestException: Cannot connect to localhost:3000
```

Screenshot taken
View Image



kali@kali ~

Session Actions Edit View Help

```
(kali@kali)~$ curl -s -H 'X-Recruiting: /#/jobs'
```

zsh: parse error near `}'

```
(kali@kali)~$ curl -s -H 'Accept-Ranges: bytes'
```

zsh: parse error near `}'

```
(kali@kali)~$ curl -s -H 'Cache-Control: public, max-age=0'
```

zsh: parse error near `}'

```
(kali@kali)~$ curl -s -H 'Last-Modified: Thu, 01 Jul 2016 00:40:13 GMT'
```

zsh: parse error near `}'

```
(kali@kali)~$ curl -s -H 'ETag: W/"26af-10f21fca73f"'
```

zsh: parse error near `}'

```
(kali@kali)~$ curl -s -H 'Content-Type: text/html; charset=UTF-8'
```

zsh: parse error near `}'

```
(kali@kali)~$ curl -s -H 'Content-Length: 9903'
```

zsh: parse error near `}'

```
(kali@kali)~$ curl -s -H 'User-Agent: Accept-Encoding'
```

zsh: parse error near `}'

```
(kali@kali)~$
```

Session Actions Edit View Help

```
Feature-Policy: payment 'self'
X-Recruiting: /#jobs
Accept-Ranges: bytes
Cache-Control: public, max-age=0
Last-Modified: Thu, 01 Jul 2016 08:40:33 GMT
ETag: W/"26af-19f21fca73f7"
Content-Type: text/html; charset=UTF-8
Content-Length: 9983
Vary: Accept-Encoding
Date: Thu, 01 Jul 2016 08:53:10 GMT
Connection: close
```

```
<--
Copyright (c) 2014-2016 Sjoerd Krimmich & the OWASP Juice Shop contributors.
SPDX-License-Identifier: MIT
</doctype html>
<html lang="en" data-beasties-container>
<head>
<meta charset="utf-8">
<title>OWASP Juice Shop</title>
<meta name="description" content="Probably the most modern and sophisticated insecure web application">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="preconnect" href="http://www.owasp.org">
```

```
HTTPOptions: RTSPRequest:
HTTP/1.1 304 Not Modified
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: GET,HEAD,PUT,PATCH,POST,DELETE
Vary: Access-Control-Request-Headers
Content-Length: 0
Date: Thu, 01 Jul 2016 08:53:10 GMT
Connection: close
```

```
Help, NCP, SPXCheck:
HTTP/1.1 400 Bad Request
Connection: close
```

A service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

14 days left 0/1000 Executions

nan

Personal My workflow + Add tag

Overview Personal Chat **Insights**

Admin Panel Templates Insights Help Settings

6/1 Publish

Star 195,137

Editor Executions Evaluations

Execute workflow

When clicking 'Execute workflow'

1 item

Edit Fields

1 item

Execute workflow

Clear execution

14 days left 0/1000 Executions

nan

Personal My workflow + Add tag

Overview Personal Chat **Insights**

Admin Panel Templates Insights Help Settings

6/1 Publish

Star 195,137

Editor Executions Evaluations

Execute workflow

When clicking 'Execute workflow'

1 item

Edit Fields

1 item

Execute workflow

Clear execution

14 days left 0/1000 Executions

nan

Personal My workflow + Add tag

Overview Personal Chat **Insights**

Admin Panel Templates Insights Help Settings

6/1 Publish

Star 195,137

Editor Executions Evaluations

Execute workflow

When clicking 'Execute workflow'

1 item

Edit Fields

1 item

Execute workflow

Clear execution

Type here to search

32°C

7/14/2020

DocuSign

182

Estilings

15

No fields - rocks observed, but no items were sent on this branch.

2. Variables and context



19

© 2004 Blackwell Publishing Ltd

1111

Drag input fields here [Add Fields](#)

Include Other Input Fields



CHINA


Plan propagation


Adult outcome

²² I mean that people would...

100

8888





10 days left

Upgrade Plan

Overview

Personal

Chat

When clicking 'Execute workflow'

Edit Fields

HTTP Request

if

Execute workflow

Admin Panel

Templates

Insights


Help

Settings

Type here to search

32°C

9:12 PM 7/14/2020







INTERNSHIP TASK – DVWA SETUP & BURP SUITE LOGIN INTERCEPTION

1. Apache Service Status

```
[kali@kali:~]$ sudo systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/systemd/apache2.service; enabled; vendor preset: enabled)
   Active: active (running) since Sun 2025-07-06 08:54:22 EDT; 1m ago
     Main PID: 1229 (apache2)
       Tasks: 5 (limit: 2160)
     Memory: 29.7M (private: 216K)
     CGroup: /systemd/system/apache2.service
             └─ 1229 /usr/sbin/apache2 -k start -DFOREGROUND
                1279 /usr/sbin/apache2 -k start -DFOREGROUND
                1281 /usr/sbin/apache2 -k start -DFOREGROUND
                1283 /usr/sbin/apache2 -k start -DFOREGROUND
                1285 /usr/sbin/apache2 -k start -DFOREGROUND

Jul 06 08:54:21 kali: systemd[1]: Starting apache2.service - The Apache HTTP Server:
Jul 06 08:54:21 kali: apache2[1229]: AH00153: apache2: could not reliably determine the server's fully qualified domain name: [127.0.0.1]
Jul 06 08:54:22 kali: systemd[1]: Started apache2.service - The Apache HTTP Server.
```

2. MariaDB Service Status

```
[kali@kali:~]$ sudo systemctl status mariadb
● mariadb.service - MariaDB 11.5.0 database server
   Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; vendor preset: enabled)
   Active: active (running) since Sun 2025-07-06 08:54:22 EDT; 28s ago
     Main PID: 3433 (mariadbd)
       Status: "Taking your SQL requests now..."
       Tasks: 38 (limit: 2160)
     Memory: 201.2M
     CGroup: /systemd/system/mariadb.service
             └─ 3433 /usr/bin/mariadbd

Jul 06 08:54:00 kali: mariadb[1433]: 2025-07-06 8:54:00 9 [Note] /usr/bin/mariadbd: ready for connections. Please use: mysql -h127.0.0.1 -uroot
Jul 06 08:54:00 kali: mariadb[1433]: 2025-07-06 8:54:00 9 [Note] /usr/bin/mariadbd: ready for connections. Please use: mysql -h127.0.0.1 -uroot
Jul 06 08:54:00 kali: systemd[1]: Started mariadb.service - MariaDB 11.5.0 database server.
```

3. DVWA Directory in /var/www/html

```
[kali@kali:~]$ ls /var/www/html
DVWA  index.html  index.php  robots.txt  logs.html  sqlmap.txt

[kali@kali:~]$ ls /var/www/html/DVWA
book
CHANGELOG.md
config
core
CVE
external
framework
files
index.php
LICENSE
README.md
README-en-GB.txt
vulnerability
wp-content
wp-includes
wp-json
```

4. DVWA Config (config.inc.php)

```
[kali@kali:~]$ cat /var/www/html/DVWA/config/config.inc.php | grep db
$db_server = "127.0.0.1";
$db_database = "dvwa";
$db_user = "dvwa";
$db_password = "p@ssw0rd";
$db_port = "3306";
```

5. MariaDB – Create DVWA Database & User

```
[kali@kali:~]$ sudo mysql
Welcome to the MariaDB prompt. Commands end with ; or \g.
Your MariaDB connection id is 10
Server version: 11.5.0-MariaDB-0ubuntu0.25.04

MariaDB [(none)]> CREATE DATABASE dvwa;
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> CREATE USER 'dvwa'@'localhost' IDENTIFIED BY 'p@ssw0rd';
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> GRANT ALL PRIVILEGES ON dvwa.* TO 'dvwa'@'localhost';
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> EXIT;
Bye
```

6. DVWA Setup Page




7. DVWA Setup – Success




8. DVWA Login Page



9. Burp Suite – Intercept ON (Login Attempt)



10. Burp HTTP History – Successful Login



11. Burp – Compare Incorrect vs Correct Login



12. DVWA Home Page (Logged In)



DVWA SQL Injection – MEDIUM & HIGH SECURITY LEVEL ATTACK

(Tested in Kali Linux 2024.2 inside VirtualBox – Isolated Environment)

1. DVWA – Medium Level (SQL Injection)



2. SQL Injection Payload – Medium Level



3. Extracting Database Info – Medium Level



4. Results – Medium Level

Payload Used:

- '1' OR '1'='1'
- '1' UNION SELECT 1, database() -- --

Results:

- Bypassed the WHERE clause.
- Retrieved all records from the users table.
- Extracted current database name: dvwa

Observation:


- Medium level uses mysql_real_escape_string() but is still vulnerable.
- Injection possible via single quote (').

MEDIUM LEVEL – SQL injection is possible using simple payloads with single quote (').

1. DVWA – High Level (SQL Injection)



2. Testing Common Payloads – High Level



3. Bypassing Using Encoded Payload – High Level



4. Results – High Level

Payload Used:

- Encoded Payload: 1%27%20OR%20%27%3D%27%3D%27%3D (URL Encoded: ' OR '1'='1')

Results:

- Bypassed input filtering using URL encoding.
- Retrieved all records from users table.

Observation:

- High level uses more strict filtering (mysql_real_escape_string() + additional checks).
- Bypass possible using URL encoding.

HIGH LEVEL – Input filtering blocks normal payloads, but can be bypassed using URL encoding.

Environment Details

- OS : Kali Linux 2024.2
- Platform : VirtualBox (Isolated Network)
- DVWA Version : 1.10
- PHP Version : 8.2
- Database : MySQL (dvwa)

Key Takeaways

- Low Level – Direct SQL injection possible.
- Medium Level – Escaping applied, but vulnerable to simple payloads.
- High Level – Strong filtering, bypass possible with encoding techniques.

Disclaimer

This test is performed only in an isolated lab environment for educational and ethical learning purposes.
Do not perform SQL Injection on any system without permission.

```

kali@kali:~$ sudo find / -type d -name "two" 2>/dev/null
/etc/udev
/etc/share/udev
/etc/share/udev/udev
/etc/share/udev/udev
/etc/lib/udev
/etc/log/udev
kali@kali:~$

```

B. Apache Service Status

```
-# systemctl status sshd
● sshd.service - The Apache SSH Server
Loaded: loaded (/usr/lib/systemd/system/sshd.service; enabled)
Active: active (running) since Sun 2020-07-26 08:54:19 EDT; 1m ago
Docs: man:sshd(8), sshd(1).manpages.org/sshd(8)
Main PID: 800 (sshd)
CGroup: /system.slice/sshd.service
--
# systemctl status sshd
● sshd.service - The Apache SSH Server
Loaded: loaded (/usr/lib/systemd/system/sshd.service; enabled)
Active: active (running) since Sun 2020-07-26 08:54:19 EDT; 1m ago
Docs: man:sshd(8), sshd(1).manpages.org/sshd(8)
Main PID: 800 (sshd)
CGroup: /system.slice/sshd.service
```

4. DAME'S Online Program



13. Burp HTTP History – Wrong Login Response

S. #	Host	Protocol	URL (Access)	Size (K)	Lang
1	193.50.137.0/24	HTTP	193.50.137.0/24	100	0
2	193.50.137.0/24	HTTP	193.50.137.0/24	100	0
3	193.50.137.0/24	HTTP	193.50.137.0/24	100	0
4	193.50.137.0/24	HTTP	193.50.137.0/24	100	0

Keywords: *workplace spirituality, organizational commitment, organizational citizenship behavior, turnover intention, organizational trust*

```

1 HTTP/1.1 200 OK
2 Date: Sun, 16 Jul 2016 06:26:41 GMT
3 Server: Apache/2.4.18 (Ubuntu)
4 Content-Length: 2543
5 Content-Type: text/html; charset=UTF-8

```

Response for increased loads – stop fieldwork plans

```

$ curl -s https://raw.githubusercontent.com/
  100% |#####| 340B 000 0/1 0s https://raw.githubusercontent.com/
  100% |#####| 340B 000 0/1 0s
  remote: Transferring objects: 3740, done.
  remote: Total 3740 (delta 0), reused 0 (delta 0), pack-reused 3740 (from 1)
  Receiving objects: 3440 (3740/3740), 3.74 MiB | 3.61 MiB/s, done.
  Resolving deltas: 000 (3851/3851), done.
  git@github.com: ssh: connect to host 192.168.1.100 port 22: Connection refused
  fatal: unable to connect to github.com: ssh: connect to host 192.168.1.100 port 22: Connection refused
  fatal: unable to connect to github.com: ssh: connect to host 192.168.1.100 port 22: Connection refused

```

6. MariaDB Service Status

```

kali@kali:~$ sudo systemctl status mariadb
mariadb.service - MariaDB 11.5.5 database server
Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: disabled)
Active: active (running) since Sun 2025-03-09 05:08:00 CPT; 5s ago
Process: 1000 (mariadbd)
Main PID: 1000 (mariadbd)
Tasks: 1 (limit: 1180)
CGroup: /systemd/system/mariadb.service
        └─ 1000 /usr/sbin/mariadbd

```

180 **CUVA** **Chemical**



14. Burp HTTP History – Successful Login

ID	Host	Method	URL	Size	Length
25	193.50.135.10.0.1	POST	/TWiki/bin/view.php	200	583
26	193.50.135.10.0.1	POST	/TWiki/bin/view.php	200	1014

1000

```
HTTP/1.1 200 OK
Date: Sun, 05 Jul 2020 06:21:30 GMT
Server: Apache/2.4.18 (Ubuntu)
Content-Length: 3884
Content-Type: text/html; charset=UTF-8
```

Remember the correct login – welcome page.

```

root@kali:~# scp /var/www/html/OWASP/owasp/ssl-tls/cp-config.ini.php dist
cp-config.ini.php
root@kali:~# scp /var/www/html/OWASP/owasp/ssl-tls/ls-1
ls-1
total 40
-rw-r--r-- 1 kali kali 3921 Jul 5 06:18 cp-config.ini.php
-rw-r--r-- 1 kali kali 3921 Jul 5 06:00 cp-config.ini.php.dist
root@kali:~# scp /var/www/html/OWASP/owasp/ssl-tls/

```

7. Create Database & User in MariaDB

```

$ curl -i http://localhost:5432/
HTTP/1.1 200 OK
Content-Type: text/html
Content-Length: 1000
Server: Apache/2.4.6 (Ubuntu)
Date: Mon, 10 Jun 2013 10:00:00 GMT

```

44. **CMMA - only Page**

11. Burp – Compare incorrect vs Correct Login

[illegible]

Comparison of measurements

```
root@kali:~/newHdd/T0045 sudo chown -R 000 haxxor4g/plants
root@kali:~/newHdd/T0045 sudo chown -R 000 config
root@kali:~/newHdd/T0045 ls -ld haxxor4g/plants config
drwxrwxr-x 2 kali kali 4096 Jul 5 06:11 config
drwxrwxr-x 2 kali kali 4096 Jul 5 06:05 haxxor4g/plants
root@kali:~/newHdd/T0045
```


B. DVWA config.inc.php (Database Settings)

```

47dbp
48# Database variables
49$DBNM = array();
50$DBNM['db_server'] = '127.0.0.1';
51$DBNM['db_database'] = 'dbnm';
52$DBNM['db_user'] = 'dbnm';
53$DBNM['db_password'] = 'dbnmdbnm';
54$DBNM['db_port'] = '3306';
55
56

```

9. Bug Suite – Intercept CNI II only Attempt

15. [DVWA Home Page \(Logged In\)](#)

Successfully loaded in 18.073604

Environment: Kali Linux (Attacker) 192.168.56.101	DVWA on Metasploitable2 (Target) 192.168.56.102	Isolation: VirtualBox Host-Only Network	Purpose: Authorized Security Testing / Internship Lab
---	---	---	---

[illegible]

Results: Significantly elevated CD counts and abnormal chest x-ray

[illegible]

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112

Effect of demand on the demand for vacation

Results Block 1 – Special characters filled

Keywords: *depression, mood, mood disorder, mood disorder, mood disorder*

Bibliography: Berman, J., & Lippman, M. (2008). *The ethics of research*. New York: Oxford University Press.

Results: Response successful using 11

100

- ✓ Moderate level of highly vulnerable to external injection
- ✓ High level has input filtering but can be bypassed using alternative operators
- ✓ Always perform testing in isolated environment (VagrantBox)
- ✓ Do not use for illegal activities. This is only for educational and authorized testing