

# WebOrder Automation Execution PDF Report

Sep 24, 2024, 9:56:59 AM

Start : Sep 24, 9:56:24.955 AM

End : Sep 24, 9:56:58.077 AM

Duration : 33.122 s

Features




Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 13  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Web order creation</u>	33.122 s	1	0	1	0	7	6	1	0
<u>Order Deletion</u>	19.244 s	1	1	0	0	7	7	0	0

#	Feature Name	Scenario Name
1	<u>Web order creation</u>	<u>Create am Order</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@WebOrder	2	1	1	0	2	1	1	0
@CreateOrder	1	0	1	0	1	0	1	0
@DeleteOrder	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Web order creation</u>	1	0	1	0	33.122 s
2	<u>Order Deletion</u>	1	1	0	0	19.244 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Web order creation</u>	<u>Create am Order</u>	7	6	1	0	33.117 s
2	<u>Order Deletion</u>	<u>Delete an specific Order</u>	7	7	0	0	19.244 s

## Web order creation

<b>FAILED</b>	DURATION - 33.122 s	Scenarios		Steps	
/ 9:56:24.955 AM // 9:56:58.077 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 7 Pass - 6 Fail - 1 Skip - 0	

## Create am Order

<div>FAILED</div> <div>DURATION - 33.117 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 9:56:24.960 AM // 9:56:58.077 AM /				
Web order creation				
@WebOrder @CreateOrder				

#	Step / Hook Details	Status	Duration
1	Given The user navigates to login page of WeoOrder	PASSED	0.021 s
2	When User enters the user name onto the UserName and password	PASSED	0.212 s
3	When User Click on the Login Page	PASSED	2.450 s
4	Then The user should be redirected to the WeBpage Page	PASSED	2.041 s
5	When I Create Web Order	PASSED	2.276 s
6	And create Product information	PASSED	11.659 s
7	And Enter Address Information	FAILED	3.441 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5ecdc845ca25492cfb21a9239193fb3, sendKeysToElement [id, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.139, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d..., userDataDir: C:\Users\pj60047\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55186}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55186/devtoo..., se:cdpVersion: 128.0.6613.139, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (f5ecdc845ca25492cfb21a9239193fb3)] -> xpath:		

#	Step / Hook Details	Status	Duration
	<pre>//input[@id='ctl00_MainContent_fmwrOrder_txtName']] Session ID: f5ecd845ca25492cfb21a9239193fb3 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:634) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at utilities.GenericUtilities.setValueInEditBox(GenericUtilities.java:478) at pageObjects.WebOrderCreatedPage.addressInformation(WebOrderCreatedPage.java:101) at stepDefinitions.WebOrderCreatedSteps.iEnterTheAddressInformation(WebOrderCreatedSteps.java:62) at ?.Enter Address Information(file:///C:/Users/pj60047/Downloads/WebOrder-Automation%202/WebOrder-Automation/.Features/ WebOrderCreation.feature:16) Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:450) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at utilities.GenericUtilities.setValueInEditBox(GenericUtilities.java:478) at pageObjects.WebOrderCreatedPage.addressInformation(WebOrderCreatedPage.java:101) at stepDefinitions.WebOrderCreatedSteps.iEnterTheAddressInformation(WebOrderCreatedSteps.java:62) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)</pre>		





#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)  at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)  at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)  at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)  at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)  at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)  at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)  at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)  at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)  at java.base/java.lang.Thread.run(Thread.java:1570)  Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes  at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:440)  at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:590)  at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)  at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$LockingRestartableTask.run(SequentialScheduler.java:182)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:149)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207)  ... 3 more Caused by: java.net.SocketException: Connection reset  at java.base/sun.nio.ch.SocketChannelImpl.throwConnectionReset(SocketChannelImpl.java:403)  at java.base/sun.nio.ch.SocketChannelImpl.implRead(SocketChannelImpl.java:435)  at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:493)  at java.net.http/jdk.internal.net.http.SocketTube.readAvailable(SocketTube.java:1178)  at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:841)  at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233) </p>		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1476) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1421) at java.base/java.util.ArrayList.forEach(ArrayList.java:1597) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1421) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5ecdc845ca25492cfb21a9239193fb3, screenshot []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.139, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d..., userDataDir: C:\Users\pj60047\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55186}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55186/devtoo..., se:cdpVersion: 128.0.6613.139, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5ecdc845ca25492cfb21a9239193fb3 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:634) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at stepDefinitions.Hooks.addScreenshot(Hooks.java:59) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:450) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at stepDefinitions.Hooks.addScreenshot(Hooks.java:59) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)	FAILED	0.009 s



#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)  at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)  at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)  at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)  at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)  at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)  at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)  at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)  at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)  at java.base/java.lang.Thread.run(Thread.java:1570)  Caused by: java.net.ConnectException  at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1065)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238)  at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)  at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)  at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)  ... 3 more Caused by: java.nio.channels.ClosedChannelException  at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:204)  at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:873) </p>		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:961) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)		

## Order Deletion

<b>PASSED</b>	DURATION - 19.244 s	Scenarios		Steps	
/ 9:56:24.966 AM // 9:56:44.210 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 7 Pass - 7 Fail - 0 Skip - 0	

## Delete an specific Order

<div>PASSED</div> <div>DURATION - 19.244 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 9:56:24.966 AM // 9:56:44.210 AM /				
Order Deletion				
@WebOrder @DeleteOrder				

#	Step / Hook Details	Status	Duration
1	Given The user navigates to login page of WeoOrder	PASSED	0.692 s
2	When User enters the user name onto the UserName and password	PASSED	0.228 s
3	When User Click on the Login Page	PASSED	2.597 s
4	Then The user should be redirected to the WeBpage Page	PASSED	2.036 s
5	When Select an order	PASSED	0.073 s
6	Then Delete specific order	PASSED	1.373 s
7	Then Check order is deleted or not	PASSED	0.019 s