Launching and Data Treatment –

```
import pandas as pd
from scipy.stats import pearsonr
import matplotlib.pyplot as plt

dataset = pd.read_csv("general_data_Correlation.csv")

dataset.drop_duplicates()
```

Out[5]:

	Age	Attrition	...	YearsSinceLastPromotion	YearsWithCurrManager
0	51	0	...	0	0
1	31	1	...	1	4
2	32	0	...	0	3
3	38	0	...	7	5
4	32	0	...	0	4
...	...	...	...	...	...
4405	42	0	...	0	2
4406	29	0	...	0	2
4407	25	0	...	1	2
4408	42	0	...	7	8
4409	40	0	...	3	9

[4410 rows x 24 columns]

To find correlation of dataset –

dataset.corr()

Out[6]:

	Age	...	YearsWithCurrManager
Age	1.000000	...	0.202089
Attrition	-0.159205	...	-0.156199
DistanceFromHome	0.006963	...	0.021584
Education	-0.035706	...	0.005358
EmployeeCount	NaN	...	NaN
EmployeeID	0.008649	...	0.008579
JobLevel	-0.002884	...	-0.055251
MonthlyIncome	-0.044314	...	0.024304
NumCompaniesWorked	0.299243	...	-0.109667
PercentSalaryHike	-0.033137	...	-0.040864
StandardHours	NaN	...	NaN
StockOptionLevel	-0.031753	...	0.017757
TotalWorkingYears	0.680661	...	0.458800
TrainingTimesLastYear	-0.027308	...	-0.013270
YearsAtCompany	0.311309	...	0.769212
YearsSinceLastPromotion	0.216513	...	0.510224
YearsWithCurrManager	0.202089	...	1.000000

[17 rows x 17 columns]

1. Correlation of Attrition with Age -

stats,p = pearsonr(dataset.Attrition,dataset.Age)

print(stats,p)

-0.15920500686577965 1.996801615886744e-26

plt.scatter(dataset.Attrition,dataset.Age)

Out[9]: <matplotlib.collections.PathCollection at 0x1cec7f92b88>



2. Correlation of Attrition with MonthlyIncome -

stats,p = pearsonr(dataset.Attrition,dataset.MonthlyIncome)

print(stats,p)

-0.031176281698115007 0.03842748490600132

plt.scatter(dataset.Attrition,dataset.MonthlyIncome)

Out[12]: <matplotlib.collections.PathCollection at 0x1cec7833208>



3. Correlation of Attrition with DistanceFromHome -

stats,p = pearsonr(dataset.Attrition,dataset.DistanceFromHome)

print(stats,p)

-0.009730141010179674 0.5182860428050771

plt.scatter(dataset.Attrition,dataset.DistanceFromHome)

Out[15]: <matplotlib.collections.PathCollection at 0x1cec804e388>



4. Correlation of Attrition with JobLevel -

stats,p = pearsonr(dataset.Attrition,dataset.JobLevel)

print(stats,p)

-0.010289713287495042 0.49451717271828405

plt.scatter(dataset.Attrition,dataset.JobLevel)

Out[18]: <matplotlib.collections.PathCollection at 0x1cec80bc488>



4. Correlation of Attrition with YearsAtCompany -

stats,p = pearsonr(dataset.Attrition,dataset.YearsAtCompany)

print(stats,p)

-0.1343922139899772 3.1638831224877484e-19

plt.scatter(dataset.Attrition,dataset.YearsAtCompany)

Out[21]: <matplotlib.collections.PathCollection at 0x1cec8118dc8>