

Tab 1

```
cd desktop/Dod
```

```
git init
```

```
git add .
```

```
git remote add origin URL
```

```
git commit -m "commit1"
```

```
git config --global user.email "priyasarja9@gmail.com"
```

```
git config --global user.username "PriyaSarja"
```

```
git push origin master
```

```
git log
```

```
git status
```

```
git clone
```

```
git reset
```

```
echo "Hello VVCE">new.txt
```

```
git add .
```

```
git commit -m "new commit"
```

```
git checkout -b newbranch
```

```
echo "Good Evening">new2.txt
```

```
git add .
```

```
git commit -m "merge commit"
```

```
git switch master
```

```
git merge newbranch
```

```
diff
```

Copy of Tab 1

MINGW64:/c/Users/priya/Demo

```
priya@PriyaSarja MINGW64 ~/Demo (master)
$ cd /c/Users/priya/Demo

priya@PriyaSarja MINGW64 ~/Demo (master)
$ git init
Initialized empty Git repository in c:/Users/priya/Demo/.git/

priya@PriyaSarja MINGW64 ~/Demo (master)
$ git remote add origin https://github.com/PriyaSarja/Demo.git

priya@PriyaSarja MINGW64 ~/Demo (master)
$ git add .

priya@PriyaSarja MINGW64 ~/Demo (master)
$ git commit -m "my new commit"
[master (root-commit) 8eb3bdb] my new commit
1 file changed, 14 insertions(+)
create mode 100644 Greetings.txt

priya@PriyaSarja MINGW64 ~/Demo (master)
$ git config --global user.email "priasarja9@gmail.com"

priya@PriyaSarja MINGW64 ~/Demo (master)
$ git config --global user.username "PriyaSarja"

priya@PriyaSarja MINGW64 ~/Demo (master)
$ git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 306 bytes | 14.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/PriyaSarja/Demo.git
* [new branch]      master -> master
```

MINGW64:/c/Users/priya/Demo

priya@PriyaSarja MINGW64 ~/Demo (master)

\$ git push origin master

Enumerating objects: 3, done.

Counting objects: 100% (3/3), done.

Delta compression using up to 4 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 306 bytes | 14.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

To https://github.com/PriyaSarja/Demo.git

* [new branch] master -> master

priya@PriyaSarja MINGW64 ~/Demo (master)

\$ git log

commit 8eb3bdbb0a0ba2038faf2fe2f9dde7e6baa19b39 (HEAD -> master, origin/master)

Author: PriyaSarja <priyasarja9@gmail.com>

Date: Tue Feb 17 23:39:45 2026 +0530

my new commit

priya@PriyaSarja MINGW64 ~/Demo (master)

\$ git status

on branch master

nothing to commit, working tree clean

priya@PriyaSarja MINGW64 ~/Demo (master)

\$ git clone https://github.com/PriyaSarja/Demo.git

Cloning into 'Demo'...

remote: Enumerating objects: 3, done.

remote: Counting objects: 100% (3/3), done.

remote: Compressing objects: 100% (2/2), done.

remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)

Receiving objects: 100% (3/3), done.

priya@PriyaSarja MINGW64 ~/Demo (master)

\$ git reset

priya@PriyaSarja MINGW64 ~/Demo (master)

\$ |

MINGW64:/c/Users/priya/Demo

priya@PriyaSarja MINGW64 ~/Demo (master)

\$ git commit -m "my first commit"

[master 9c5e53e] my first commit
2 files changed, 2 insertions(+)
create mode 160000 Demo
create mode 100644 new.txt

priya@PriyaSarja MINGW64 ~/Demo (master)

\$ git checkout -b DemoBranch

Switched to a new branch 'DemoBranch'

priya@PriyaSarja MINGW64 ~/Demo (DemoBranch)

\$ ls

Demo/ Greetings.txt new.txt

priya@PriyaSarja MINGW64 ~/Demo (DemoBranch)

\$ echo "Another new file">newer.txt

priya@PriyaSarja MINGW64 ~/Demo (DemoBranch)

\$ git add .

warning: in the working copy of 'newer.txt', LF will be
replaced by CRLF the next time Git touches it

priya@PriyaSarja MINGW64 ~/Demo (DemoBranch)

\$ git commit -m "my second commit in branch"

[DemoBranch 16e8777] my second commit in branch
1 file changed, 1 insertion(+)
create mode 100644 newer.txt

priya@PriyaSarja MINGW64 ~/Demo (DemoBranch)

\$ git switch master

Switched to branch 'master'

priya@PriyaSarja MINGW64 ~/Demo (master)

\$ git merge DemoBranch

Updating 9c5e53e..16e8777

Fast-forward

newer.txt | 1 +
1 file changed, 1 insertion(+)
create mode 100644 newer.txt

MINGW64:/c/Users/priya/Demo/Demo

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ ls

Greetings.txt

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ echo "Today is Saturday">vvce

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ git add .

warning: in the working copy of 'vvce', LF will be replaced by CRLF the next time Git touches it

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ git commit -m "Changes for conflict"

[DemoBranch 5b1258b] Changes for conflict

1 file changed, 1 insertion(+)

create mode 100644 vvce

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ cat vvce

Today is Saturday

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ git switch main

fatal: invalid reference: main

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ git switch main

fatal: invalid reference: main

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ git switch master

Switched to branch 'master'

Your branch is up to date with 'origin/master'.

priya@PriyaSarja MINGW64 ~/Demo/Demo (master)

\$ echo "It is a Bright day">vvce

priya@PriyaSarja MINGW64 ~/Demo/Demo (master)

\$ git add .

warning: in the working copy of 'vvce', LF will be replaced by CRLF the next time Git touches it

MINGW64:/c/Users/priya/Demo/Demo

priya@PriyaSarja MINGW64 ~/Demo/Demo (master)

\$ git commit -m "Conflict"

[master 7c2a523] Conflict

1 file changed, 1 insertion(+)

create mode 100644 vvce

priya@PriyaSarja MINGW64 ~/Demo/Demo (master)

\$ git merge DemoBranch

Auto-merging vvce

CONFLICT (add/add): Merge conflict in vvce

Automatic merge failed; fix conflicts and then commit the result.

priya@PriyaSarja MINGW64 ~/Demo/Demo (master|MERGING)

\$ git remote add origin https://github.com/PriyaSarja/Demo.git

error: remote origin already exists.

priya@PriyaSarja MINGW64 ~/Demo/Demo (master|MERGING)

\$ git remote rm origin

priya@PriyaSarja MINGW64 ~/Demo/Demo (master|MERGING)

\$ git remote add origin https://github.com/PriyaSarja/Demo.git

priya@PriyaSarja MINGW64 ~/Demo/Demo (master|MERGING)

\$ git reset --merge

priya@PriyaSarja MINGW64 ~/Demo/Demo (master)

\$ git remote rm origin

priya@PriyaSarja MINGW64 ~/Demo/Demo (master)

\$ git remote add origin https://github.com/PriyaSarja/Demo.git

MINGW64:/c/Users/priya/Demo/Demo

priya@PriyaSarja MINGW64 ~/Demo/Demo (master)

\$ git remote add origin https://github.com/PriyaSarja/Demo.git

priya@PriyaSarja MINGW64 ~/Demo/Demo (master)

\$ git push origin master

Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compression using up to 4 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 290 bytes | 145.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

To https://github.com/PriyaSarja/Demo.git

8eb3bdb..7c2a523 master -> master

priya@PriyaSarja MINGW64 ~/Demo/Demo (master)

\$ git switch DemoBranch

Switched to branch 'DemoBranch'

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ git push DemoBranch

fatal: 'DemoBranch' does not appear to be a git repository

fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

priya@PriyaSarja MINGW64 ~/Demo/Demo (DemoBranch)

\$ git push origin DemoBranch

Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compression using up to 4 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 301 bytes | 8.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

To https://github.com/PriyaSarja/Demo.git

8eb3bdb..5b1258b DemoBranch -> DemoBranch

Jenkins

What is Jenkins

Jenkins is a CI Server

Integrates your Build and Automation

Report Generation Tool == will give us the details about what we did with the project

Integration and Testing

Requirements

Need a Source code manager like Git Hub

Need JDK version 23 or higher

How to install Jenkins and Create a Web book

JAVA Download -> Oracle

Check version & Os -> x64 Installer -> 183.27 MB

https://download.oracle.com/java/25/latest/jdk-25_windows-x64_bin.exe

(sha256)

Run exe file

Add path to Environment Variables

C:\Program Files\Java\jdk-25.0.2

Choose Edit under System Variables so all apps can access it, click on

New and paste your path of JDK with Version

Click Ok

<http://localhost:8080> to check

Jenkins -> Download -> 2.55 -> windows and download it

Run service as LocalSystem.

Port No. = 8087 (8080 ~ 8090)

Change folder

C:\Program Files\Java\jdk-21\

Java -> JDK version 21 or 25

Start Service

Will be installed on local drive

<http://localhost:8087/login?from=%2F>

In Red??????????

C:\Program Data\Jenkins\secrets\initialAdminPassword
932c95c90680479f94079ef6241423c9
ca62148bf3994cae8fdde22860d128e2
Paste the Above password and
Next Install Suggested Plugins

Under Getting Started
Skip and continue as Admin
Save and Install
Start using Jenkins
Apply and Save

How to create the project in Jenkins

C:\Program Files\Jenkins\secrets\initialAdminPassword
Command window = type "C:\Program
Files\Jenkins\secrets\initialAdminPassword"

C:\Program Files\Jenkins
Jenkins.err
Ctrl + F = password
Admins
16 bit hash code is the password
932c95c90680479f94079ef6241423c9

New item
Itemname
Freestyle project
Build Steps -> Add build step -> Execute Windows batch command
java --version
Build Now
Green tick is the project has been created correctly

Create repo in github
creating a new file with .java as extension
Commit Changes

Copy repo path from code

<https://github.com/PriyaSarja/JenkinsDemo.git>

class and file name should be same

GitHub Project

Configure

<https://github.com/PriyaSarja/>

<https://github.com/PriyaSarja/JenkinsDemo.git>

Branch = master or main

javac Geeks.java

java Geeks

Poll SCM

H/2 * * * *

Automatic creation of project

Make changes in github java file and commit changes

After 2mins the build will start

Go to Manage Jenkins -> Plugin Manager -> check for git hub plugin

Available Plugins -> GitHub Integration

Download Ngrok, add to environmental variables and check the version after extraction

In ngrok -> Sign up with email -> got to set up and installation -> copy the URL: ngrok config add-authtoken

3AkFkHhiF9U15dLnczYBMMEcC3p_7mmkxe5n2YTWyZ4WY5Szd

Paste it in ngrok terminal

Paste "ngrok http 80" in terminal and then the application starts to run

ngrok

<https://marcela-fumaric-unphilosophically.ngrok-free.dev>

Put this in github

Azure

Got to: azuredevopslabs.com

Sign up for free

Create one

priyasarja9

Say yes to everything and if passkey is not create just skip it you will be able to login

Code = path on clone

New project

New repo using plus symbol

Copy path of repo

In CLI

cd desktop

git init

echo "hello">hello.txt create a file

ls

git add .

git commit

git push origin main or master path

git commit -m

git clone https://github.com

create pull request in azure

Source code manager == azuredevops