



# Blockchain Exploration Lab



## Task 1: Setting Up MetaMask Wallet


### Task 1.a. Installing the MetaMask extension



### Task 1.b. Connecting to the Blockchain.









## Task 1.c Adding Accounts

We changed the passwords and entered the recovery phrase given in the manual



## Task 1.d Sending Transactions





SEED emulator

Account 1

### Send

Account 2

0x2e2e3a61dacla2056d9304f79c168cd16aaa88e9

Asset:



ETH

Balance: 30 ETH

Amount:

5 ETH

Max

No conversion rate available





Gas (estimated)

Likely in < 30 seconds

0.00115542 ETH

Max fee: 0.0015488 ETH



## Task 2. Interacting with Blockchain using Python

### Task 2.a Installing Python modules

```
seed@ip-172-31-21-174: ~/CSE-643/Lab-09/Labsetup/emulator$ pip3 install web3==5.31.1 docker
Requirement already satisfied: web3==5.31.1 in /home/seed/.local/lib/python3.8/site-packages (5.31.1)
Requirement already satisfied: docker in /home/seed/.local/lib/python3.8/site-packages (6.1.3)
Requirement already satisfied: protobuf==3.19.5 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (3.19.5)
Requirement already satisfied: eth-account<0.6.0,>=0.5.9 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (0.5.9)
Requirement already satisfied: websockets<10,>=9.1 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (9.1)
Requirement already satisfied: requests<3.0.0,>=2.16.0 in /usr/lib/python3/dist-packages (from web3==5.31.1) (2.22.0)
Requirement already satisfied: lru-dict<2.0.0,>=1.1.6 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (1.3.0)
Requirement already satisfied: eth-abi<3.0.0,>=2.0.0b6 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (2.2.0)
Requirement already satisfied: ipfshttpclient==0.8.0a2 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (0.8.0a2)
Requirement already satisfied: aiohttp<4,>=3.7.4.post0 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (3.9.1)
Requirement already satisfied: hexbytes<1.0.0,>=0.1.0 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (0.3.1)
Requirement already satisfied: eth-hash[pycryptodome]<1.0.0,>=0.2.0 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (0.5.2)
Requirement already satisfied: jsonschema<5,>=3.2.0 in /usr/lib/python3/dist-packages (from web3==5.31.1) (3.2.0)
Requirement already satisfied: eth-utils<2.0.0,>=1.9.5 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (1.10.0)
Requirement already satisfied: eth-rlp<0.3 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (0.2.1)
Requirement already satisfied: eth-typing<3.0.0,>=2.0.0 in /home/seed/.local/lib/python3.8/site-packages (from web3==5.31.1) (2.3.0)
Requirement already satisfied: websocket-client==0.32.0 in /home/seed/.local/lib/python3.8/site-packages (from docker) (1.6.4)
Requirement already satisfied: urllib3<1.26.0 in /home/seed/.local/lib/python3.8/site-packages (from docker) (2.1.0)
Requirement already satisfied: packaging==14.0 in /home/seed/.local/lib/python3.8/site-packages (from docker) (23.2)
Requirement already satisfied: bitarray<3,>=1.2.1 in /home/seed/.local/lib/python3.8/site-packages (from eth-account<0.6.0,>=0.5.9->web3==5.31.1) (2.8.3)
Requirement already satisfied: eth-keyfile<0.6.0,>=0.5.0 in /home/seed/.local/lib/python3.8/site-packages (from eth-account<0.6.0,>=0.5.9->web3==5.31.1) (0.5.1)
Requirement already satisfied: eth-keys<0.4.0,>=0.3.4 in /home/seed/.local/lib/python3.8/site-packages (from eth-account<0.6.0,>=0.5.9->web3==5.31.1) (0.3.4)
Requirement already satisfied: rlp<3,>=1.0.0 in /home/seed/.local/lib/python3.8/site-packages (from eth-account<0.6.0,>=0.5.9->web3==5.31.1) (2.0.1)
Requirement already satisfied: parsimonious<0.9.0,>=0.8.0 in /home/seed/.local/lib/python3.8/site-packages (from eth-abi<3.0.0,>=2.0.0b6->web3==5.31.1) (0.8.1)
Requirement already satisfied: multiaddr==0.7 in /home/seed/.local/lib/python3.8/site-packages (from ipfshttpclient==0.8.0a2->web3==5.31.1) (0.0.9)
Requirement already satisfied: frozenlist==1.1.1 in /home/seed/.local/lib/python3.8/site-packages (from aiohttp<4,>=3.7.4.post0->web3==5.31.1) (1.4.0)
Requirement already satisfied: multidict<7.0,>=4.5 in /home/seed/.local/lib/python3.8/site-packages (from aiohttp<4,>=3.7.4.post0->web3==5.31.1) (6.0.4)
Requirement already satisfied: attrs==17.3.0 in /usr/lib/python3/dist-packages (from aiohttp<4,>=3.7.4.post0->web3==5.31.1) (19.3.0)
```

### Task 2.b: Checking Account Balance

#### web3balance.py

```
#!/bin/env python3
from web3 import Web3

url = 'http://10.150.0.71:8545'
web3 = Web3(Web3.HTTPProvider(url)) # Connect to a blockchain node

addr = Web3.toChecksumAddress('0xF5406927254d2dA7F7c28A61191e3Ff1f2400fe9')
balance = web3.eth.get_balance(addr) # Get the balance
print(addr + ": " + str(Web3.fromWei(balance, 'ether')) + " ETH")
```

```
Applications Me... /ho... Ter... Th... Tue 05 Dec, 21:06 seed
/home/seed/CSE-643/Lab-08/Labsetup/Files/web3_balance.py - Mousepad
File Edit Search View Document Help

#!/bin/env python3
from web3 import Web3

url = 'http://10.150.0.71:8545'
web3 = Web3(Web3.HTTPProvider(url)) # Connect to a blockchain node

addr = Web3.toChecksumAddress('0xF5406927254d2dA7F7c28A61191e3Ff1f2400fe9')
balance = web3.eth.get_balance(addr) # Get the balance
print(addr + ": " + str(Web3.fromWei(balance, 'ether')) + " ETH")
```

```
Applications Me... /ho... Ter... Th... Tue 05 Dec, 21:07 seed
seed@ip-172-31-21-174: ~/CSE-643/Lab-08/Labsetup/Files
File Edit View Search Terminal Help

seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$ python3
Python 3.8.10 (default, May 26 2023, 14:05:08)
[GCC 9.4.0] on linux
Type "help", "copyright", "credits" or "license" for more information.
>>>
KeyboardInterrupt
>>> exit
Use exit() or Ctrl-D (i.e. EOF) to exit
>>> exit()
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$ python3 web3_balance.py
/usr/lib/python3/dist-packages/requests/__init__.py:89: RequestsDependencyWarning
g: urllib3 (2.1.0) or chardet (3.0.4) doesn't match a supported version!
  warnings.warn("urllib3 ({}), or chardet ({}), doesn't match a supported "
0xF5406927254d2dA7F7c28A61191e3Ff1f2400fe9: 24.9999684997837 ETH
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$ python3 web3_balance.py
/usr/lib/python3/dist-packages/requests/__init__.py:89: RequestsDependencyWarning
g: urllib3 (2.1.0) or chardet (3.0.4) doesn't match a supported version!
  warnings.warn("urllib3 ({}), or chardet ({}), doesn't match a supported "
0xF5406927254d2dA7F7c28A61191e3Ff1f2400fe9: 24.9999684997837 ETH
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$
```

```
Applications Me... /ho... Ter... Th... Tue 05 Dec, 21:09 seed
/home/seed/CSE-643/Lab-08/Labsetup/Files/web3_balance.py - Mousepad
File Edit Search View Document Help

#!/bin/env python3
from web3 import Web3

url = 'http://10.150.0.71:8545'
web3 = Web3(Web3.HTTPProvider(url)) # Connect to a blockchain node

addr = Web3.toChecksumAddress('0x2e2e3a61daC1A2056d9304F79C168cD16aAa88e9')
balance = web3.eth.get_balance(addr) # Get the balance
print(addr + ": " + str(Web3.fromWei(balance, 'ether')) + " ETH")
```



```
Applications Me... /ho... Ter... Th... Tue 05 Dec, 21:10 seed
seed@ip-172-31-21-174: ~/CSE-643/Lab-08/Labsetup/Files
File Edit View Search Terminal Help
Python 3.8.10 (default, May 26 2023, 14:05:08)
[GCC 9.4.0] on linux
Type "help", "copyright", "credits" or "license" for more information.
>>>
KeyboardInterrupt
>>> exit
Use exit() or Ctrl-D (i.e. EOF) to exit
>>> exit()
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$ python3 web3_balance.py
/usr/lib/python3/dist-packages/requests/__init__.py:89: RequestsDependencyWarning: urllib3 (2.1.0) or chardet (3.0.4) doesn't match a supported version!
  warnings.warn("urllib3 ({}), or chardet ({}), doesn't match a supported version!".format(urllib3.__version__, chardet.__version__), RequestsDependencyWarning)
0xF5406927254d2dA7F7c28A61191e3Ff1f2400fe9: 24.9999684997837 ETH
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$ python3 web3_balance.py
/usr/lib/python3/dist-packages/requests/__init__.py:89: RequestsDependencyWarning: urllib3 (2.1.0) or chardet (3.0.4) doesn't match a supported version!
  warnings.warn("urllib3 ({}), or chardet ({}), doesn't match a supported version!".format(urllib3.__version__, chardet.__version__), RequestsDependencyWarning)
0xF5406927254d2dA7F7c28A61191e3Ff1f2400fe9: 24.9999684997837 ETH
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$ python3 web3_balance.py
/usr/lib/python3/dist-packages/requests/__init__.py:89: RequestsDependencyWarning: urllib3 (2.1.0) or chardet (3.0.4) doesn't match a supported version!
  warnings.warn("urllib3 ({}), or chardet ({}), doesn't match a supported version!".format(urllib3.__version__, chardet.__version__), RequestsDependencyWarning)
0x2e2e3a61daC1A2056d9304F79C168cD16aAa88e9: 10000004 ETH
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$
```


```
Applications Me... Mo... Ter... Th... Tue 05 Dec, 21:12 seed
/home/seed/CSE-643/Lab-08/Labsetup/Files/web3_balance.py - Mousepad
File Edit Search View Document Help
#!/bin/env python3
from web3 import Web3


url = 'http://10.150.0.71:8545'
web3 = Web3(Web3.HTTPProvider(url)) # Connect to a blockchain node


addr = Web3.toChecksumAddress('0xCBf1e330F0abD5c1ac979CF2B2B874cfD4902E24')
balance = web3.eth.get_balance(addr) # Get the balance
print(addr + ": " + str(Web3.fromWei(balance, 'ether')) + " ETH")

seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$ python3 web3_balance.py
/usr/lib/python3/dist-packages/requests/__init__.py:89: RequestsDependencyWarning: urllib3 (2.1.0) or chardet (3.0.4) doesn't match a supported version!
  warnings.warn("urllib3 ({}), or chardet ({}), doesn't match a supported version!".format(urllib3.__version__, chardet.__version__), RequestsDependencyWarning)
0xCBf1e330F0abD5c1ac979CF2B2B874cfD4902E24: 10 ETH
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/Files$
```

**Task 2 c Sending transactions.**











### Task 3: Interacting with Blockchain Using Geth

```
root@ip-172-31-21-174: /home/seed/CSE-643/Lab-08/Labsetup/emulator
File Edit View Search Terminal Help
INFO [12-05|22:25:25.045] New local node record seq=2 id=93d70f50bc1
7b2c9 ip=3.17.131.58 udp=30303 tcp=30303
^Z
[1]+  Stopped geth
root@ip-172-31-21-174:/home/seed/CSE-643/Lab-08/Labsetup/emulator# geth attach
Fatal: Failed to start the JavaScript console: api modules: context deadline exceeded
root@ip-172-31-21-174:/home/seed/CSE-643/Lab-08/Labsetup/emulator#
```

```
ip-172-31-21-174.us-east-2.compute.internal:1 (seed) - TigerVNC
Applications seed@ip-... emulator -... Wed 06 Dec, 23:42 seed
Applications seed@ip-172-31-21-174: ~/CSE-643/Lab-08/Labsetup/emulator
File Edit View Search Terminal Help
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/emulator$ docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/emulator$ docker exec
"docker exec" requires at least 2 arguments.
See 'docker exec --help'.

Usage: docker exec [OPTIONS] CONTAINER COMMAND [ARG...]

Execute a command in a running container
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/emulator$ dockps
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/emulator$ docksh 96
Error response from daemon: No such container: 96
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/emulator$ docksh 10.150.0.71
Error response from daemon: No such container: 10.150.0.71
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/emulator$ dockps 10.150.0.71
sort: cannot read: 10.150.0.71: No such file or directory
seed@ip-172-31-21-174:~/CSE-643/Lab-08/Labsetup/emulator$
```

### Task 3a : Getting Balance

