CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 1 OF 14]:

[GYN-UTER_02-P01-C0001] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Mini...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P01-C0002] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Syste...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P01-C0003] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: M...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P01-C0004] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Syste...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P01-C0005] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Minim...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P01-C0006] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Systemic Com...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P01-C0007] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: M...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P01-C0008] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Systemic C...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P01-C0009] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Minimally I...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P01-C0010] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Systemic Combination Chemo...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 2 OF 14]:

[GYN-UTER_02-P02-C0023] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Minimally Invasive Surgica...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P02-C0024] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Syst...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P02-C0025] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Minimally Invas...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P02-C0026] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P02-C0027] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Mini...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P02-C0028] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Syste...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P02-C0029] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: M...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P02-C0030] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Syste...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P02-C0031] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Minim...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P02-C0032] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Systemic Com...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 3 OF 14]:

[GYN-UTER_02-P03-C0045] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Minimally In...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P03-C0046] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: S...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P03-C0047] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Minimally ...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P03-C0048] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Systemic Co...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P03-C0049] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Minimally Invasive Surgica...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P03-C0050] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Syst...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P03-C0051] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Minimally Invas...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P03-C0052] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P03-C0053] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Mini...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P03-C0054] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Syste...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 4 OF 14]:

[GYN-UTER_02-P04-C0067] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Minim...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P04-C0068] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: S...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P04-C0069] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Minim...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P04-C0070] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Syste...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P04-C0071] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Minimally In...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P04-C0072] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: S...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P04-C0073] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Minimally ...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P04-C0074] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Systemic Co...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P04-C0075] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Minimally Invasive Surgica...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P04-C0076] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Syst...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 5 OF 14]:

[GYN-UTER_02-P05-C0089] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Mini...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P05-C0090] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Systemic Combin...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P05-C0091] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P05-C0092] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Syst...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P05-C0093] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Minim...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P05-C0094] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: S...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P05-C0095] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Minim...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P05-C0096] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Syste...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P05-C0097] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Minimally In...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P05-C0098] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: S...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 6 OF 14]:

[GYN-UTER_02-P06-C0111] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: M...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P06-C0112] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Systemic C...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P06-C0113] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Minimally I...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P06-C0114] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Systemic Combination Chemo...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P06-C0115] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Mini...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P06-C0116] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Systemic Combin...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P06-C0117] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P06-C0118] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Syst...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P06-C0119] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Minim...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P06-C0120] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: S...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 7 OF 14]:

[GYN-UTER_02-P07-C0133] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: M...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P07-C0134] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Syste...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P07-C0135] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Minim...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P07-C0136] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Systemic Com...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P07-C0137] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: M...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P07-C0138] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Systemic C...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P07-C0139] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Minimally I...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P07-C0140] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Systemic Combination Chemo...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P07-C0141] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Mini...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P07-C0142] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Systemic Combin...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 8 OF 14]:

[GYN-UTER_02-P08-C0155] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Minimally Invas...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P08-C0156] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P08-C0157] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Mini...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P08-C0158] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Syste...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P08-C0159] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: M...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P08-C0160] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Syste...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P08-C0161] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Minim...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P08-C0162] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Systemic Com...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P08-C0163] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: M...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P08-C0164] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Systemic C...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 9 OF 14]:

[GYN-UTER_02-P09-C0177] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Minimally ...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P09-C0178] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Systemic Co...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P09-C0179] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Minimally Invasive Surgica...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P09-C0180] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Syst...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P09-C0181] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Minimally Invas...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P09-C0182] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P09-C0183] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Mini...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P09-C0184] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Syste...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P09-C0185] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: M...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P09-C0186] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Syste...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 10 OF 14]:

[GYN-UTER_02-P10-C0199] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Minim...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P10-C0200] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Syste...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P10-C0201] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Minimally In...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P10-C0202] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: S...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P10-C0203] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Minimally ...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P10-C0204] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Systemic Co...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P10-C0205] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Minimally Invasive Surgica...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P10-C0206] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Syst...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P10-C0207] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Minimally Invas...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P10-C0208] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 11 OF 14]:

[GYN-UTER_02-P11-C0221] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P11-C0222] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Syst...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P11-C0223] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Minim...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P11-C0224] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: S...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P11-C0225] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Minim...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P11-C0226] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Syste...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P11-C0227] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Minimally In...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P11-C0228] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: S...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P11-C0229] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Minimally ...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P11-C0230] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Systemic Co...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 12 OF 14]:

[GYN-UTER_02-P12-C0243] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Minimally I...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P12-C0244] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Systemic Combination Chemo...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P12-C0245] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Mini...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P12-C0246] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Systemic Combin...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P12-C0247] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P12-C0248] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Syst...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P12-C0249] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Minim...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P12-C0250] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: S...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P12-C0251] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Minim...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P12-C0252] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Syste...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 13 OF 14]:

[GYN-UTER_02-P13-C0265] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Minim...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P13-C0266] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Systemic Com...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P13-C0267] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: M...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P13-C0268] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Systemic C...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P13-C0269] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Minimally I...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P13-C0270] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Systemic Combination Chemo...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P13-C0271] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIIC2 [Metastasis to Para-Aortic Lymph Nodes +/- Pelvic Nodes] | Modality: Mini...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P13-C0272] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IVA [Transmural Bladder or Rectal Mucosal Invasion] | Modality: Systemic Combin...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P13-C0273] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IVB [Distant Peritoneal Carcinomatosis or Distant Organ Metastases] | Modality:...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P13-C0274] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Syst...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: FIGO 2023 Updated Staging System for Endometrial Cancer: Integrating POLE, MMRd, and p53 Sub...
ISSUING BODY: International Federation of Gynecology and Obstetrics [FIGO]
CANCER DOMAIN: Uterine [Endometrial] Cancer | ANATOMICAL SITE: Uterine Corpus & Myometrium

SECTION PROTOCOLS [PAGE 14 OF 14]:

[GYN-UTER_02-P14-C0287] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IA1 [Non-Aggressive Histology Confined to Endometrium / Polyp] | Modality: Mini...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P14-C0288] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IA2 [Non-Aggressive Histology with < 50% Myometrial Invasion] | Modality: Syste...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P14-C0289] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IA3 [Low-Grade Endometrioid Carcinoma Confined to Uterine Corpus] | Modality: M...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P14-C0290] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IB [Non-Aggressive Histology with >= 50% Myometrial Invasion] | Modality: Syste...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P14-C0291] Adjuvant Radiation Strategies: Vaginal Cuff vs Pelvic Fields: Minimally Invasi...
Stage: FIGO 2023 Stage IIA [Cervical Stromal Invasion without Parametrial Extension] | Modality: Minim...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for radiation ...

[GYN-UTER_02-P14-C0292] Immunotherapy Innovations in Mismatch Repair-Deficient Disease: Systemic Combi...
Stage: FIGO 2023 Stage IIB [Substantial Lymphovascular Space Invasion - LVSI] | Modality: Systemic Com...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for treatment ...

[GYN-UTER_02-P14-C0293] Clinical Management of Uterine Sarcomas and Leiomyosarcoma: Minimally Invasive...
Stage: FIGO 2023 Stage IIC [Aggressive Histology: Serous, Clear Cell, or Carcinosarcoma] | Modality: M...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...

[GYN-UTER_02-P14-C0294] Postmenopausal Bleeding and Early Symptom Evaluation: Systemic Combination Che...
Stage: FIGO 2023 Stage IIIA [Involvement of Adnexa / Ovaries / Fallopian Tubes] | Modality: Systemic C...
Regimen: Doxorubicin [60 mg/m2 IV every 21 days for metastatic uterine leiomyosarcoma]
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for patient ed...

[GYN-UTER_02-P14-C0295] FIGO 2023 Molecular Subtypes in Endometrial Cancer: Minimally Invasive Surgica...
Stage: FIGO 2023 Stage IIIB [Vaginal, Vulvar, or Parametrial Direct Extension] | Modality: Minimally I...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV over 3 hours every 2...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for pathology ...

[GYN-UTER_02-P14-C0296] Sentinel Lymph Node Mapping Techniques and Ultrastaging: Systemic Combination ...
Stage: FIGO 2023 Stage IIIC1 [Metastasis to Pelvic Lymph Nodes] | Modality: Systemic Combination Chemo...
Regimen: Pembrolizumab + Lenvatinib [Pembrolizumab 200 mg IV every 3 weeks + Lenvatinib 20 mg orally o...
Summary: International Federation of Gynecology and Obstetrics [FIGO] recommendation for surgical o...