CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 1 OF 11]:

[GYN-VULV_03-P01-C0001] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P01-C0002] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P01-C0003] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P01-C0004] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Neoadjuvant Chemoradi...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P01-C0005] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Sentinel Lymph Node Biop...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P01-C0006] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Rad...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P01-C0007] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P01-C0008] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Inguinofemora...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P01-C0009] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P01-C0010] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 2 OF 11]:

[GYN-VULV_03-P02-C0023] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P02-C0024] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Neoadjuvant C...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P02-C0025] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P02-C0026] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P02-C0027] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P02-C0028] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Inguinofemoral Lympha...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P02-C0029] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Neoadjuvant Chemoradiati...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P02-C0030] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Sen...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P02-C0031] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P02-C0032] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Adjuvant Groi...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 3 OF 11]:

[GYN-VULV_03-P03-C0045] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Sentinel Lymph Node Biop...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P03-C0046] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Rad...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P03-C0047] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P03-C0048] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Inguinofemora...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P03-C0049] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P03-C0050] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P03-C0051] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P03-C0052] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Adjuvant Groin & Pelv...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P03-C0053] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Inguinofemoral Lymphaden...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P03-C0054] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Neo...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 4 OF 11]:

[GYN-VULV_03-P04-C0067] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P04-C0068] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Inguinofemoral Lympha...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P04-C0069] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Neoadjuvant Chemoradiati...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P04-C0070] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Sen...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P04-C0071] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P04-C0072] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Adjuvant Groi...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P04-C0073] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P04-C0074] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P04-C0075] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P04-C0076] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Radical Local Excision
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 5 OF 11]:

[GYN-VULV_03-P05-C0089] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P05-C0090] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P05-C0091] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P05-C0092] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Adjuvant Groin & Pelv...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P05-C0093] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Inguinofemoral Lymphaden...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P05-C0094] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Neo...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P05-C0095] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P05-C0096] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Radical Local...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P05-C0097] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P05-C0098] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 6 OF 11]:

[GYN-VULV_03-P06-C0111] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P06-C0112] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Adjuvant Groi...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P06-C0113] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P06-C0114] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P06-C0115] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P06-C0116] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Radical Local Excision
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P06-C0117] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Adjuvant Groin & Pelvic ...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P06-C0118] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Ing...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P06-C0119] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P06-C0120] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Sentinel Lymp...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 7 OF 11]:

[GYN-VULV_03-P07-C0133] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Inguinofemoral Lymphaden...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P07-C0134] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Neo...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P07-C0135] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P07-C0136] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Radical Local...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P07-C0137] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P07-C0138] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P07-C0139] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P07-C0140] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Sentinel Lymph Node B...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P07-C0141] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Radical Local Excision
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P07-C0142] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Adj...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 8 OF 11]:

[GYN-VULV_03-P08-C0155] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P08-C0156] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Radical Local Excision
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P08-C0157] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Adjuvant Groin & Pelvic ...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P08-C0158] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Ing...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P08-C0159] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P08-C0160] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Sentinel Lymp...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P08-C0161] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P08-C0162] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P08-C0163] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P08-C0164] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Neoadjuvant Chemoradi...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 9 OF 11]:

[GYN-VULV_03-P09-C0177] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P09-C0178] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P09-C0179] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P09-C0180] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Sentinel Lymph Node B...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P09-C0181] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Radical Local Excision
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P09-C0182] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Adj...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P09-C0183] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P09-C0184] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Neoadjuvant C...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P09-C0185] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P09-C0186] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 10 OF 11]:

[GYN-VULV_03-P10-C0199] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P10-C0200] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Sentinel Lymp...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P10-C0201] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P10-C0202] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P10-C0203] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P10-C0204] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Neoadjuvant Chemoradi...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P10-C0205] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Sentinel Lymph Node Biop...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P10-C0206] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Rad...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P10-C0207] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P10-C0208] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Inguinofemora...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: NCCN Clinical Practice Guidelines in Oncology: Vulvar Cancer Surgical and Adjuvant Chemoradi...
ISSUING BODY: National Comprehensive Cancer Network [NCCN]
CANCER DOMAIN: Vulval [Vulvar] Cancer | ANATOMICAL SITE: Vulva & Inguinal Groin Basins

SECTION PROTOCOLS [PAGE 11 OF 11]:

[GYN-VULV_03-P11-C0221] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Radical Local Excision
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P11-C0222] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Adj...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P11-C0223] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IVA [Tumor Invades Upper Urethra, Bladder/Rectal Mucosa, or Fixed to Pelvic Bon...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P11-C0224] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IVB [Distant Metastasis Including Pelvic Lymph Nodes] | Modality: Neoadjuvant C...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P11-C0225] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IA [Tumor <= 2 cm, Confined to Vulva/Perineum, Stromal Invasion <= 1.0 mm] | Mo...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...

[GYN-VULV_03-P11-C0226] Pathologic Dual Pathways: HPV-Associated vs Differentiated VIN: Radical Local ...
Stage: FIGO 2021 Stage IB [Tumor > 2 cm or Stromal Invasion > 1.0 mm, Negative Groin Nodes] | Modality...
Regimen: Cisplatin [40 mg/m2 IV weekly concurrent with groin/pelvic radiation]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for etiology & pathology in Vu...

[GYN-VULV_03-P11-C0227] Surgical Margins and Groin Nodal Management Standards: Adjuvant Groin & Pelvic...
Stage: FIGO 2021 Stage II [Extension to Adjacent Perineal Structures: Lower 1/3 Urethra/Vagina/Anus, N...
Regimen: Carboplatin + Paclitaxel [Carboplatin AUC 5 IV + Paclitaxel 175 mg/m2 IV q21d for metastatic ...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for surgical oncology in Vulva...

[GYN-VULV_03-P11-C0228] Sentinel Lymph Node Biopsy in Unifocal Lesions: Inguinofemoral Lymphadenectomy
Stage: FIGO 2021 Stage IIIA [1-2 Lymph Node Metastases, Each < 5 mm] | Modality: Inguinofemoral Lympha...
Regimen: Capecitabine [825 mg/m2 orally twice daily during radiation therapy]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for precision surgical oncolog...

[GYN-VULV_03-P11-C0229] Adjuvant Chemoradiation Criteria for Nodal Metastasis: Neoadjuvant Chemoradiat...
Stage: FIGO 2021 Stage IIIB [1 Node >= 5 mm or >= 3 Nodes < 5 mm] | Modality: Neoadjuvant Chemoradiati...
Regimen: Fluorouracil [5-FU] [1,000 mg/m2/day continuous IV infusion on days 1-4 and 29-32 with radiat...
Summary: National Comprehensive Cancer Network [NCCN] recommendation for radiation oncology & adjuv...

[GYN-VULV_03-P11-C0230] Patient Education and Symptom Presentation: Sentinel Lymph Node Biopsy [SLNB]
Stage: FIGO 2021 Stage IIIC [Lymph Node Metastasis with Extracapsular Extension - ECE] | Modality: Sen...
Regimen: Pembrolizumab [200 mg IV q3w for recurrent/metastatic PD-L1 positive or MSI-H tumors]
Summary: National Comprehensive Cancer Network [NCCN] recommendation for patient education & sympto...