CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 1 OF 12]:

[GYN-GTD_01-P01-C0001] Genetic and Pathologic Differences: Complete vs Partial Mole: Suction Dilation ...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Suction Dilation & Curet...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P01-C0002] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Salvage...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P01-C0003] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Single-Agent Chemoth...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P01-C0004] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Surgical Hysterectomy for ...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P01-C0005] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Multi-Agent EMA-CO Chem...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Mul...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P01-C0006] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Su...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P01-C0007] Patient Education and Surveillance Following Molar Evacuation: Salvage Chemothe...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Salvage Chemotherapy for...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P01-C0008] Genetic and Pathologic Differences: Complete vs Partial Mole: Single-Agent Chem...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P01-C0009] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Surgica...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P01-C0010] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Multi-Agent EMA-CO C...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 2 OF 12]:

[GYN-GTD_01-P02-C0023] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Single-...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sin...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P02-C0024] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Surgical Hysterectom...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Su...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P02-C0025] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Multi-Agent EMA-CO Chemoth...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Multi-Agent EMA-CO Chemo...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P02-C0026] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Suction Dilation & Cure...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P02-C0027] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P02-C0028] Patient Education and Surveillance Following Molar Evacuation: Single-Agent Che...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P02-C0029] Genetic and Pathologic Differences: Complete vs Partial Mole: Surgical Hysterec...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sur...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P02-C0030] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Multi-A...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Mu...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P02-C0031] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Suction Dilation & C...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Suction Dilation & Curet...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P02-C0032] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Salvage Chemotherapy for R...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 3 OF 12]:

[GYN-GTD_01-P03-C0045] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Multi-Agent EMA-CO C...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P03-C0046] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Suction Dilation & Curetta...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P03-C0047] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Salvage Chemotherapy fo...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sal...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P03-C0048] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Si...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P03-C0049] Patient Education and Surveillance Following Molar Evacuation: Surgical Hystere...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Surgical Hysterectomy fo...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P03-C0050] Genetic and Pathologic Differences: Complete vs Partial Mole: Multi-Agent EMA-C...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P03-C0051] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Suction...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P03-C0052] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Salvage Chemotherapy...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P03-C0053] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Single-Agent Chemotherapy ...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sin...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P03-C0054] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Surgical Hysterectomy f...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Su...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 4 OF 12]:

[GYN-GTD_01-P04-C0067] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Salvage Chemotherapy for R...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Salvage Chemotherapy for...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P04-C0068] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Single-Agent Chemothera...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P04-C0069] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P04-C0070] Patient Education and Surveillance Following Molar Evacuation: Multi-Agent EMA-...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P04-C0071] Genetic and Pathologic Differences: Complete vs Partial Mole: Suction Dilation ...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Suc...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P04-C0072] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Salvage...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Sa...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P04-C0073] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Single-Agent Chemoth...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Single-Agent Chemotherap...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P04-C0074] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Surgical Hysterectomy for ...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P04-C0075] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Multi-Agent EMA-CO Chem...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P04-C0076] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 5 OF 12]:

[GYN-GTD_01-P05-C0089] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Surgical Hysterectomy f...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sur...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P05-C0090] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Mu...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P05-C0091] Patient Education and Surveillance Following Molar Evacuation: Suction Dilation...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Suction Dilation & Curet...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P05-C0092] Genetic and Pathologic Differences: Complete vs Partial Mole: Salvage Chemother...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P05-C0093] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Single-...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P05-C0094] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Surgical Hysterectom...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P05-C0095] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Multi-Agent EMA-CO Chemoth...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Mul...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P05-C0096] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Suction Dilation & Cure...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Su...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P05-C0097] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Salvage Chemotherapy for...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P05-C0098] Patient Education and Surveillance Following Molar Evacuation: Single-Agent Che...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 6 OF 12]:

[GYN-GTD_01-P06-C0111] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P06-C0112] Patient Education and Surveillance Following Molar Evacuation: Salvage Chemothe...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P06-C0113] Genetic and Pathologic Differences: Complete vs Partial Mole: Single-Agent Chem...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sin...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P06-C0114] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Surgica...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Su...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P06-C0115] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Multi-Agent EMA-CO C...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Multi-Agent EMA-CO Chemo...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P06-C0116] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Suction Dilation & Curetta...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P06-C0117] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Salvage Chemotherapy fo...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P06-C0118] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P06-C0119] Patient Education and Surveillance Following Molar Evacuation: Surgical Hystere...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sur...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P06-C0120] Genetic and Pathologic Differences: Complete vs Partial Mole: Multi-Agent EMA-C...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Mu...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 7 OF 12]:

[GYN-GTD_01-P07-C0133] Patient Education and Surveillance Following Molar Evacuation: Single-Agent Che...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Single-Agent Chemotherap...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P07-C0134] Genetic and Pathologic Differences: Complete vs Partial Mole: Surgical Hysterec...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P07-C0135] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Multi-A...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P07-C0136] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Suction Dilation & C...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P07-C0137] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Salvage Chemotherapy for R...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sal...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P07-C0138] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Single-Agent Chemothera...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Si...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P07-C0139] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Surgical Hysterectomy fo...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P07-C0140] Patient Education and Surveillance Following Molar Evacuation: Multi-Agent EMA-...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P07-C0141] Genetic and Pathologic Differences: Complete vs Partial Mole: Suction Dilation ...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P07-C0142] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Salvage...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 8 OF 12]:

[GYN-GTD_01-P08-C0155] Genetic and Pathologic Differences: Complete vs Partial Mole: Multi-Agent EMA-C...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Mul...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P08-C0156] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Suction...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Su...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P08-C0157] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Salvage Chemotherapy...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Salvage Chemotherapy for...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P08-C0158] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Single-Agent Chemotherapy ...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P08-C0159] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Surgical Hysterectomy f...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P08-C0160] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P08-C0161] Patient Education and Surveillance Following Molar Evacuation: Suction Dilation...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Suc...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P08-C0162] Genetic and Pathologic Differences: Complete vs Partial Mole: Salvage Chemother...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Sa...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P08-C0163] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Single-...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Single-Agent Chemotherap...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P08-C0164] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Surgical Hysterectom...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 9 OF 12]:

[GYN-GTD_01-P09-C0177] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Salvage...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P09-C0178] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Single-Agent Chemoth...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P09-C0179] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Surgical Hysterectomy for ...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sur...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P09-C0180] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Multi-Agent EMA-CO Chem...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Mu...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P09-C0181] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Suction Dilation & Curet...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P09-C0182] Patient Education and Surveillance Following Molar Evacuation: Salvage Chemothe...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P09-C0183] Genetic and Pathologic Differences: Complete vs Partial Mole: Single-Agent Chem...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P09-C0184] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Surgica...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P09-C0185] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Multi-Agent EMA-CO C...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Mul...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P09-C0186] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Suction Dilation & Curetta...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Su...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 10 OF 12]:

[GYN-GTD_01-P10-C0199] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Surgical Hysterectom...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Surgical Hysterectomy fo...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P10-C0200] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Multi-Agent EMA-CO Chemoth...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P10-C0201] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Suction Dilation & Cure...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P10-C0202] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P10-C0203] Patient Education and Surveillance Following Molar Evacuation: Single-Agent Che...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sin...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P10-C0204] Genetic and Pathologic Differences: Complete vs Partial Mole: Surgical Hysterec...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Su...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P10-C0205] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Multi-A...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Multi-Agent EMA-CO Chemo...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P10-C0206] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Suction Dilation & C...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P10-C0207] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Salvage Chemotherapy for R...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P10-C0208] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Single-Agent Chemothera...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 11 OF 12]:

[GYN-GTD_01-P11-C0221] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Suction Dilation & Curetta...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Suc...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P11-C0222] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Salvage Chemotherapy fo...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Sa...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P11-C0223] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Single-Agent Chemotherap...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P11-C0224] Patient Education and Surveillance Following Molar Evacuation: Surgical Hystere...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P11-C0225] Genetic and Pathologic Differences: Complete vs Partial Mole: Multi-Agent EMA-C...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P11-C0226] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Suction...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P11-C0227] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Salvage Chemotherapy...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Sal...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P11-C0228] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Single-Agent Chemotherapy ...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Si...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P11-C0229] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Surgical Hysterectomy f...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Surgical Hysterectomy fo...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P11-C0230] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

CLINICAL PRACTICE GUIDELINE & REFERENCE MANUAL
DOCUMENT: ACOG Practice Bulletin No. 298: Diagnosis and Management of Gestational Trophoblastic Disease
ISSUING BODY: American College of Obstetricians and Gynecologists [ACOG]
CANCER DOMAIN: Gestational Trophoblastic Disease [GTD] | ANATOMICAL SITE: Trophoblast / Placental Impl...

SECTION PROTOCOLS [PAGE 12 OF 12]:

[GYN-GTD_01-P12-C0243] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Single-Agent Chemothera...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P12-C0244] Placental Site Trophoblastic Tumor [PSTT] and Epithelioid Trophoblastic Tumor: ...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P12-C0245] Patient Education and Surveillance Following Molar Evacuation: Multi-Agent EMA-...
Stage: FIGO / WHO Prognostic Score <= 6 [Low-Risk Gestational Trophoblastic Neoplasia] | Modality: Mul...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for patient educ...

[GYN-GTD_01-P12-C0246] Genetic and Pathologic Differences: Complete vs Partial Mole: Suction Dilation ...
Stage: FIGO / WHO Prognostic Score >= 7 [High-Risk Gestational Trophoblastic Neoplasia] | Modality: Su...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for pathology & ...

[GYN-GTD_01-P12-C0247] Diagnostic Criteria for Post-Molar Gestational Trophoblastic Neoplasia: Salvage...
Stage: FIGO GTN Stage I [Strictly Confined to the Uterine Corpus] | Modality: Salvage Chemotherapy for...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for diagnostic c...

[GYN-GTD_01-P12-C0248] FIGO/WHO Prognostic Scoring Index and Risk Stratification: Single-Agent Chemoth...
Stage: FIGO GTN Stage II [Extends Outside Uterus to Genital Structures: Vagina, Ovary, Broad Ligament]...
Regimen: EMA-CO Regimen [Day 1-2] [Etoposide 100 mg/m2 IV + Actinomycin D 0.5 mg IV + MTX 100 mg/m2 pu...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for staging & cl...

[GYN-GTD_01-P12-C0249] Single-Agent Chemotherapy Regimens for Low-Risk GTN: Surgical Hysterectomy for ...
Stage: FIGO GTN Stage III [Metastatic to Lungs with or without Uterine / Genital Tract Involvement] | ...
Regimen: Cisplatin + Etoposide [EP-EMA] [Cisplatin 20 mg/m2 days 1-5 + Etoposide 100 mg/m2 days 1-5 al...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...

[GYN-GTD_01-P12-C0250] Multi-Agent EMA-CO Chemotherapy in High-Risk Neoplasia: Multi-Agent EMA-CO Chem...
Stage: FIGO GTN Stage IV [All Other Distant Metastatic Sites: Brain, Liver, Gastrointestinal Tract, Ki...
Regimen: Methotrexate + Leucovorin [8-Day Protocol] [MTX 1.0 mg/kg IM on days 1,3,5,7; Leucovorin 0.1 ...
Summary: American College of Obstetricians and Gynecologists [ACOG] recommendation for treatment [m...