

Assignment 3: Hello Vectors

Welcome to this week's programming assignment of the specialization. In this assignment we will explore word vectors. In natural language processing, we represent each word as a vector consisting of numbers. The vector encodes the meaning of the word. These numbers (or weights) for each word are learned using various machine learning models, which we will explore in more detail later in this specialization. Rather than make you code the machine learning models from scratch, we will show you how to use them. In the real world, you can always load the trained word vectors, and you will almost never have to train them from scratch. In this assignment you will

- Predict analogies between words.
- Use PCA to reduce the dimensionality of the word embeddings and plot them in two dimensions.
- Compare word embeddings by using a similarity measure (the cosine similarity).
- Understand how these vector space models work.

Important Note on Submission to the AutoGrader

Before submitting your assignment to the AutoGrader, please make sure you are not doing the following:

1. You have not added any *extra print* statement(s) in the assignment.
2. You have not added any *extra* code cell(s) in the assignment.
3. You have not changed any of the function parameters.
4. You are not using any global variables inside your graded exercises. Unless specifically instructed to do so, please refrain from it and use the local variables instead.
5. You are not changing the assignment code where it is not required, like creating *extra* variables.

If you do any of the following, you will get something like, **Grader Error: Grader feedback not found** (or similarly unexpected) error upon submitting your assignment. Before asking for help/debugging the errors in your assignment, check for these first. If this is the case, and you don't remember the changes you have made, you can get a fresh copy of the assignment by following these [instructions](#).

Table of Contents

- [1 - Predict the Countries from Capitals](#)
 - [1.1 Importing the Data](#)
 - [1.2 Cosine Similarity](#)
 - [Exercise 1 - cosine_similarity \(UNQ_C1\)](#)
 - [1.3 Euclidean Distance](#)
 - [Exercise 2 - euclidean \(UNQ_C2\)](#)
 - [1.4 Finding the Country of each Capital](#)

- Exercise 3 - get_country (UNQ_C3)
 - 1.5 Model Accuracy
- Exercise 4 - get_accuracy (UNQ_C4)
- 2 - Plotting the vectors using PCA
 - Exercise 5 - compute_pca (UNQ_C5)

1 - Predict the Countries from Capitals

During the presentation of the module, we have illustrated the word analogies by finding the capital of a country from the country. In this part of the assignment we have changed the problem a bit. You are asked to predict the **countries** that correspond to some **capitals**. You are playing trivia against some second grader who just took their geography test and knows all the capitals by heart. Thanks to NLP, you will be able to answer the questions properly. In other words, you will write a program that can give you the country by its capital. That way you are pretty sure you will win the trivia game. We will start by exploring the data set.

1.1 Importing the Data

As usual, you start by importing some essential Python libraries and the load dataset. The dataset will be loaded as a [Pandas DataFrame](#), which is very a common method in data science. Because of the large size of the data, this may take a few minutes.

```
# Run this cell to import packages.
import pickle
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import w3_unittest

from utils import get_vectors

data = pd.read_csv('./data/capitals.txt', delimiter=' ')
data.columns = ['city1', 'country1', 'city2', 'country2']

# print first five elements in the DataFrame
data.head(5)
```

	city1	country1	city2	country2
0	Athens	Greece	Bangkok	Thailand
1	Athens	Greece	Beijing	China
2	Athens	Greece	Berlin	Germany
3	Athens	Greece	Bern	Switzerland
4	Athens	Greece	Cairo	Egypt

To Run This Code On Your Own Machine:

Note that because the original google news word embedding dataset is about 3.64 gigabytes, the workspace is not able to handle the full file set. So we've downloaded the full dataset, extracted a sample of the words that we're going to analyze in this assignment, and saved it in a pickle file called word_embeddings_capitals.p

If you want to download the full dataset on your own and choose your own set of word embeddings, please see the instructions and some helper code.

- Download the dataset from this [page](#).
- Search in the page for 'GoogleNews-vectors-negative300.bin.gz' and click the link to download.
- You'll need to unzip the file.

Copy-paste the code below and run it on your local machine after downloading the dataset to the same directory as the notebook.

```
import nltk
from gensim.models import KeyedVectors

embeddings = KeyedVectors.load_word2vec_format('./GoogleNews-vectors-negative300.bin', binary = True)
f = open('capitals.txt', 'r').read()
set_words = set(nltk.word_tokenize(f))
select_words = words = ['king', 'queen', 'oil', 'gas', 'happy', 'sad', 'city', 'town', 'village', 'country', 'continent', 'petroleum', 'joyful']
for w in select_words:
    set_words.add(w)

def get_word_embeddings(embeddings):
    word_embeddings = {}
    for word in embeddings.vocab:
        if word in set_words:
            word_embeddings[word] = embeddings[word]
    return word_embeddings

# Testing your function
word_embeddings = get_word_embeddings(embeddings)
print(len(word_embeddings))
pickle.dump( word_embeddings, open( "word_embeddings_subset.p", "wb" )
)
```

Now we will load the word embeddings as a [Python dictionary](#). As stated, these have already been obtained through a machine learning algorithm.

```
word_embeddings = pickle.load(open("./data/word_embeddings_subset.p",
"rb"))
len(word_embeddings)  # there should be 243 words that will be used in
this assignment

243
```

Each of the word embedding is a 300-dimensional vector.

```
print("dimension: {}".format(word_embeddings['Spain'].shape[0]))

dimension: 300
```

Predict relationships among words

Now you will write a function that will use the word embeddings to predict relationships among words.

- The function will take as input three words.
- The first two are related to each other.
- It will predict a 4th word which is related to the third word in a similar manner as the two first words are related to each other.
- As an example, "Athens is to Greece as Bangkok is to _____"?
- You will write a program that is capable of finding the fourth word.
- We will give you a hint to show you how to compute this.

A similar analogy would be the following:

You will implement a function that can tell you the capital of a country. You should use the same methodology shown in the figure above. To do this, you'll first compute the cosine similarity metric or the Euclidean distance.

1.2 Cosine Similarity

The cosine similarity function is:

$$\cos(\theta) = \frac{A \cdot B}{\|A\| \|B\|} = \frac{\sum_{i=1}^n A_i B_i}{\sqrt{\sum_{i=1}^n A_i^2} \sqrt{\sum_{i=1}^n B_i^2}}$$

A and B represent the word vectors and A_i or B_i represent index i of that vector. Note that if A and B are identical, you will get $\cos(\theta)=1$.

- Otherwise, if they are the total opposite, meaning, $A = -B$, then you would get $\cos(\theta) = -1$.
- If you get $\cos(\theta) = 0$, that means that they are orthogonal (or perpendicular).
- Numbers between 0 and 1 indicate a similarity score.
- Numbers between -1 and 0 indicate a dissimilarity score.

Exercise 1 - cosine_similarity

Implement a function that takes in two word vectors and computes the cosine distance.

```
# UNQ_C1 (UNIQUE CELL IDENTIFIER, DO NOT EDIT)
def cosine_similarity(A, B):
    """
    Input:
        A: a numpy array which corresponds to a word vector
        B: A numpy array which corresponds to a word vector
    Output:
        cos: numerical number representing the cosine similarity
        between A and B.
    """
    dot = np.dot(A,B)
    norma = np.linalg.norm(A)
    normb = np.linalg.norm(B)
    cos = dot / (norma*normb)

    return cos

# feel free to try different words
king = word_embeddings['king']
queen = word_embeddings['queen']

cosine_similarity(king, queen)

0.6510956
```

Expected Output:

≈ 0.651095

```
# Test your function
w3_unittest.test_cosine_similarity(cosine_similarity)

All tests passed
```

1.3 Euclidean Distance

You will now implement a function that computes the similarity between two vectors using the Euclidean distance. Euclidean distance is defined as:

$$d(A, B) = d(B, A) = \sqrt{(A_1 - B_1)^2 + (A_2 - B_2)^2 + \dots + (A_n - B_n)^2}$$

- n is the number of elements in the vector
- A and B are the corresponding word vectors.
- The more similar the words, the more likely the Euclidean distance will be close to 0.

Exercise 2 - euclidean

Implement a function that computes the Euclidean distance between two vectors.

```
# UNQ_C2 (UNIQUE CELL IDENTIFIER, DO NOT EDIT)
def euclidean(A, B):
    """
    Input:
        A: a numpy array which corresponds to a word vector
        B: A numpy array which corresponds to a word vector
    Output:
        d: numerical number representing the Euclidean distance
        between A and B.
    """
    d = np.linalg.norm(A - B)
    return d

# Test your function
euclidean(king, queen)

2.4796925
```

Expected Output:

2.4796925

```
# Test your function
w3_unittest.test_euclidean(euclidean)

All tests passed
```

1.4 Finding the Country of each Capital

Now, you will use the previous functions to compute similarities between vectors, and use these to find the capital cities of countries. You will write a function that takes in three words, and the embeddings dictionary. Your task is to find the capital cities. For example, given the following words:

- 1: Athens 2: Greece 3: Baghdad,

your task is to predict the country 4: Iraq.

Exercise 3 - get_country

Instructions:

1. To predict the capital you might want to look at the *King - Man + Woman = Queen* example above, and implement that scheme into a mathematical function, using the word embeddings and a similarity function.
2. Iterate over the embeddings dictionary and compute the cosine similarity score between your vector and the current word embedding.
3. You should add a check to make sure that the word you return is not any of the words that you fed into your function. Return the one with the highest score.

```
def get_country (city1, country1, city2, embeddings,
cosine_similarity=cosine_similarity):
    """
    Input:
        city1: a string (the capital city of country1)
        country1: a string (the country of capital1)
        city2: a string (the capital city of country2)
        embeddings: a dictionary where the keys are words and values
are their embeddings
    Output:
        country: a tuple with the most likely country and its
similarity score
    """

    group = {city1, country1, city2}

    city1_emb = embeddings [city1]
    country1_emb = embeddings [country1]
    city2_emb = embeddings [city2]

    vec = city2_emb - city1_emb + country1_emb

    similarity = -1
```

```

country = ''

for word, word_emb in embeddings.items():
    if word not in group:
        cur_similarity = cosine_similarity (vec, word_emb)
        if cur_similarity > similarity:
            similarity = cur_similarity
            country = word

return (country, similarity)

# Testing your function, note to make it more robust you can return the 5 most similar words.
get_country('Athens', 'Greece', 'Cairo', word_embeddings)

('Egypt', 0.7626822)

```

Expected Output: (Approximately)

('Egypt', 0.7626821)

```

# Test your function
w3_unittest.test_get_country(get_country)

All tests passed

```

1.5 Model Accuracy

Now you will test your new function on the dataset and check the accuracy of the model:

$$\text{Accuracy} = \frac{\text{Correct \# of predictions}}{\text{Total \# of predictions}}$$

Exercise 4 - get_accuracy

Instructions: Implement a program that can compute the accuracy on the dataset provided for you. You have to iterate over every row to get the corresponding words and feed them into you `get_country` function above.

```

# UNQ_C4 (UNIQUE CELL IDENTIFIER, DO NOT EDIT)
def get_accuracy(word_embeddings, data, get_country=get_country):
    '''
    Input:
        word_embeddings: a dictionary where the key is a word and the
        value is its embedding
        data: a pandas dataframe containing all the country and

```


capital city pairs

Output:

... accuracy: the accuracy of the model

```
num_correct = 0

for i, row in data.iterrows():
    city1 = row['city1']
    country1 = row['country1']
    city2 = row['city2']
    country2 = row['country2']

    predicted_country2, _ = get_country(city1, country1, city2,
word_embeddings)

    if predicted_country2 == country2:
        num_correct += 1

accuracy = num_correct/len(data)

return accuracy
```

NOTE: The cell below takes about 30 SECONDS to run.

```
accuracy = get_accuracy(word_embeddings, data)
print(f"Accuracy is {accuracy:.2f}")

Accuracy is 0.92
```

Expected Output:

≈ 0.92

```
# Test your function
w3_unittest.test_get_accuracy(get_accuracy, data)

All tests passed
```

2 - Plotting the vectors using PCA

Now you will explore the distance between word vectors after reducing their dimension. The technique we will employ is known as *principal component analysis (PCA)*. As we saw, we are working in a 300-dimensional space in this case. Although from a computational perspective we were able to perform a good job, it is impossible to visualize results in such high dimensional spaces.

You can think of PCA as a method that projects our vectors in a space of reduced dimension, while keeping the maximum information about the original vectors in their reduced counterparts. In this case, by *maximum information* we mean that the Euclidean distance between the original vectors and their projected siblings is minimal. Hence vectors that were originally close in the embeddings dictionary, will produce lower dimensional vectors that are still close to each other.

You will see that when you map out the words, similar words will be clustered next to each other. For example, the words 'sad', 'happy', 'joyful' all describe emotion and are supposed to be near each other when plotted. The words: 'oil', 'gas', and 'petroleum' all describe natural resources. Words like 'city', 'village', 'town' could be seen as synonyms and describe a similar thing.

Before plotting the words, you need to first be able to reduce each word vector with PCA into 2 dimensions and then plot it. The steps to compute PCA are as follows:

1. Mean normalize the data
2. Compute the covariance matrix of your data (Σ).
3. Compute the eigenvectors and the eigenvalues of your covariance matrix
4. Multiply the first K eigenvectors by your normalized data. The transformation should look something as follows:

Exercise 5 - compute_pca

Instructions:

Implement a program that takes in a data set where each row corresponds to a word vector.

- The word vectors are of dimension 300.
- Use PCA to change the 300 dimensions to `n_components` dimensions.
- The new matrix should be of dimension `m, n_components`.
- First de-mean the data
- Get the eigenvalues using `linalg.eigh`. Use 'eigh' rather than 'eig' since R is symmetric. The performance gain when using eigh instead of eig is substantial.
- Sort the eigenvectors and eigenvalues by decreasing order of the eigenvalues.
- Get a subset of the eigenvectors (choose how many principle components you want to use using `n_components`).
- Return the new transformation of the data by multiplying the eigenvectors with the original data.

```

# UNQ_C5 (UNIQUE CELL IDENTIFIER, DO NOT EDIT)
def compute_pca(X, n_components=2):
    """
    Input:
        X: of dimension (m,n) where each row corresponds to a word
        vector
        n_components: Number of components you want to keep.
    Output:
        X_reduced: data transformed in 2 dims/columns + regenerated
        original data
    """

    # mean center the data
    X_demeaned = X - np.mean(X, axis=0)

    # calculate the covariance matrix
    covariance_matrix = np.cov(X_demeaned, rowvar=False)

    # calculate eigenvectors & eigenvalues of the covariance matrix
    eigen_vals, eigen_vecs = np.linalg.eigh(covariance_matrix)

    # sort eigenvalue in increasing order (get the indices from the
    sort)
    idx_sorted = np.argsort(eigen_vals)

    # reverse the order so that it's from highest to lowest.
    idx_sorted_decreasing = idx_sorted[::-1]

    # sort the eigen values by idx_sorted_decreasing
    eigen_vals_sorted = eigen_vals[idx_sorted_decreasing]

    # sort eigenvectors using the idx_sorted_decreasing indices
    eigen_vecs_sorted = eigen_vecs[:,idx_sorted_decreasing]

    # select the first n eigenvectors (n is desired dimension
    eigen_vecs_subset = eigen_vecs_sorted[:, :n_components]

    # transform the data by multiplying the transpose of the
    eigenvectors
    # Then take the transpose of that product.
    X_reduced = np.dot(X_demeaned, eigen_vecs_subset)

    return X_reduced

# Testing your function
np.random.seed(1)
X = np.random.rand(3, 10)
X_reduced = compute_pca(X, n_components=2)

```

```
print("Your original matrix was " + str(X.shape) + " and it became:")
print(X_reduced)
```

Your original matrix was (3, 10) and it became:

```
[[ 0.43437323  0.49820384]
 [ 0.42077249 -0.50351448]
 [-0.85514571  0.00531064]]
```

Test your function

```
w3_unittest.test_compute_pca(compute_pca)
```

All tests passed

Expected Output:

Your original matrix was: (3,10) and it became:

Now you will use your pca function to plot a few words we have chosen for you. You will see that similar words tend to be clustered near each other. Sometimes, even antonyms tend to be clustered near each other. Antonyms describe the same thing but just tend to be on the other end of the scale They are usually found in the same location of a sentence, have the same parts of speech, and thus when learning the word vectors, you end up getting similar weights. In the next week we will go over how you learn them, but for now let's just enjoy using them.

Instructions: Run the cell below.

```
words = ['oil', 'gas', 'happy', 'sad', 'city', 'town',
         'village', 'country', 'continent', 'petroleum', 'joyful']
```

given a list of words and the embeddings, it returns a matrix with all the embeddings


```
X = get_vectors(word_embeddings, words)
```

```
print('You have 11 words each of 300 dimensions thus X.shape is:',
      X.shape)
```

You have 11 words each of 300 dimensions thus X.shape is: (11, 300)

We have done the plotting for you. Just run this cell.

```
result = compute_pca(X, 2)
plt.scatter(result[:, 0], result[:, 1])
for i, word in enumerate(words):
    plt.annotate(word, xy=(result[i, 0] - 0.05, result[i, 1] + 0.1))
plt.show()
```



What do you notice?

The word vectors for gas, oil and petroleum appear related to each other, because their vectors are close to each other. Similarly, sad, joyful and happy all express emotions, and are also near each other.

Grades

Close X

Passed • Grade Received: 100%

Submissions

September 23, 2024 7:18 AM PDT (Highest Grade)



> **Test cosine similarity**

☆ 10/10 points earned

> **Test euclidean**

☆ 10/10 points earned

> **Test_get_country**

☆ 10/10 points earned

> **Test get_accuracy**

☆ 10/10 points earned

> **test compute pca**

☆ 10/10 points earned