TRAVELING PLANNING & TRACKING APP

D.Priyadharshini710422243037

DESCRIPTION

- TravelPal is your ultimate travel companion!
- > Plan, organize, and enjoy stress-free
- trips with our intuitive app. Research destinations,
- book flights and hotels, track itineraries, and discover local experiences.

Key Features:

- 1. Destination Guides: Explore top attractions, restaurants, and hidden gems.
- 2. Trip Planner: Create customizable itineraries and share with fellow travelers.
- 3. Flight and Hotel Booking: Compare prices and book seamlessly.4.
- 4. Real-time Tracking: Monitor flight status, weather, and travel alerts.5
- 5. Packing List: Generate and manage essentials.
- 6. Offline Maps: Navigate destinations without internet.
- 7. Community Forum: Connect with fellow travelers and share tips.
- 8. Download TravelPal today and start exploring the world!
- 9. Would you like me to add any specific features or functionalities to this app description? Or would you like me to suggest some existing travel planning apps?

Main Activity.java:

package com.example.travelapp

import android.content.Context import android.content.Intent import android.os.Bundle import androidx.activity.ComponentActivity import androidx.activity.compose.setContent import androidx.compose.foundation.lmage import androidx.compose.foundation.clickable import androidx.compose.foundation.layout.* import androidx.compose.foundation.rememberScrollState import androidx.compose.foundation.verticalScroll import androidx.compose.material.Card import androidx.compose.material.Text import androidx.compose.runtime.Composable import androidx.compose.ui.Alignment import androidx.compose.ui.Modifier import androidx.compose.ui.draw.scale import androidx.compose.ui.graphics.Color import androidx.compose.ui.res.painterResource

import androidx.compose.ui.res.stringResource import androidx.compose.ui.text.font.FontFamily import androidx.compose.ui.text.font.FontWeight import androidx.compose.ui.text.style.TextAlign import androidx.compose.ui.unit.dp import androidx.compose.ui.unit.sp

```
class MainActivity:
ComponentActivity() {
  override fun onCreate(savedInstanceState: Bundle?) {
     super.onCreate(savedInstanceState)
     setContent {
       TravelApp(this)
  @Composable
  fun TravelApp(context: Context) {
     Column(
       modifier = Modifier
          .padding(20.dp)
          .verticalScroll(rememberScrollState())
     ) {
```

```
Text(
          fontSize = 40.sp,
          color = Color(android.graphics.Color.rgb(120, 40, 251)),
          fontFamily = FontFamily.Cursive,
          text = "Wanderlust Travel"
       Spacer(modifier = Modifier.height(20.dp))
       // 01
       Card(
          modifier = Modifier
             .fillMaxWidth()
             .height(250.dp)
             .clickable {
            context.startActivity(
               Intent(context, BaliActivity::class.java)
          elevation = 8.dp
```

```
horizontalAlignment = Alignment.CenterHorizontally
Image(
  painterResource(id = R.drawable.bali), contentDescription = "",
  modifier = Modifier
     .height(150.dp)
     .scale(scaleX = 1.2F, scaleY = 1F)
Text(
  text = stringResource(id = R.string.place_1),
  fontSize = 18.sp
Text(
  text = stringResource(id = R.string.description),
  fontWeight = FontWeight.Light,
  fontSize = 16.sp,
  textAlign = TextAlign.Center,
```

Column(

```
Text(
                text = stringResource(id = R.string.plan), color = Color.Gray,
                fontSize = 16.sp
       Spacer(modifier = Modifier.height(20.dp))
        //02
       Card(
          modifier = Modifier
             .fillMaxWidth()
             .height(250.dp)
             .clickable {
             context.startActivity(
                Intent(context, ParisActivity::class.java)
          elevation = 8.dp
```

```
Column(
            horizontalAlignment = Alignment.CenterHorizontally
            Image(
               painterResource(id = R.drawable.paris), contentDescription = "",
               modifier = Modifier
                  .height(150.dp)
                  .scale(scaleX = 1.2F, scaleY = 1F)
            Text(
               text = stringResource(id = R.string.place_2),
               fontSize = 18.sp
            Text(
```

```
text = stringResource(id = R.string.description),
                fontWeight = FontWeight.Light,
                fontSize = 16.sp,
                textAlign = TextAlign.Center,
             Text(
                text = stringResource(id = R.string.plan), color = Color.Gray,
                fontSize = 16.sp
        Spacer(modifier = Modifier.height(20.dp))
        //03
        Card(
```

```
Text(
  text = stringResource(id = R.string.place_3),
  fontSize = 18.sp
Text(
  text = stringResource(id = R.string.description),
  fontWeight = FontWeight.Light,
  fontSize = 16.sp,
  textAlign = TextAlign.Center,
Text(
  text = stringResource(id = R.string.plan), color = Color.Gray,
  fontSize = 16.sp
 Spacer(modifier = Modifier.height(20.dp))
```

package com.example.travelapp import android.content.Context import android.content.Intent import android.os.Bundle import androidx.activity.ComponentActivity import androidx.activity.compose.setContent import androidx.compose.foundation.lmage import androidx.compose.foundation.background import androidx.compose.foundation.layout.* import androidx.compose.material.* import androidx.compose.runtime.* import androidx.compose.ui.Alignment import androidx.compose.ui.Modifier import androidx.compose.ui.graphics.Color import androidx.compose.ui.layout.ContentScale import androidx.compose.ui.res.painterResource import androidx.compose.ui.text.font.FontFamily import androidx.compose.ui.text.font.FontWeight import androidx.compose.ui.text.input.PasswordVisualTransformation import androidx.compose.ui.tooling.preview.Preview import androidx.compose.ui.unit.dp import androidx.compose.ui.unit.sp import androidx.core.content.ContextCompat

```
class LoginActivity : ComponentActivity() {
  private lateinit var databaseHelper: UserDatabaseHelper
  override fun onCreate(savedInstanceState: Bundle?) {
     super.onCreate(savedInstanceState)
     databaseHelper = UserDatabaseHelper(this)
     setContent {
       LoginScreen(this, databaseHelper)
@Composable
fun LoginScreen(context: Context, databaseHelper: UserDatabaseHelper) {
  var username by remember { mutableStateOf("") }
  var password by remember { mutableStateOf("") }
  var error by remember { mutableStateOf("") }
  Column(
     modifier = Modifier.fillMaxSize().background(Color.White),
     horizontalAlignment = Alignment.CenterHorizontally,
    verticalArrangement = Arrangement.Center
  ) {
     Image(painterResource(id = R.drawable.trav), contentDescription =
```

```
Text(
       fontSize = 36.sp,
       fontWeight = FontWeight.ExtraBold,
       fontFamily = FontFamily.Cursive,
       text = "Login"
    Spacer(modifier = Modifier.height(10.dp))
    TextField(
       value = username,
       onValueChange = { username = it },
       label = { Text("Username") },
       modifier = Modifier.padding(10.dp)
          .width(280.dp)
    TextField(
       value = password,
       onValueChange = { password = it },
       label = { Text("Password") },
       visualTransformation = PasswordVisualTransformation(),
       modifier = Modifier.padding(10.dp)
         .width(280.dp)
```

```
if (error.isNotEmpty()) {
        Text(
          text = error,
          color = MaterialTheme.colors.error,
          modifier = Modifier.padding(vertical = 16.dp)
     Button(
        onClick = {
          if (username.isNotEmpty() && password.isNotEmpty()) {
             val user = databaseHelper.getUserByUsername(username)
             if (user != null && user.password == password) {
               error = "Successfully log in"
               context.startActivity(
                  Intent(
                     context,
                     MainActivity::class.java
                //onLoginSuccess()
```

```
error = "Invalid username or password"
} else {
    error = "Please fill all fields"
nodifier = Modifier.padding(top = 16.dp)
ext(text = "Login")
extButton(onClick = {context.startActivity(
 Intent(
    context,
    RegisterActivity::class.java
```

```
{ Text(text = "Register") }
        TextButton(onClick = {
          Spacer(modifier = Modifier.width(60.dp))
          Text(text = "Forget password?")
private fun startMainPage(context: Context) {
  val intent = Intent(context, MainActivity::class.java)
  ContextCompat.startActivity(context, intent, null)
```

import android.os.Bundle import androidx.activity.ComponentActivity import androidx.activity.compose.setContent import androidx.compose.foundation.lmage import androidx.compose.foundation.background import androidx.compose.foundation.layout.* import androidx.compose.foundation.rememberScrollState import androidx.compose.foundation.verticalScroll import androidx.compose.material.MaterialTheme import androidx.compose.material.Surface import androidx.compose.material.Text import androidx.compose.runtime.Composable import androidx.compose.ui.Modifier import androidx.compose.ui.draw.scale import androidx.compose.ui.graphics.Color import androidx.compose.ui.res.painterResource import androidx.compose.ui.res.stringResource import androidx.compose.ui.text.font.FontFamily import androidx.compose.ui.tooling.preview.Preview import androidx.compose.ui.unit.dp import androidx.compose.ui.unit.sp import com.example.travelapp.ui.theme.TravelAppTheme

```
class ParisActivity : ComponentActivity() {
  override fun onCreate(savedInstanceState: Bundle?) {
     super.onCreate(savedInstanceState)
     setContent {
       TravelAppTheme {
          // A surface container using the 'background' color from the theme
          Surface(
             modifier = Modifier.fillMaxSize(),
             color = MaterialTheme.colors.background
             Greeting()
```

```
@Composable
fun Greeting() {
  Column(
     modifier = Modifier.background(color = Color.White)
        .padding(20.dp)
        .verticalScroll(rememberScrollState())
     Text(
        fontSize = 40.sp,
        color = Color(android.graphics.Color.rgb(120, 40, 251)),
        fontFamily = FontFamily.Cursive,
        text = stringResource(id = R.string.place_2),
     Image(
        painterResource(id = R.drawable.paris), contentDescription = "",
        modifier = Modifier
          .padding(16.dp)
          .fillMaxWidth()
          .height(200.dp)
          .scale(scaleX = 1.2F, scaleY = 1F)
```

```
Text(
       color=Color.Black,
       text = "Day 1: Arrival and Introduction\n" +
            "Check into your accommodation and freshen up\n" +
            "Take a stroll around the neighborhood to get acquainted\n" +
            "Visit the Eiffel Tower, preferably in the evening when it is lit up\n" +
            "Have a relaxing dinner at a nearby restaurant\n" +
            "\n" +
            "Day 2: Art and History\n" +
            "Visit the Louvre Museum to see some of the world's most famous art pieces\n" +
            "Stroll through the Tuileries Garden and the Place de la Concorde\n" +
            "Visit the Orsay Museum, which houses a large collection of impressionist art\n" +
            "Have dinner at a local French restaurant\n" +
            "\n" +
            "Day 3: French Culture and Food\n" +
            "Visit the Montmartre neighborhood to see the famous Basilique du Sacré-Cœur and Place du Tertre\n"
            "Explore the historic neighborhood of Le Marais\n" +
            "Try some delicious French pastries at a local bakery\n" +
            "Have dinner at a brasserie to taste some classic French cuisine\n" +
```

```
"Day 4: Architecture and Gardens\n" +
"Visit the Palace of Versailles, a UNESCO World Heritage site, and explore its beautiful gardens n" +
"Walk along the Champs-Elysées and stop at the Arc de Triomphe\n" +
"Visit the Sainte-Chapelle, a beautiful Gothic chapel with stunning stained-glass windows\n" +
"Have dinner at a local restaurant in the 7th arrondissement\n" +
"\n" +
"Day 5: Shopping and Sightseeing\n" +
"Visit the Notre-Dame Cathedral and climb up to the top for a stunning view of the city\n"\+
"Explore the Latin Quarter and visit the Panthéon\n" +
"Go shopping at the famous Galeries Lafayette or Printemps department stores\n" +
"Have dinner at a local bistro\n" +
"\n" +
"Day 6: Parisian Parks and Museums\n" +
"Visit the Musée Rodin and explore its beautiful gardens\n" +
"Stroll through the Luxembourg Gardens and visit the Luxembourg Palace\n" +
"Visit the Centre Pompidou, a modern art museum in the Marais neighborhood\n" +
"Have dinner at a local restaurant in the Latin Quarter\n" +
"\n" +
```

"Day 7: River Cruise and Farewell\n" +

```
"Take a boat cruise along the Seine River to see the city from a different perspective\n" + "Visit the Musée de l'Orangerie, which houses Monet's famous water lilies paintings\n" + "Have a farewell dinner at a Michelin-starred restaurant"
```

```
)
}
}
```

import android.content.Context

import android.content.Intent

import android.os.Bundle

import androidx.activity.ComponentActivity

import androidx.activity.compose.setContent

import androidx.compose.foundation.lmage

import androidx.compose.foundation.background

import androidx.compose.foundation.layout.*

import androidx.compose.material.*

import androidx.compose.runtime.*

import androidx.compose.ui.Alignment

import androidx.compose.ui.Modifier

import androidx.compose.ui.graphics.Color

import androidx.compose.ui.layout.ContentScale

import androidx.compose.ui.res.painterResource

import androidx.compose.ui.text.font.FontFamily

import androidx.compose.ui.text.font.FontWeight

import androidx.compose.ui.text.input.PasswordVisualTransformation

import androidx.compose.ui.tooling.preview.Preview

import androidx.compose.ui.unit.dp

import androidx.compose.ui.unit.sp

 $import\ and roid x. core. content. Context Compat$

```
class RegisterActivity: ComponentActivity() {
  private lateinit var databaseHelper: UserDatabaseHelper
  override fun onCreate(savedInstanceState: Bundle?) {
     super.onCreate(savedInstanceState)
     databaseHelper = UserDatabaseHelper(this)
     setContent {
       RegistrationScreen(this, databaseHelper)
@Composable
fun RegistrationScreen(context: Context, databaseHelper:
UserDatabaseHelper) {
var username by remember { mutableStateOf("") }
  var password by remember { mutableStateOf("") }
  var email by remember { mutableStateOf("") }
  var error by remember { mutableStateOf("") }
```

```
Column(
     modifier = Modifier.fillMaxSize().background(Color.White),
     horizontalAlignment = Alignment.CenterHorizontally,
     verticalArrangement = Arrangement.Center
  ) {
     Image(painterResource(id = R.drawable.tra), contentDescription = "")
     Text(
       fontSize = 36.sp,
       fontWeight = FontWeight.ExtraBold,
       fontFamily = FontFamily.Cursive,
       text = "Register"
     Spacer(modifier = Modifier.height(10.dp))
     TextField(
       value = username,
       onValueChange = { username = it },
        label = { Text("Username") },
       modifier = Modifier
          .padding(10.dp)
          .width(280.dp)
```

```
TextField(
  value = email,
  onValueChange = { email = it },
  label = { Text("Email") },
  modifier = Modifier
     .padding(10.dp)
     .width(280.dp)
TextField(
  value = password,
  onValueChange = { password = it },
  label = { Text("Password") },
  visualTransformation = PasswordVisualTransformation(),
  modifier = Modifier
     .padding(10.dp)
     .width(280.dp)
```

```
if (error.isNotEmpty()) {
       Text(
         text = error,
         color = MaterialTheme.colors.error,
          modifier = Modifier.padding(vertical = 16.dp)
    Button(
       onClick = {
         if (username.isNotEmpty() && password.isNotEmpty() && email.isNotEmpty()) {
            val user = User(
               id = null,
               firstName = username,
               lastName = null,
               email = email,
               password = password
```

```
databaseHelper.insertUser(user)
             error = "User registered successfully"
             // Start LoginActivity using the current context
             context.startActivity(
                Intent(
                   context,
                   LoginActivity::class.java
          } else {
             error = "Please fill all fields"
        modifier = Modifier.padding(top = 16.dp)
        Text(text = "Register")
```

```
Spacer(modifier = Modifier.width(10.dp))
     Spacer(modifier = Modifier.height(10.dp))
     Row() {
       Text(
          modifier = Modifier.padding(top = 14.dp), text = "Have an account?"
       TextButton(onClick = {
          context.startActivity(
             Intent(
               context,
                LoginActivity::class.java
       })
          Spacer(modifier = Modifier.width(10.dp))
          Text(text = "Log in")
```

```
private fun startLoginActivity(context: Context) {
   val intent = Intent(context, LoginActivity::class.java)
   ContextCompat.startActivity(context, intent, null)
}
```



Username

Password

Login

Register

Forget password?



Username student

Email student123@gmail.com

Password •••••

Register

Have an account? Log in

6:23 👂 🌲 🌲 🔹

Year KB/s ⊿4G ⊿ 🖺

Wanderlust Travel



Bali Super saver pack with less than \$10000 7days/2persons



Paris
Super saver pack with less than \$10000
7days/2persons

