

TEAM ID
SWTID-2026-7679

PLATFORM
Salesforce

LOGIC
Auto-Launched Flow

AI
Agentforce

TEAM SIZE
4 members

PROJECT DOCUMENTATION

Customer Support Ticket Priority Prediction and Automated Assignment System

Classify tickets, raise urgent tasks and route work to the right agent, using Agentforce.

OUR TEAM

Priyadharshini J nmid-CB0E45A5610E3B7A80D4E9F2F74B93FA	TEAM LEADER
Susmitha R nmid-42C35A146C4BF81B09B4C6771D29B681	TEAM MEMBER
Srimathi R nmid-137C65A061B7F819292474B958E38893	TEAM MEMBER
Pushpa A nmid-48F149E0269F3E28F7D4003F6F884D04	TEAM MEMBER

Contents

01	Why We Built This	3
02	Goals and Choices	3
03	A Ticket's Journey	4
04	Requirements	5
05	Solution Design	6
06	Data Model	7
07	Flow Logic	8
08	Agentforce Setup	10
09	Build Log	11
10	Testing	13
11	Plan and Schedule	14
12	Strengths and Limits	15
13	Conclusion and Roadmap	15
A	Appendix	16

The project at a glance

4	44	6	10	1	1
team members	story points	sprints	object fields	Auto-Launched Flow	Agentforce subagent

Support teams lose time deciding which ticket to open first. Our solution moves that decision into Salesforce. A custom object holds the tickets, an Auto-Launched Flow reads the newest ticket of an Account and sorts it into High, Medium or Low, and an Agentforce subagent lets a user run the whole check by typing just an Account Name. High-priority tickets automatically get an urgent task and a senior agent.

01 Why We Built This

The problem, and who feels it

In a busy support desk, urgent tickets can sit behind routine ones because ordering the queue is a manual job. The same manual effort slows down assignment, and older unresolved tickets can slip past unnoticed. We looked at the problem from five points of view.

VOICE	WHAT HURTS	WHAT OUR SYSTEM DOES
Support agent	Hard to know which ticket is critical; urgency words in descriptions get missed.	Reads the description and sets the priority automatically.
Customer	A serious fault may wait behind minor requests during high-volume periods.	Flags High tickets and starts urgent handling straight away.
Support manager	Assignment depends on manual judgement and is inconsistent.	Applies one rule set and assigns a support level.
Support manager	Old unresolved tickets go unnoticed and raise SLA risk.	Optional check flags tickets older than two days.
Support agent	Unsure how to read mixed signals in long descriptions.	Keyword rules give a repeatable, explainable result.

02 Goals and Choices

What we aimed for and how we picked the approach

- Classify every ticket as High, Medium or Low without manual review.
- Fetch the most recent ticket of a given customer Account.
- Create an Urgent Ticket Handling task for High tickets.
- Assign the right support level, with a senior agent for urgent cases.
- Let users run the analysis in plain conversation through Agentforce.

How we chose the tool. We compared four options: paper or manual registers, spreadsheets, a separate support portal, and Salesforce CRM with Agentforce. Each idea was then scored on impact and feasibility.

High impact, harder AI priority classification Sentiment-based urgency	High impact, easier Auto-assignment Urgent-ticket notifications SLA breach alerts Trend dashboards
Lower impact, harder Mobile access for agents	Lower impact, easier Self-service FAQs, email updates Knowledge suggestions Status automation, workload balance

Decision: Salesforce with Agentforce. It gives us Flow automation, AI-assisted conversation, automatic priority classification, urgent-task creation and far less manual work, all inside one platform.

03

A Ticket's Journey

From the customer's first message to feedback

1	Raise	Customer submits a ticket with the issue details. Record is created in Salesforce.
2	Log	Customer waits for confirmation. Ticket is stored and automation is triggered.
3	Analyse	No customer action. Description is read and priority is identified.
4	Assign	No customer action. Ticket goes to the right agent or support level.
5	Work	Customer may add information. Agent updates status, adds notes and resolves.
6	Update	Customer receives status updates. Automated notifications are sent.
7	Resolve	Customer confirms the fix. Ticket is closed.
8	Feedback	Customer shares a rating. Insight is captured for improvement.

Highlighted steps (Analyse and Assign) are the ones our solution automates.

04 Requirements

What the solution must do and how well

ID	FUNCTIONAL REQUIREMENT
FR-1	Create and manage support tickets
FR-2	Associate tickets with Accounts and Contacts
FR-3	Analyse the ticket description
FR-4	Classify priority automatically
FR-5	Create a task for High-priority tickets
FR-6	Assign a support agent or level
FR-7	Check SLA breach risk
FR-8	Offer conversational analysis through Agentforce

QUALITY	EXPECTATION
Usability	Clear conversation and easy-to-read priority messages.
Reliability	Same description, same result, based on configured conditions.
Performance	Latest ticket is retrieved and analysed quickly.
Security	Access to customer and ticket data stays under Salesforce controls.
Maintainability	Keywords and messages are Flow constants, editable without redevelopment.
Scalability	Grows with ticket volume through Salesforce automation.

05

Solution Design

Architecture, data flow and technology

Requests enter through Agentforce. The Flow does the thinking, and Salesforce records hold both the inputs and the results.




Figure 1. Four-layer architecture of the solution.




Figure 2. Path of one request through the Flow.

LAYER	TECHNOLOGY
Platform	Salesforce (Developer Edition and Trailhead Playground)
Data	Support_Ticket_Intelligence__c with Account, Contact, User and Task
Logic	Auto-Launched Flow (Decision, Assignment, Get and Create Records)
AI	Agentforce (Default) with a custom subagent and a Flow action

06 Data Model

The custom object and its fields

PROPERTY	VALUE
Object label	Support Ticket Intelligence
API name	Support_Ticket_Intelligence__c
Record name	Ticket Number (Auto Number, format TKT-{0000})

FIELD	API NAME	TYPE	NOTES
Ticket Number	Ticket_Number__c	Auto Number	TKT-{0000}
Customer	Customer__c	Lookup (Account)	The account that raised the ticket
Contact	Contact__c	Lookup (Contact)	Person who reported it
Issue Type	Issue_Type__c	Picklist	Technical, Billing, General
Description	Description__c	Long Text Area	Text the Flow analyses
Priority Level	Priority_Level__c	Picklist	Low, Medium, High
Status	Status__c	Picklist	New, In Progress, Resolved
Created Date	Created_Date__c	Date	Ticket date, used for SLA check
Assigned To	Assigned_To__c	Lookup (User)	Support agent
SLA Breach Risk	SLA_Breach_Risk__c	Checkbox	Risk flag
Resolution Time (hrs)	Resolution_Time__c	Number	Time taken to resolve

Sample data. We created a few test tickets (TKT-0001 onward) across different Accounts, with descriptions chosen to trigger each priority path, so the Flow and the agent always had something to work on.




Figure 3. Support Ticket Intelligence list view showing the sample tickets

07

Flow Logic

How the Auto-Launched Flow decides

The Flow has no trigger, so Agentforce can call it as an action. It takes an Account Name and returns the ticket, the priority, the assigned agent and a message.

VARIABLE	TYPE	DIRECTION	HOLDS
varAccountName	Text	Input	Account name typed by the user
varAccountId	Text	Output	Id of the matched Account
varTicketId	Text	Output	Id of the latest ticket
varPriorityLevel	Text	Output	High, Medium or Low
varAssignedTo	Text	Output	Agent or team assigned
varActionMessage	Text	Output	Final message for the user

Keywords, agent names and messages are stored as flow constants (varUrgent, varIssue, varAgent, varSeniorAgent, varMediumAgent, varMediumMessage, varFinalMessage and one more), so any of them can be changed in one place.

#	ELEMENT	WHAT IT DOES
1	Get Records: Account	Finds the Account whose Name equals the input, newest first, first record only.
2	Assignment	Stores the Account Id in varAccountId.
3	Get Records: Tickets	Finds the newest Support_Ticket_Intelligence__c where Customer__c equals the Account Id.
4	Assignment	Stores the ticket Id in varTicketId.
5	Decision: Analyze Description	Routes to the High, Medium or Low path (rules below).
6	Assignment	Sets varPriorityLevel for the chosen path.
7	Create Records: Task (High only)	Subject 'Urgent Ticket Handling', related to the ticket, Priority High, Status Not Started.
8	Assignment (High only)	Sets varAssignedTo to 'Senior Support Agent'.
9	Decision (optional)	Flags tickets whose created date is more than two days old.
10	Assignment	Sets the final message for the path.

PRIORITY	DESCRIPTION CONTAINS	RESULT
High	urgent, not working, failure	Task created, senior agent assigned. 'High priority ticket detected. Assigned to senior agent.'
Medium	issue, slow, delay	'Ticket marked as medium priority. Will be handled shortly.'
Low	none of the above (default)	'Tickets are low priority and queued for processing.'

Order matters

The Decision checks High first. A description that contains both 'urgent' and 'issue' therefore becomes High, not Medium.




Figure 4. Flow Builder: Start, Get Records and Assignment elements




Figure 5. Flow Builder: High, Medium and Low decision paths

08 Agentforce Setup

Subagent, instructions and action

PROPERTY	VALUE
Name	Support Ticket Priority Analysis
API name	Support_Ticket_Priority_Analysis
Classification description	Analyzes customer support tickets to determine priority from the issue description and urgency. Handles requests about ticket status, issue severity and support prioritization.
Scope	Only analyze ticket descriptions, set the priority (High, Medium, Low) and trigger backend automation. Do not handle billing, subscription management or account updates.

Instructions given to the subagent

1. Ask for the Account Name if it was not provided.
2. Retrieve the latest support ticket for that Account.
3. Read and analyse the ticket description.
4. Decide priority from keywords (High: urgent, not working, failure. Medium: issue, slow, delay. Otherwise Low).
5. Set the priority level.
6. For High, trigger the Auto-Launched Flow so an immediate-handling task is created.
7. Assign the appropriate support level (senior agent for High).
8. Reply clearly: High means urgent handling has started, Medium means handled shortly, Low means queued.
9. Never update records directly or send emails. Use the Flow for every action.

Action and variable mapping

VARIABLE	ROLE	SETTING IN THE ACTION
varAccountName	Input	Required; collected from the user
varAccountId	Output	Shown in conversation (text)
varTicketId	Output	Shown in conversation (text)
varPriorityLevel	Output	Shown in conversation (text)
varAssignedTo	Output	Shown in conversation (text)
varActionMessage	Output	Shown in conversation (text)

The action references the Flow (Reference Action Type: Flow). Loading text shown to the user: *Analyzing ticket details and determining priority...*

09 Build Log

How we set it up, milestone by milestone

Milestone 1 - Environment. Create a Trailhead Playground from the Hands-On Orgs page, launch it, and open Setup. A Developer Edition org is also signed up for the Agentforce work.




Figure 6. Trailhead Hands-On Orgs page with the project playground

Milestone 2 - Data model. Build the object and fields from Section 06, then add sample tickets.

Milestone 3 - Flow. Build the Auto-Launched Flow from Section 07, save it as *Support Ticket Intelligence* and activate it.




Figure 7. Flows list in Setup showing the active Auto-Launched Flow

Milestone 4 - Sales app. Add the object to the app navigation: Edit navigation items, Add More Items, Support Ticket Intelligences, Save.




Figure 8. Sales app showing the Support Ticket Intelligences tab

Milestone 5 - Agentforce. Open Salesforce Go, turn on Agentforce (Default), then open it in the Builder. Create a new subagent with the details from Section 08, attach the Flow as its action and save.




Figure 9. Agentforce Builder with the Support Ticket Priority Analysis subagent

10 Testing

Checks we ran through the Conversation Preview

Each test was run in the Conversation Preview inside Agentforce Builder, which also shows which subagent handled the message. Tick the result column and attach evidence after you run each one.

TEST	INPUT	EXPECTED RESULT	RESULT
TC-01	Greeting: 'hi'	Agent introduces itself; a subagent is selected.	[x] Pass
TC-02	'let me know about the TKT-0001'	Agent summarises the ticket record.	[] Pass
TC-03	Latest ticket text has 'urgent', 'not working' or 'failure'	High; task created; senior agent assigned.	[] Pass
TC-04	Latest ticket text has 'issue', 'slow' or 'delay'	Medium; 'handled shortly' message.	[] Pass
TC-05	Text with none of the keywords	Low; 'queued' message.	[] Pass
TC-06	Text with both 'urgent' and 'issue'	High wins because it is checked first.	[] Pass
TC-07	Account name with no ticket	Agent reports nothing found; no task created.	[] Pass




Figure 10. Conversation Preview showing the agent greeting and subagent selection




Figure 11. Conversation Preview showing a priority result for an Account

11

Plan and Schedule

Agile sprints and story points

We worked in six short sprints. Work was split into user stories, each sized in story points, and velocity was used to check we were on track.

SPRINT	USER STORY	PTS	OWNER
1	USN-1: Configure the Salesforce environment.	3	Priyadharshini J
2	USN-2: Create the object, fields and relationships.	5	Susmitha R
2	USN-3: Link tickets to Accounts and Contacts.	3	Srimathi R
3	USN-4: Flow retrieves the latest ticket and reads its description.	5	Priyadharshini J
3	USN-5: Classify High, Medium or Low from conditions.	5	Pushpa A
4	USN-6: Agentforce subagent and Flow action.	8	Susmitha R
4	USN-7: Urgent task and senior-agent assignment for High.	5	Srimathi R
5	USN-8: SLA breach risk check for older tickets.	5	Pushpa A
6	USN-9: Account Name in, ticket, priority, agent and message out.	5	Susmitha R




Figure 12. Planned story points per sprint (total 44). Peak load in Sprint 4 is shown in the accent colour.

Velocity. 44 points over 6 sprints is about 7.3 points per sprint. With three-day sprints (18 days) that is roughly 2.4 points per day. Add your own sprint start and end dates below.

SPRINT	POINTS	START DATE	END DATE	COMPLETED
Sprint 1	3	__ / __ / 2026	__ / __ / 2026	3
Sprint 2	8	__ / __ / 2026	__ / __ / 2026	8
Sprint 3	10	__ / __ / 2026	__ / __ / 2026	10
Sprint 4	13	__ / __ / 2026	__ / __ / 2026	13
Sprint 5	5	__ / __ / 2026	__ / __ / 2026	5
Sprint 6	5	__ / __ / 2026	__ / __ / 2026	5

12 Strengths and Limits

An honest look at what we built

Strengths

- Priority is set automatically from the description.
- Urgent tickets are found and acted on faster.
- Task creation and assignment need no manual steps.
- Senior agents receive High-priority tickets.
- Users work through a simple conversation.
- Rules live in constants, so they are easy to change.
- Scales with ticket volume on Salesforce.

Limits

- Keyword rules can miss urgency expressed in other words.
- 'issue' is a common word, so many tickets may land in Medium.
- Quality depends on accurate Account, Contact and ticket data.
- Agent scope is narrow; billing and subscription requests are out.
- SLA check is only a flag, not full escalation.
- Assignment rules cover few teams so far.
- No trend or resolution analytics yet.

13 Conclusion and Roadmap

Salesforce Flow and Agentforce together remove much of the guesswork and repetition from ticket triage. Given only an Account Name, our solution finds the latest ticket, classifies its priority, creates an urgent task for High cases, assigns a support level and replies in plain language. The outcome is faster handling of critical issues, less manual work and a more productive support team.

Where we would take it next

AREA	NEXT STEP
Smarter rules	Add more priority indicators and business rules beyond single keywords.
Richer answers	Return more ticket details from the action and map extra Flow variables.
SLA	Move from a risk flag to full monitoring and escalation.
Teams	Support more teams and assignment rules.
Insight	Add dashboards for priority trends and resolution performance.
Reliability	Add a fault path when no Account or ticket is found.

A

Appendix

Reference items and team

REF	ITEM	DESCRIPTION
A	Custom object	Support Ticket Intelligence (Support_Ticket_Intelligence__c)
B	Key records	Account, Contact, User, Task
C	Flow	Support Ticket Intelligence, Auto-Launched Flow
D	Subagent	Support Ticket Priority Analysis
E	Agent action	Flow-based Support Ticket Intelligence action

TEAM MEMBER	ROLE	NM ID
Priyadharshini J	Team Leader	CB0E45A5610E3B7A80D4E9F2F74B93FA
Susmitha R	Team Member	42C35A146C4BF81B09B4C6771D29B681
Srimathi R	Team Member	137C65A061B7F819292474B958E38893
Pushpa A	Team Member	48F149E0269F3E28F7D4003F6F884D04