

TravelLink Frontend — Build Progress

Last Updated: 2026-06-03 22:37 IST

Architecture Plan: [travellink frontend architecture.md](#)

Phase 1: Foundation COMPLETE

Step	File(s)	Status
Scaffold Vite + React + TS	Project root	
Tailwind v4 + PostCSS	<code>postcss.config.js</code> , <code>index.css</code>	
TypeScript DTOs (30+ interfaces)	<code>src/types/*.ts</code> (8 files + barrel)	
Axios instance + JWT interceptors	<code>src/services/api.ts</code>	
Auth service	<code>src/services/authService.ts</code>	
Auth context (login/register/logout)	<code>src/context/AuthContext.tsx</code>	
Protected route guard	<code>src/components/ProtectedRoute.tsx</code>	
Wired up <code>main.tsx</code>	BrowserRouter + AuthProvider + Toaster	

Phase 2: Auth UI COMPLETE

Step	File(s)	Status
Login page (glassmorphic dark design)	<code>src/features/auth/LoginPage.tsx</code>	
Register page	<code>src/features/auth/RegisterPage.tsx</code>	
Design tokens + animations	<code>src/index.css</code>	
App routing setup	<code>src/App.tsx</code>	

Login → backend tested & working	End-to-end verified	✓
Register → backend tested & working	End-to-end verified	✓



Next Up — Phase 3: App Shell & Dashboard

Step	Details
AppShell component	Bottom nav (mobile) + sidebar (desktop), uses <code><Outlet /></code>
Bottom nav tabs	Home, Friends, Groups, Expenses, Map
DashboardPage	Overview cards: groups count, pending requests, upcoming trips
Shared UI components	Button, Input, Modal, Card, Avatar, Badge

Remaining Phases (4-9)

Phase	Module	Status
4	Friends (service + UI)	☐
5	Groups (service + UI)	☐
6	Expenses (service + charts)	☐
7	Itinerary (service + timeline)	☐
8	Location (SignalR + Leaflet map)	☐
9	Profile + Polish (dark mode, skeletons, PWA)	☐

Key Architecture Decisions Made

Decision	Detail
Vite proxy	<code>/api</code> → <code>https://localhost:7150</code> (secure: false for dev certs)

API base URL	<code>/api</code> (relative, goes through Vite proxy)
Token storage	<code>localStorage</code> keys: <code>tl_token</code> , <code>tl_refresh</code> , <code>tl_user</code>
Silent refresh	Queue-based — multiple 401s trigger single refresh, others wait
Force logout	<code>window.dispatchEvent(new Event('auth_logout'))</code> decouples API from React
Toast errors	<code>unwrap<T>()</code> auto-toasts on <code>ServiceResult</code> failures AND network errors
Styling	Tailwind v4 + custom CSS classes (<code>glass-card</code> , <code>input-field</code> , <code>btn-primary</code> , <code>auth-gradient</code>)
Font	Inter (Google Fonts)
Color scheme	Dark theme — indigo primary, slate surfaces

Current File Structure

```
src/
├── components/
│   └── ProtectedRoute.tsx
├── context/
│   └── AuthContext.tsx
├── features/
│   └── auth/
│       ├── LoginPage.tsx
│       └── RegisterPage.tsx
├── services/
│   ├── api.ts
│   └── authService.ts
├── types/
│   ├── auth.ts
│   ├── expenses.ts
│   ├── friends.ts
│   ├── groups.ts
│   ├── index.ts (barrel + ServiceResult<T>)
│   ├── itinerary.ts
│   ├── location.ts
│   └── users.ts
├── App.tsx (routing)
├── index.css (design tokens + Tailwind)
└── main.tsx (entry: BrowserRouter + AuthProvider + Toaster)
```

⚠ Known Issue to Fix

- `index.css`: Move Google Font `@import url(...)` to **line 1** (before `@import "tailwindcss"`) to fix PostCSS warning.

Dependencies Installed

```
{  
  "axios": "^1.17.0",  
  "@microsoft/signalr": "^10.0.0",  
  "react-router-dom": "^7.16.0",  
  "sonner": "^2.0.7",  
  "lucide-react": "^1.17.0",  
  "tailwindcss": "^4.3.0 (dev)",  
  "@tailwindcss/postcss": "^4.3.0 (dev)"  
}
```