

# Rajalakshmi Engineering College

Name: Priyan S  
Email: 240701402@rajalakshmi.edu.in  
Roll no: 240701402  
Phone: 9150170939  
Branch: REC  
Department: CSE - Section 6  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 8\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotException AtTheRateException DomainException

A typical email address should have a "." character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

### ***Input Format***

The first line of input contains the email to be validated.

### ***Output Format***

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

### **Sample Test Case**

Input: sample@gmail.com

Output: Valid email address

### **Answer**

// You are using Java

```
import java.util.*;
```

```
class DotException extends Exception{  
    public DotException(String email){  
        super(email);  
    }  
}
```

```
class AtTheRateException extends Exception{  
    public AtTheRateException(String email){  
        super(email);  
    }  
}
```

```
class DomainException extends Exception{  
    public DomainException(String email){  
        super(email);  
    }  
}
```

```
class EmailValidator {
```

```
    public static void validateEmail(String email) throws DotException,  
    AtTheRateException, DomainException {
```

```
        if (email.startsWith(".") || email.endsWith(".") || email.startsWith("@") ||  
        email.endsWith("@")) {  
            throw new DotException("DotException: Invalid Dot usage");  
        }  
    }
```

```

int atCount = email.length() - email.replace("@", "").length();
if (atCount != 1) {
    throw new AtTheRateException("AtTheRateException: Invalid @ usage");
}

if (email.contains("..") || email.contains("@@") || email.contains(".@") ||
email.contains("@.")) {
    throw new DotException("DotException: Invalid Dot usage");
}

String[] parts = email.split("@");
if (parts.length != 2) {
    throw new AtTheRateException("AtTheRateException: Invalid @ usage");
}

String domainPart = parts[1];

if (!domainPart.contains(".")) {
    throw new DotException("DotException: Invalid Dot usage");
}

int lastDotIndex = domainPart.lastIndexOf('.');
String domainExtension = domainPart.substring(lastDotIndex + 1);

if (!(domainExtension.equals("com") || domainExtension.equals("in") ||
domainExtension.equals("net") || domainExtension.equals("biz"))) {
    throw new DomainException("DomainException: Invalid Domain");
}
}

public static void main(String[] args) {
    Scanner sc = new Scanner(System.in);
    String email = sc.nextLine();

    try {
        validateEmail(email);
        System.out.println("Valid email address");
    } catch (DotException | AtTheRateException | DomainException e) {
        System.out.println(e.getMessage());
        System.out.println("Invalid email address");
    }
}

```

}

**Status :** Correct

**Marks : 10/10**