

Rajalakshmi Engineering College

Name: Priyan S
Email: 240701402@rajalakshmi.edu.in
Roll no: 240701402
Phone: 9150170939
Branch: REC
Department: I CSE FD
Batch: 2028
Degree: B.E - CSE

Scan to verify results



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_MCQ

Attempt : 1
Total Mark : 20
Marks Obtained : 0

Section 1 : MCQ

1. What is the output of the following code?

```
a={1:"A",2:"B",3:"C"}  
b=a.copy()  
b[2]="D"  
print(a)
```

Answer

Status : Skipped

Marks : 0/1

2. Fill in the code in order to get the following output.

Output:

Tuple: (1, 3, 4)

Max value: 4

t=(1,)

print("Tuple:" ,t)
print("Max value:",_____)

Answer

-

Status : -

Marks : 0/1

3. Predict the output of the following Python program

```
init_tuple_a = 1, 2, 8  
init_tuple_b = (1, 2, 7)  
set1=set(init_tuple_b)  
set2=set(init_tuple_a)  
print (set1 | set2)  
print (init_tuple_a | init_tuple_b)
```

Answer

-

Status : -

Marks : 0/1

4. What will be the output of the following code?

```
a=(1,2,3,4)  
print(sum(a,3))
```

Answer

-

Status : -

Marks : 0/1

5. Which of the following is a Python tuple?

Answer

-

Status : -

Marks : 0/1

6. Which of the statements about dictionary values is false?

Answer

-

Status : -

Marks : 0/1

7. What will be the output for the following code?

```
t1 = (1, 2, 4, 3)
t2 = (1, 2, 3, 4)
print(t1 < t2)
```

Answer

-

Status : -

Marks : 0/1

8. Which of the following statements is used to create an empty tuple?

Answer

-

Status : -

Marks : 0/1

9. Set $s1 = \{1, 2, 4, 3\}$ and $s2 = \{1, 5, 4, 6\}$, find $s1 \& s2$, $s1 - s2$, $s1 \mid s2$ and $s1 \wedge s2$.

Answer

-

Status : -

Marks : 0/1

10. What will be the output for the following code?

```
a=(1,2,3)
b=('A','B','C')
c=zip(a,b)
```

```
print(c)
print(tuple(c))
```

Answer

-

Status : -

Marks : 0/1

11. What will be the output?

```
a={'B':5,'A':9,'C':7}
print(sorted(a))
```

Answer

-

Status : -

Marks : 0/1

12. What is the result of `print(type({}) is set)`?

Answer

-

Status : -

Marks : 0/1

13. If 'a' is a dictionary with some key-value pairs, what does `a.popitem()` do?

Answer

-

Status : -

Marks : 0/1

14. What is the output of the below Python code?

```
list1 = [1, 2, 3]
list2 = [5, 6, 7]
list3 = [10, 11, 12]
set1 = set(list2)
set2 = set(list1)
set1.update(set2)
set1.update(list3)
print(set1)
```

Answer

-

Status : -

Marks : 0/1

15. What is the output of the following code?

```
a={"a":1,"b":2,"c":3}
b=dict(zip(a.values(),a.keys()))
print(b)
```

Answer

-

Status : -

Marks : 0/1

16. Suppose t = (1, 2, 4, 3), which of the following is incorrect?

Answer

-

Status : -

Marks : 0/1

17. What is the output of the following?

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}
```

```
print(set1.issubset(set2))  
print(set2.issuperset(set1))
```

Answer

-

Status : -

Marks : 0/1

18. What is the output of the following code?

```
a=(1,2,(4,5))  
b=(1,2,(3,4))  
print(a<b)
```

Answer

-

Status : -

Marks : 0/1

19. What will be the output of the following program?

```
set1 = {1, 2, 3}  
set2 = set1.copy()  
set2.add(4)  
print(set1)
```

Answer

-

Status : -

Marks : 0/1

20. Which of the following isn't true about dictionary keys?

Answer

-

Status : -

Marks : 0/1