

# Rajalakshmi Engineering College

Name: Priyan Kumar S

Email: 240701401@rajalakshmi.edu.in

Roll no: 240701401

Phone: 7305916381

Branch: REC

Department: CSE - Section 8

Batch: 2028

Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 2\_Q3

Attempt : 1

Total Mark : 10

Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

John is a fitness trainer, and he wants to use the BMI calculator to assess the body mass index of his clients. He has a list of clients based on their height and weight.

John plans to write a program to quickly determine the BMI and provide a classification for each client.

If BMI is less than 18.5, the program will classify it as "Underweight" If BMI is between 18.6 and 24.9, the program will classify it as "Normal Weight" If BMI is between 25.0 and 29.9, the program will classify it as "Overweight" If BMI is 30.0 or higher, the program will classify it as "Obese"

Note: Formula to calculate BMI = weight/(height\*height)

#### ***Input Format***

The first line of input consists of a double value, representing the height of the person in meters.

The second line consists of a double value, representing the weight of the person in kilograms.

### ***Output Format***

The first line of output prints "BMI: " followed by a double (rounded to two decimal places) representing the calculated BMI.

The second line prints "Classification: " followed by a string indicating the BMI category (Underweight, Normal Weight, Overweight, or Obese).

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1.2

45.2

Output: BMI: 31.39

Classification: Obese

### ***Answer***

```
import java.util.*;
import java.io.*;
import java.text.DecimalFormat;
class find{
    public static void main(String[] args){
        Scanner s=new Scanner(System.in);
        double n1=s.nextDouble();
        double n2=s.nextDouble();
        DecimalFormat df=new DecimalFormat("#0.00");
        double bmi=n2/(n1*n1);
        System.out.println("BMI: "+df.format(bmi));
        if(bmi<18.5){
            System.out.println("Classification: Underweight");
        }else if(bmi>18.6 && bmi<24.9){
            System.out.println("Classification: Normal weight");
        }else if(bmi>25 && bmi<29.9){
            System.out.println("Classification: Overweight");
```

```
        }else if(bmi>=30){  
            System.out.println("Classification: Obese");  
        }  
    }  
}
```

**Status :** Correct

**Marks :** 10/10