

Artificial Intelligence - MCQ - Slot D

Total points 20/20 ?

The respondent's email (192524124.simats@saveetha.com) was recorded on submission of this form.

0 of 0 points

Registration Number

192524124

Name of the Student

PRIYANKA. G

MCQ

20 of 20 points

C03-AT2

✓ In Knowledge Engineering, what is the process of **Ontological Engineering**?

*1/1

- ☐ Writing efficient Python algorithms for inference.
- ☒ Representing abstract general concepts—such as Actions, Time, Physical Objects, and Beliefs—in a structured hierarchy. ✓
- ☐ Converting all First-Order formulas to C code.
- ☐ Removing all quantifiers from a knowledge base.



✓ Propositional resolution is **sound** and **refutation complete**. What does "refutation completeness" mean? *1/1

- ☐ Resolution can derive every sentence that is entailed by the KB.
- ☒ If a set of clauses is unsatisfiable, resolution will always be able to derive a contradiction (the empty clause $\{\}$). ✓
- ☐ Resolution runs in polynomial time for arbitrary propositional formulas.
- ☐ Resolution never generates redundant clauses.

✓ The First-Order Resolution Rule resolves two clauses: $l_1 \vee \dots \vee l_k$ and $m_1 \vee \dots \vee m_n$ if: *1/1

- ☐ l_i and m_j are identical.
- ☒ l_i and $\neg m_j$ are unifiable with MGU θ . ✓
- ☐ Both clauses contain only ground terms.
- ☐ Both clauses are Horn clauses.

✓ Two logical sentences α and β are logically equivalent ($\alpha \equiv \beta$) if and only if: *1/1

- ☐ $\alpha \models \beta$
- ☐ $\alpha \Rightarrow \beta$ is a tautology
- ☒ $\alpha \models \beta$ and $\beta \models \alpha$ ✓
- ☐ $\alpha \wedge \beta$ is satisfiable

✓ What is **Factoring** in First-Order Resolution, and why is it necessary for completeness? *1/1

- ☒ Factoring combines two unifiable literals within the same clause into a single literal using MGU θ . ✓
- ☐ Factoring splits a clause into two smaller clauses.
- ☐ Factoring removes all function symbols.
- ☐ Factoring converts disjunctions to implications.

✓ Which of the following components are part of **First-Order Logic (FOL)** but are **NOT** present in Propositional Logic? *1/1

- ☐ Logical connectives ($\wedge, \vee, \neg$)
- ☒ Objects, Relations (Predicates), and Quantifiers ($\forall, \exists$) ✓
- ☐ Truth values (True / False)
- ☐ Sentences and Parentheses

✓ Which of the following sentences correctly represents "There is exactly one king" in FOL? *1/1

- ☐ $\exists x (\text{King}(x))$
- ☒ $\exists x (\text{King}(x) \wedge \forall y (\text{King}(y) \Rightarrow x = y))$ ✓
- ☐ $\forall x (\text{King}(x) \Rightarrow \exists y (x = y))$
- ☐ $\exists x \forall y (\text{King}(x) \vee \text{King}(y))$

✓ Given two terms $p = \text{Knows}(\text{John}, x)$ and $q = \text{Knows}(y, \text{Mother}(y))$, what is their Most General Unifier (MGU)? *1/1

- ☒ $\{x/\text{Mother}(\text{John}), y/\text{John}\}$
- ☐ $\{x/\text{John}, y/\text{Mother}(y)\}$
- ☐ $\{x/\text{Jane}, y/\text{John}\}$
- ☐ Unification Fails



✓ What is **Generalized Modus Ponens (GMP)**? *

1/1

- ☐ An inference rule for propositional resolution.
- ☒ A lifted inference rule that combines Unification with Modus Ponens directly on quantified Horn clauses. ✓
- ☐ A rule that eliminates existential quantifiers using Skolemization.
- ☐ An algorithm for converting FOL to CNF.

✓ What is the result of resolving Clause 1: $\neg P(x) \vee Q(x)$ with Clause 2: $P(\text{John}) \vee R(\text{Jane})$? *1/1

- ☒ $Q(\text{John}) \vee R(\text{Jane})$
- ☐ $\neg P(\text{John}) \vee R(\text{Jane})$
- ☐ $Q(x) \vee R(\text{Jane})$
- ☐ $\emptyset$ (Empty Clause)



✓ Consider the assertion: "No two people have the same social security number (SSN)." Select the correct FOL formulation: *1/1

☐ $\forall x \forall y (SSN(x) = SSN(y) \Rightarrow x = y)$

☐ $\forall x \forall y (x \neq y \Rightarrow SSN(x) \neq SSN(y))$

☒ Both A and B are correct. ✓

☐ Neither A nor B is correct.

✓ A propositional formula is in **Conjunctive Normal Form (CNF)** if it is: * 1/1

☒ A conjunction of clauses, where each clause is a disjunction of literals. ✓

☐ A disjunction of clauses, where each clause is a conjunction of literals.

☐ A series of nested implication statements.

☐ A single negated implication.

✓ When Skolemizing a sentence where an existential quantifier lies within the scope of universal quantifiers (e.g., $\forall x \exists y \text{HasChild}(x, y)$), the existential variable y must be replaced by: *1/1

☐ A unique Skolem constant (e.g., C_1)

☒ A Skolem function of the universally quantified variable (e.g., $f(x)$) ✓

☐ A free variable y

☐ The variable x

✓ To prove that $KB \models \alpha$ using Resolution Refutation: *

1/1

- ☐ Add α to the KB and derive a tautology.
- ☒ Add $\neg\alpha$ to the KB, convert all clauses to CNF, and derive the empty clause ($\emptyset$). ✓
- ☐ Show that $KB \wedge \alpha$ is satisfiable.
- ☐ Show that $KB \Rightarrow \neg\alpha$ is true.

✓ Which of the following properties distinguishes a **logical agent** using Knowledge-Based Reasoning from a simple reflex agent?

*1/1

- ☐ Logical agents map precepts directly to actions via lookup tables.
- ☒ Logical agents maintain an internal state (Knowledge Base) represented in formal logic to deduce hidden aspects of the world. ✓
- ☐ Logical agents only use probabilistic models to make decisions.
- ☐ Logical agents do not require a domain-specific inference engine.

✓ In the process of Knowledge Engineering for a domain, what step immediately follows **assembling the relevant knowledge**?

*1/1

- ☐ Encoding general axioms about the domain.
- ☒ Deciding on a vocabulary of predicates, functions, and constants. ✓
- ☐ Positing specific queries to the inference engine.
- ☐ Skolemizing the KB.

✓ Consider the propositional sentence $\alpha = (P \vee Q) \wedge (\neg P \vee R)$. Under which truth assignment for (P, Q, R) does α evaluate to False? *1/1

- ☐ (T, T, T)
- ☐ (F, T, T)
- ☒ (T, F, F)
- ☐ (F, T, F)



✓ Which of the following statements about **quantifier scope and order** in FOL is TRUE? *1/1

- ☐ $\forall x \exists y \text{ Loves}(x, y)$ is logically equivalent to $\exists y \forall x \text{ Loves}(x, y)$.
- ☐ Switching the order of two universal quantifiers ($\forall x \forall y$) changes the meaning of the statement.
- ☒ $\exists y \forall x \text{ Loves}(x, y)$ implies $\forall x \exists y \text{ Loves}(x, y)$, but the converse is not generally true.
- ☐ Quantifiers can never be nested inside predicates.



✓ Why does unification fail for the terms $p = \text{Knows}(\text{John}, x)$ and $q = \text{Knows}(x, \text{Jack})$? *1/1

- ☐ John and Jack are both functions.
- ☒ Variable x cannot simultaneously bind to two different constants (John and Jack).
- ☐ The terms have different predicate arities.
- ☐ Predicates cannot take variables as arguments.



✓ The process of **Propositionalization** converts a FOL KB into Propositional Logic by creating instances of quantified sentences. What is a major theoretical limitation of propositionalization? *1/1

☐ It is unsound.

☒ If the KB contains function symbols, the set of ground instances becomes infinite. ✓

☐ It cannot handle implications.

☐ It converts Horn clauses to non-Horn clauses.

This form was created inside of Saveetha Institute of Medical and Technical Sciences. - [Contact form owner](#)

Does this form look suspicious? [Report](#)

Google Forms