

Cucumber Report

21 Dec 2023, 22:08:38

Start : Dec 21, 10:05:13.988 pm

End : Dec 21, 10:08:37.494 pm

Duration : 3 m 23.506 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 6
FAILED - 6
SKIPPED - 0

Steps


PASSED - 96
FAILED - 6
SKIPPED - 18




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Search functionality</u>		3 m 23.506 s		12	6	6	0	120	96	6	18

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the used car with model</u>
2		<u>Search the used car with model</u>
3		<u>Search the used car with model</u>
4		<u>Search the used car with model</u>
5		<u>Search the used car with model</u>
6		<u>Search the used car with model</u>


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	@Sanity	6	6	0	0	1	0	1	0
	@smoke	6	6	0	0	1	0	1	0
	@regression	12	6	6	0	1	0	1	0
	@author_Priyanka_Gajera	12	6	6	0	1	0	1	0
	@Smoke	6	0	6	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	12	6	6	0	3 m 23.506 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the buy car with model</u>	10	10	0	0	10.564 s
2		<u>Search the buy car with model</u>	10	10	0	0	11.478 s
3		<u>Search the buy car with model</u>	10	10	0	0	8.752 s
4		<u>Search the buy car with model</u>	10	10	0	0	9.777 s
5		<u>Search the buy car with model</u>	10	10	0	0	9.421 s
6		<u>Search the buy car with model</u>	10	10	0	0	8.746 s
7		<u>Search the used car with model</u>	10	6	1	3	24.289 s
8		<u>Search the used car with model</u>	10	6	1	3	23.969 s
9		<u>Search the used car with model</u>	10	6	1	3	24.122 s
10		<u>Search the used car with model</u>	10	6	1	3	24.008 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Search functionality</u>	<u>Search the used car with model</u>	10	6	1	3	24.104 s
12		<u>Search the used car with model</u>	10	6	1	3	24.183 s

Search functionality





Search the buy car with model





#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.205 s
3	And I click Search Cars link	PASSED	1.252 s
4	Then I navigate to new and used car search page	PASSED	0.250 s
5	And I select make "Audi"	PASSED	0.118 s
6	And I select model "A1"	PASSED	0.424 s
7	And I select location "NT - South"	PASSED	0.080 s
8	And I select price "\$40,000"	PASSED	0.077 s
9	And I click on Find My Next Car tab	PASSED	3.777 s
10	Then I should see the make "Audi" in results	PASSED	0.079 s

Search the buy car with model

PASSED	DURATION - 11.478 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 10:05:24.568 pm // 10:05:36.046 pm /				
Search functionality				
@Sanity @smoke @regression @author_Priyanka_Gajera				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.181 s
3	And I click Search Cars link	PASSED	1.208 s
4	Then I navigate to new and used car search page	PASSED	0.194 s
5	And I select make "BMW"	PASSED	0.168 s
6	And I select model "420d"	PASSED	0.289 s
7	And I select location "NSW - All"	PASSED	0.103 s
8	And I select price "\$60,000"	PASSED	0.077 s
9	And I click on Find My Next Car tab	PASSED	5.408 s
10	Then I should see the make "BMW" in results	PASSED	0.074 s


Search the buy car with model

PASSED	DURATION - 8.752 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 10:05:36.057 pm // 10:05:44.809 pm /				
Search functionality				
@Sanity @smoke @regression @author_Priyanka_Gajera				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.151 s
3	And I click Search Cars link	PASSED	1.180 s



#	Step / Hook Details	Status	Duration
4	Then I navigate to new and used car search page	PASSED	0.278 s
5	And I select make "Honda"	PASSED	0.093 s
6	And I select model "Accord"	PASSED	0.135 s
7	And I select location "ACT - All"	PASSED	0.093 s
8	And I select price "\$70,000"	PASSED	0.077 s
9	And I click on Find My Next Car tab	PASSED	3.072 s
10	Then I should see the make "Honda" in results	PASSED	0.066 s

Search the buy car with model





#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.182 s
3	And I click Search Cars link	PASSED	1.180 s
4	Then I navigate to new and used car search page	PASSED	0.162 s
5	And I select make "Kia"	PASSED	0.096 s
6	And I select model "Carnival"	PASSED	0.122 s
7	And I select location "VIC - Northern"	PASSED	0.084 s
8	And I select price "\$50,000"	PASSED	0.082 s
9	And I click on Find My Next Car tab	PASSED	4.501 s
10	Then I should see the make "Kia" in results	PASSED	0.068 s

Search the buy car with model

PASSED	DURATION - 9.421 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 10:05:54.599 pm // 10:06:04.020 pm /				
Search functionality				
@Sanity @smoke @regression @author_Priyanka_Gajera				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.169 s
3	And I click Search Cars link	PASSED	1.177 s
4	Then I navigate to new and used car search page	PASSED	0.189 s
5	And I select make "Suzuki"	PASSED	0.173 s
6	And I select model "Ignis"	PASSED	0.157 s
7	And I select location "WA - Perth"	PASSED	0.100 s
8	And I select price "\$90,000"	PASSED	0.085 s
9	And I click on Find My Next Car tab	PASSED	3.960 s
10	Then I should see the make "Suzuki" in results	PASSED	0.071 s


Search the buy car with model

PASSED	DURATION - 8.746 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 10:06:04.029 pm // 10:06:12.775 pm /				
Search functionality				
@Sanity @smoke @regression @author_Priyanka_Gajera				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.150 s
3	And I click Search Cars link	PASSED	1.257 s

#	Step / Hook Details	Status	Duration
4	Then I navigate to new and used car search page	PASSED	0.186 s
5	And I select make "Volvo"	PASSED	0.101 s
6	And I select model "EX30"	PASSED	0.180 s
7	And I select location "ACT - All"	PASSED	0.083 s
8	And I select price "\$100,000"	PASSED	0.093 s
9	And I click on Find My Next Car tab	PASSED	3.324 s
10	Then I should see the make "Volvo" in results	PASSED	0.066 s


Search the used car with model




#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.171 s
3	And I click Used link	PASSED	0.000 s
4	Then I navigate to Used Cars For Sale page	PASSED	0.000 s
5	And I select make "Audi"	PASSED	0.237 s
6	And I select model "A1"	PASSED	0.090 s
7	And I select location "NT - South" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#locations"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c7ed35eb26b78c97e8476abe6e41d549, findElement {using=id, value=locations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDatumDir: C:\Users\test\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56759}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56759/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,	FAILED	20.103 s

#	Step / Hook Details	Status	Duration
	<pre> webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7ed35eb26b78c97e8476abe6e41d549 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.carsguide.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:145) at com.carsguide.pages.NewAndUsedCarSearchPage.selectLocationFromDropDown(NewAndUsedCarSearchPage.java:55) at com.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "NT - South"(file:///C:/Users/test/IdeaProjects/car-guru-sw-6/src/test/resources/features/buy.feature:33) * Not displayable characters are replaced by '?'. </pre>		
8	And I select price "\$40,000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Audi" in results	SKIPPED	0.000 s
	<p>AFTER - com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Search the used car with model</p> 	PASSED	0.339 s


Search the used car with model




#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.149 s
3	And I click Used link	PASSED	0.000 s
4	Then I navigate to Used Cars For Sale page	PASSED	0.000 s
5	And I select make "BMW"	PASSED	0.249 s
6	And I select model "420d"	PASSED	0.096 s
7	And I select location "NSW - All" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#locations"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [<code>c8c2544c77a6c9f77d9516a669a816b3, findElement {using=id, value=locations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\test\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56895}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56895/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c8c2544c77a6c9f77d9516a669a816b3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) </code>	FAILED	20.055 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.carsguide.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:145) at com.carsguide.pages.NewAndUsedCarSearchPage.selectLocationFromDropDown(NewAndUsedCarSearchPage.java:55) at com.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "NSW - All"(file:///C:/Users/test/IdeaProjects/car-guru-sw-6/src/test/resources/features/buy.feature:33) * Not displayable characters are replaced by '?'. </pre>		
8	And I select price "\$60,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "BMW" in results	SKIPPED	0.000 s
	<p>AFTER - com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Search the used car with model</p> 	PASSED	0.321 s


Search the used car with model




#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.146 s
3	And I click Used link	PASSED	0.000 s
4	Then I navigate to Used Cars For Sale page	PASSED	0.000 s
5	And I select make "Honda"	PASSED	0.203 s
6	And I select model "Accord"	PASSED	0.092 s
7	And I select location "ACT - All" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#locations"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a1d19c30f1a720b01227b4c76396c2ec, findElement {using=id, value=locations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDatadir: C:\Users\test\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57033}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57033/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a1d19c30f1a720b01227b4c76396c2ec at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)	FAILED	20.080 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.carsguide.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:145) at com.carsguide.pages.NewAndUsedCarSearchPage.selectLocationFromDropDown(NewAndUsedCarSearchPage.java:55) at com.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "ACT - All"(file:///C:/Users/test/IdeaProjects/car-guru-sw-6/src/test/resources/features/buy.feature:33) * Not displayable characters are replaced by '?'. </pre>		
8	And I select price "\$70,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Honda" in results	SKIPPED	0.000 s
	<p>AFTER - com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Search the used car with model</p> 	PASSED	0.328 s


Search the used car with model



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.144 s
3	And I click Used link	PASSED	0.000 s
4	Then I navigate to Used Cars For Sale page	PASSED	0.000 s
5	And I select make "Kia"	PASSED	0.186 s
6	And I select model "Carnival"	PASSED	0.132 s
7	And I select location "VIC - Northern" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#locations"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9b0e8f92890ba2c99f7f487b00083451, findElement {using=id, value=locations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDatadir: C:\Users\test\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57172}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57172/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9b0e8f92890ba2c99f7f487b00083451 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.carsguide.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:145)	FAILED	20.047 s


#	Step / Hook Details	Status	Duration
	at com.carsguide.pages.NewAndUsedCarSearchPage.selectLocationFromDropDown(NewAndUsedCarSearchPage.java:55) at com.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "VIC - Northern"(file:///C:/Users/test/IdeaProjects/car-guru-sw-6/src/test/resources/features/buy.feature:33) * Not displayable characters are replaced by '?'. 8 And I select price "\$50,000" 9 And I click on Find My Next Car tab 10 Then I should see the make "Kia" in results		
8	And I select price "\$50,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Kia" in results	SKIPPED	0.000 s
	AFTER - com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario) Search the used car with model 	PASSED	0.293 s

Search the used car with model





#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.146 s
3	And I click Used link	PASSED	0.001 s
4	Then I navigate to Used Cars For Sale page	PASSED	0.000 s
5	And I select make "Suzuki"	PASSED	0.251 s
6	And I select model "Ignis"	PASSED	0.088 s
7	And I select location "WA - Perth"	FAILED	20.046 s


#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#locations"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [494b48f165530db7b23d8559b542725b, findElement {using=id, value=locations}] Capabilities {acceptInsecureCerts: false, browserName:chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\test\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57310}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57310/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 494b48f165530db7b23d8559b542725b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.carsguide.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:145) at com.carsguide.pages.NewAndUsedCarSearchPage.selectLocationFromDropDown(NewAndUsedCarSearchPage.java:55) at com.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "WA - Perth"(file:///C:/Users/test/IdeaProjects/car-guru-sw-6/src/test/resources/features/buy.feature:33) * Not displayable characters are replaced by '?'.</pre>		
8	And I select price "\$90,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Suzuki" in results	SKIPPED	0.000 s
	AFTER - com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.347 s

#	Step / Hook Details	Status	Duration
	<p>Search the used car with model</p> 		

Search the used car with model

FAILED	DURATION - 24.183 s / 10:08:13.311 pm // 10:08:37.494 pm /		Steps Total - 10 Pass - 6 Fail - 1 Skip - 3	
	Search functionality @Smoke @regression @author_Priyanka_Gajera			

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy + sell" tab	PASSED	0.170 s
3	And I click Used link	PASSED	0.000 s
4	Then I navigate to Used Cars For Sale page	PASSED	0.000 s
5	And I select make "Volvo"	PASSED	0.184 s
6	And I select model "EX30"	PASSED	0.137 s
7	And I select location "ACT - All"	FAILED	20.017 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#locations"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c266fef4606fc4ad033a5158e6c86ba8, findElement {using=id, value=locations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\test\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57446}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57446/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,</pre>		

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c266fef4606fc4ad033a5158e6c86ba8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.carsguide.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:145) at com.carsguide.pages.NewAndUsedCarSearchPage.selectLocationFromDropDown(NewAndUsedCarSearchPage.java:55) at com.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "ACT - All"(file:///C:/Users/test/IdeaProjects/car-guru-sw-6/src/test/resources/features/buy.feature:33) * Not displayable characters are replaced by '?'.</pre>		
8	And I select price "\$100,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Volvo" in results	SKIPPED	0.000 s
	AFTER - com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario) 	PASSED	0.344 s