

Cucumber Report

19 Dec 2023, 11:00:10

Start : Dec 19, 10:59:59.703 am

End : Dec 19, 11:00:09.369 am

Duration : 9.666 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 2

SKIPPED - 0

PASSED - 21

FAILED - 2

SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Visa confirmation Test</u>	9.666 s	3	1	2	0	27	21	2	4

#	Feature Name	Scenario Name
1	<u>Visa confirmation Test</u>	<u>verify result You need a visa to work in health and care</u>
2		<u>Verify you'll need a visa to join your family or partner in the UK</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@author_priyanka	3	1	2	0	1	0	1	0
@smoke	3	1	2	0	1	0	1	0
@regression	3	1	2	0	1	0	1	0
@sanity	2	1	1	0	1	0	1	0
@sanity,	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Visa confirmation Test</u>	3	1	2	0	9.666 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Visa confirmation Test</u>	<u>User should check the visa required or not</u>	9	9	0	0	4.577 s
2		<u>verify result You need a visa to work in health and care</u>	11	10	1	0	3.204 s
3		<u>Verify you'll need a visa to join your family or partner in the UK</u>	7	2	1	4	1.832 s

Visa confirmation Test

FAILED	DURATION - 9.666 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 27 Pass - 21 Fail - 2 Skip - 4	
/ 10:59:59.703 am // 11:00:09.369 am /					

User should check the visa required or not


<div>PASSED</div> <div>DURATION - 4.577 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:59:59.713 am // 11:00:04.290 am /				
Visa confirmation Test				
@author_priyanka @smoke @regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I accept the cookies	PASSED	0.086 s
3	And I click on hide button	PASSED	0.057 s
4	And I click on start button	PASSED	0.299 s
5	And I select nationality "Australia"	PASSED	0.094 s
6	And I click on next step button	PASSED	0.166 s
7	And I select reason for visit "Tourism or visiting family and friends"	PASSED	0.177 s
8	And I click on continue button	PASSED	0.198 s
9	Then verify result 'You will not need a visa to come to the UK'	PASSED	0.145 s



verify result You need a visa to work in health and care

FAILED	DURATION - 3.204 s		Steps Total - 11 Pass - 10 Fail - 1 Skip - 0	
/ 11:00:04.306 am // 11:00:07.510 am /				
Visa confirmation Test				
@author_priyanka @smoke @regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on start button	PASSED	0.199 s
3	And I Select a Nationality 'Chile'	PASSED	0.093 s
4	And I click on continue button	PASSED	0.163 s
5	And Select reason Work, academic visit or business	PASSED	0.149 s
6	And I click on continue button	PASSED	0.271 s
7	When Select intendent to stay for longer than 6 months	PASSED	0.093 s
8	And I click on continue button	PASSED	0.162 s
9	And Select have planning to work for Health and care professional	PASSED	0.075 s
10	And I click on continue button	PASSED	0.193 s
11	Then verify result of'You need a visa to work in health and care'	FAILED	0.005 s
	io.cucumber.core.exception.CucumberException: Step [verify result of{string}] is defined with 0 parameters at 'gov.uk.check.visa.steps. VisaConfirmationTest.verifyResultOfYouNeedAVisaToWorkInHealthAndCare()'. However, the gherkin step has 1 arguments: * 'You need a visa to work in health and care' Step text: verify result of'You need a visa to work in health and care' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario) verify result You need a visa to work in health and care	PASSED	0.337 s
			

Verify you'll need a visa to join your family or partner in the UK

<div>FAILED</div> <div>DURATION - 1.832 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 11:00:07.537 am // 11:00:09.369 am /				
Visa confirmation Test				
@sanity, @author_priyanka @smoke @regression				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on start button	PASSED	0.140 s
3	And Select a Nationality 'Colombia'	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [Select a Nationality {string}] is defined with 0 parameters at 'gov.uk.check.visa.steps.VisaConfirmationTest.selectANationalityColombia()'. However, the gherkin step has 1 arguments: * 'Colombia' Step text: Select a Nationality 'Colombia' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
4	And I click on continue button	SKIPPED	0.000 s
5	And Select reason Join partner or family for a long stay	SKIPPED	0.000 s
6	And I click on continue button	SKIPPED	0.001 s
7	Then To get verify result 'You may need a visa'	SKIPPED	0.000 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.285 s
	Verify you'll need a visa to join your family or partner in the UK		
	