

Q.1) Create a table named dmart_orders and insert values in it based on below criteria.

order_id, customer_id, customer_name, product_category, quantity, price_per_unit, order_date , payment_status.

Query:

USE JJBA;

DROP TABLE IF EXISTS dmart_orders;

CREATE TABLE dmart_orders (

order_id INT PRIMARY KEY,

customer_id VARCHAR(10),

customer_name VARCHAR(100),

product_category VARCHAR(50),

quantity INT,

price_per_unit DECIMAL(10, 2),

order_date DATE,

payment_status VARCHAR(20)

);

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL Editor window shows the following SQL code:

```
USE JJBA;

DROP TABLE IF EXISTS dmart_orders;

CREATE TABLE dmart_orders (
    order_id INT PRIMARY KEY,
    customer_id VARCHAR(10),
    customer_name VARCHAR(100),
    product_category VARCHAR(50),
    quantity INT,
    price_per_unit DECIMAL(10, 2),
    order_date DATE,
    payment_status VARCHAR(20)
);

INSERT INTO dmart_orders (order_id, customer_id, customer_name, product_category, quantity, price_per_unit, order_date, payment_status) VALUES
(1001, 'C101', 'Rohan Sharma', 'Groceries', 5, 45.50, '2026-01-01', 'Paid'),
(1002, 'C102', 'Priya Patel', 'Electronics', 1, 1200.75, '2026-01-01', 'Paid'),
(1003, 'C103', 'AMIT MISHRA', 'Apparel', 3, 150.20, '2026-01-02', 'Pending'),
(1004, 'C101', 'Rohan Sharma', 'Packaged Foods', 10, 22.45, '2026-01-02', 'Paid'),
(1005, 'C104', 'Sneha Reddy', 'Personal Care', 2, 85.33, '2026-01-03', 'Paid'),
(1006, 'C105', 'Vikram Singh', 'Groceries', 12, 10.00, '2026-01-03', 'Refunded'),
(1007, 'C119', 'Sanjay Dutt', 'Packaged Foods', 11, 22.00, '2026-02-15', 'Paid'),
(1008, 'C104', 'Sneha Reddy', 'Apparel', 4, 135.00, '2026-02-16', 'Paid'),
(1009, 'C120', 'Ishaan Khatter', 'Groceries', 7, 41.20, '2026-02-16', 'Paid'),
(1009, 'C106', 'Anjali Desai', 'Dairy', 6, 20.00, '2026-02-17', 'Refunded'),
(1006, 'C115', 'Gaurav Kapur', 'Packaged Foods', 9, 19.00, '2026-02-17', 'Paid'),
(1007, 'C102', 'Priya Patel', 'Home Appliances', 1, 750.00, '2026-02-18', 'Paid'),
(1008, 'C105', 'Vikram Singh', 'Apparel', 3, 160.00, '2026-02-18', 'Paid'),
(1009, 'C108', 'Vikram Singh', 'Personal Care', 5, 55.40, '2026-02-19', 'Pending'),
(1100, 'C116', 'Arjun Kapoor', 'Groceries', 16, 12.50, '2026-02-19', 'Paid');
```

The Result Grid shows the following data:

order_id	customer_id	customer_name	product_category	quantity	price_per_unit	order_date	payment_status
1001	C101	Rohan Sharma	Groceries	5	45.50	2026-01-01	Paid
1002	C102	Priya Patel	Electronics	1	1200.75	2026-01-01	Paid
1003	C103	AMIT MISHRA	Apparel	3	150.20	2026-01-02	Pending
1004	C101	Rohan Sharma	Packaged Foods	10	22.45	2026-01-02	Paid
1005	C104	Sneha Reddy	Personal Care	2	85.33	2026-01-03	Paid
1006	C105	Vikram Singh	Groceries	12	10.00	2026-01-03	Refunded

The Output window shows the message: "100 row(s) returned".

Q.2 Insert data of 15 students.

Query:

```
USE JJBA;
```

```
DROP TABLE IF EXISTS dmart_orders;
```

```
CREATE TABLE dmart_orders (
```

```
    order_id INT PRIMARY KEY,
```

```
    customer_id VARCHAR(10),
```

```
    customer_name VARCHAR(100),
```

```
    product_category VARCHAR(50),
```

```
    quantity INT,
```

```
    price_per_unit DECIMAL(10, 2),
```

```
    order_date DATE,
```

```
    payment_status VARCHAR(20)
```

```
);
```

```
INSERT INTO dmart_orders (order_id, customer_id, customer_name, product_category, quantity,  
price_per_unit, order_date, payment_status)
```

```
VALUES
```

```
(1001, 'C101', 'Rohan Sharma', 'Groceries', 5, 45.50, '2026-01-01', 'Paid'),
```

```
(1002, 'C102', 'Priya Patel', 'Electronics', 1, 1200.75, '2026-01-01', 'Paid'),
```

```
(1003, 'C103', 'AMIT MISHRA', 'Apparel', 3, 150.20, '2026-01-02', 'Pending'),
```

```
(1004, 'C101', 'Rohan Sharma', 'Packaged Foods', 10, 22.45, '2026-01-02', 'Paid'),
```

```
(1005, 'C104', 'Sneha Reddy', 'Personal Care', 2, 85.33, '2026-01-03', 'Paid'),
```

```
(1006, 'C105', 'vikram singh', 'Groceries', 12, 10.00, '2026-01-03', 'Refunded'),
```

```
(1007, 'C102', 'Priya Patel', 'Home Appliances', 1, 450.00, '2026-01-04', 'Paid'),
```

```
(1008, 'C106', 'Anjali Desai', 'Apparel', 4, 99.99, '2026-01-04', 'Pending'),
```

```
(1009, 'C103', 'AMIT MISHRA', 'Electronics', 2, 300.50, '2026-01-05', 'Paid'),
```

```
(1010, 'C107', 'Raj Malhotra', 'Groceries', 8, 35.25, '2026-01-05', 'Paid'),
```

```
(1011, 'C108', 'kiran joshi', 'Dairy', 6, 15.80, '2026-01-06', 'Paid'),
```

```
(1012, 'C104', 'Sneha Reddy', 'Packaged Foods', 5, 40.00, '2026-01-06', 'Paid'),
```

(1013, 'C109', 'Nitit Verma', 'Personal Care', 1, 120.00, '2026-01-07', 'Pending'),

(1014, 'C101', 'Rohan Sharma', 'Groceries', 2, 65.40, '2026-01-07', 'Paid'),

(1015, 'C110', 'Pooja Hegde', 'Apparel', 5, 110.00, '2026-01-08', 'Paid'),

(1016, 'C105', 'vikram singh', 'Electronics', 1, 899.00, '2026-01-08', 'Paid'),

(1017, 'C106', 'Anjali Desai', 'Home Appliances', 2, 175.25, '2026-01-09', 'Refunded'),

(1018, 'C111', 'Sunil Shetty', 'Groceries', 20, 5.50, '2026-01-09', 'Paid'),

(1019, 'C102', 'Priya Patel', 'Personal Care', 3, 45.00, '2026-01-10', 'Paid'),

(1020, 'C107', 'Raj Malhotra', 'Apparel', 1, 250.00, '2026-01-10', 'Pending'),

(1021, 'C112', 'Meera Nair', 'Packaged Foods', 15, 12.20, '2026-01-11', 'Paid'),

(1022, 'C108', 'kiran joshi', 'Groceries', 4, 55.00, '2026-01-11', 'Paid'),

(1023, 'C113', 'deepak Gupta', 'Electronics', 1, 650.00, '2026-01-12', 'Paid'),

(1024, 'C109', 'Nitit Verma', 'Dairy', 10, 18.00, '2026-01-12', 'Paid'),

(1025, 'C103', 'AMIT MISHRA', 'Groceries', 7, 42.10, '2026-01-13', 'Paid'),

(1026, 'C114', 'Ritu Phogat', 'Personal Care', 2, 95.50, '2026-01-13', 'Paid'),

(1027, 'C110', 'Pooja Hegde', 'Packaged Foods', 8, 25.00, '2026-01-14', 'Refunded'),

(1028, 'C101', 'Rohan Sharma', 'Home Appliances', 1, 520.00, '2026-01-14', 'Paid'),

(1029, 'C115', 'Gaurav Kapur', 'Apparel', 3, 180.00, '2026-01-15', 'Paid'),

(1030, 'C106', 'Anjali Desai', 'Groceries', 11, 14.50, '2026-01-15', 'Pending'),

(1031, 'C112', 'Meera Nair', 'Dairy', 4, 22.00, '2026-01-16', 'Paid'),

(1032, 'C116', 'Arjun Kapoor', 'Electronics', 2, 410.00, '2026-01-16', 'Paid'),

(1033, 'C105', 'vikram singh', 'Packaged Foods', 6, 30.25, '2026-01-17', 'Paid'),

(1034, 'C113', 'deepak Gupta', 'Personal Care', 4, 60.00, '2026-01-17', 'Paid'),

(1035, 'C107', 'Raj Malhotra', 'Groceries', 9, 38.00, '2026-01-18', 'Paid'),

(1036, 'C117', 'Neha Kakkar', 'Apparel', 2, 299.99, '2026-01-18', 'Paid'),

(1037, 'C108', 'kiran joshi', 'Home Appliances', 1, 340.00, '2026-01-19', 'Refunded'),

(1038, 'C114', 'Ritu Phogat', 'Groceries', 5, 48.00, '2026-01-19', 'Paid'),

(1039, 'C118', 'Varun Dhawan', 'Packaged Foods', 12, 15.00, '2026-01-20', 'Pending'),

(1040, 'C102', 'Priya Patel', 'Dairy', 3, 28.50, '2026-01-20', 'Paid'),

(1041, 'C115', 'Gaurav Kapur', 'Electronics', 1, 999.00, '2026-01-21', 'Paid'),

(1042, 'C110', 'Pooja Hegde', 'Personal Care', 3, 75.20, '2026-01-21', 'Paid'),

(1043, 'C119', 'Sanjay Dutt', 'Groceries', 14, 12.00, '2026-01-22', 'Paid'),

(1044, 'C103', 'AMIT MISHRA', 'Packaged Foods', 4, 32.50, '2026-01-22', 'Paid'),

(1045, 'C106', 'Anjali Desai', 'Electronics', 1, 150.00, '2026-01-23', 'Paid'),

(1046, 'C120', 'Ishaan Khatter', 'Apparel', 6, 85.00, '2026-01-23', 'Pending'),

(1047, 'C112', 'Meera Nair', 'Home Appliances', 1, 680.00, '2026-01-24', 'Paid'),

(1048, 'C109', 'Nitin Verma', 'Groceries', 10, 21.00, '2026-01-24', 'Paid'),

(1049, 'C116', 'Arjun Kapoor', 'Personal Care', 2, 110.50, '2026-01-25', 'Refunded'),

(1050, 'C113', 'deepak Gupta', 'Packaged Foods', 7, 24.00, '2026-01-25', 'Paid'),

(1051, 'C101', 'Rohan Sharma', 'Electronics', 1, 1350.00, '2026-01-26', 'Paid'),

(1052, 'C117', 'Neha Kakkar', 'Groceries', 6, 52.30, '2026-01-26', 'Paid'),

(1053, 'C104', 'Sneha Reddy', 'Dairy', 5, 19.50, '2026-01-27', 'Paid'),

(1054, 'C118', 'Varun Dhawan', 'Apparel', 3, 195.00, '2026-01-27', 'Paid'),

(1055, 'C108', 'kiran joshi', 'Packaged Foods', 9, 18.50, '2026-01-28', 'Pending'),

(1056, 'C115', 'Gaurav Kapur', 'Home Appliances', 2, 210.00, '2026-01-28', 'Paid'),

(1057, 'C105', 'vikram singh', 'Personal Care', 4, 65.00, '2026-01-29', 'Paid'),

(1058, 'C119', 'Sanjay Dutt', 'Electronics', 1, 720.00, '2026-01-29', 'Paid'),

(1059, 'C102', 'Priya Patel', 'Groceries', 13, 11.20, '2026-01-30', 'Refunded'),

(1060, 'C120', 'Ishaan Khatter', 'Packaged Foods', 5, 33.00, '2026-01-30', 'Paid'),

(1061, 'C107', 'Raj Malhotra', 'Dairy', 8, 16.00, '2026-01-31', 'Paid'),

(1062, 'C114', 'Ritu Phogat', 'Apparel', 2, 320.00, '2026-01-31', 'Paid'),

(1063, 'C116', 'Arjun Kapoor', 'Groceries', 15, 9.50, '2026-02-01', 'Pending'),

(1064, 'C110', 'Pooja Hegde', 'Home Appliances', 1, 890.00, '2026-02-01', 'Paid'),

(1065, 'C103', 'AMIT MISHRA', 'Personal Care', 3, 88.00, '2026-02-02', 'Paid'),

(1066, 'C113', 'deepak Gupta', 'Groceries', 7, 44.00, '2026-02-02', 'Paid'),

(1067, 'C117', 'Neha Kakkar', 'Packaged Foods', 10, 20.00, '2026-02-03', 'Paid'),

(1068, 'C109', 'Nitin Verma', 'Apparel', 4, 140.00, '2026-02-03', 'Refunded'),

(1069, 'C112', 'Meera Nair', 'Electronics', 1, 540.00, '2026-02-04', 'Paid'),

(1070, 'C118', 'Varun Dhawan', 'Groceries', 11, 16.50, '2026-02-04', 'Paid'),

(1071, 'C101', 'Rohan Sharma', 'Dairy', 6, 21.50, '2026-02-05', 'Paid'),

(1072, 'C119', 'Sanjay Dutt', 'Home Appliances', 1, 430.00, '2026-02-05', 'Pending'),

(1073, 'C104', 'Sneha Reddy', 'Groceries', 8, 39.00, '2026-02-06', 'Paid'),

(1074, 'C120', 'Ishaan Khatter', 'Personal Care', 2, 105.00, '2026-02-06', 'Paid'),

(1075, 'C106', 'Anjali Desai', 'Packaged Foods', 14, 14.00, '2026-02-07', 'Paid'),
 (1076, 'C115', 'Gaurav Kapur', 'Groceries', 5, 58.20, '2026-02-07', 'Paid'),
 (1077, 'C102', 'Priya Patel', 'Apparel', 3, 210.50, '2026-02-08', 'Refunded'),
 (1078, 'C105', 'vikram singh', 'Dairy', 4, 24.00, '2026-02-08', 'Paid'),
 (1079, 'C108', 'kiran joshi', 'Electronics', 1, 1150.00, '2026-02-09', 'Paid'),
 (1080, 'C116', 'Arjun Kapoor', 'Packaged Foods', 8, 26.50, '2026-02-09', 'Paid'),
 (1081, 'C107', 'Raj Malhotra', 'Home Appliances', 2, 199.00, '2026-02-10', 'Pending'),
 (1082, 'C114', 'Ritu Phogat', 'Electronics', 1, 850.00, '2026-02-10', 'Paid'),
 (1083, 'C111', 'Sunil Shetty', 'Packaged Foods', 25, 10.50, '2026-02-11', 'Paid'),
 (1084, 'C110', 'Pooja Hegde', 'Groceries', 12, 18.00, '2026-02-11', 'Paid'),
 (1085, 'C103', 'AMIT MISHRA', 'Dairy', 5, 23.00, '2026-02-12', 'Paid'),
 (1086, 'C113', 'deepak Gupta', 'Apparel', 2, 185.00, '2026-02-12', 'Refunded'),
 (1087, 'C117', 'Neha Kakkar', 'Personal Care', 4, 72.00, '2026-02-13', 'Paid'),
 (1088, 'C109', 'Nitin Verma', 'Home Appliances', 1, 620.00, '2026-02-13', 'Paid'),
 (1089, 'C112', 'Meera Nair', 'Groceries', 10, 33.50, '2026-02-14', 'Paid'),
 (1090, 'C118', 'Varun Dhawan', 'Electronics', 1, 499.00, '2026-02-14', 'Pending'),
 (1091, 'C101', 'Rohan Sharma', 'Personal Care', 3, 90.00, '2026-02-15', 'Paid'),
 (1092, 'C119', 'Sanjay Dutt', 'Packaged Foods', 11, 22.00, '2026-02-15', 'Paid'),
 (1093, 'C104', 'Sneha Reddy', 'Apparel', 4, 135.00, '2026-02-16', 'Paid'),
 (1094, 'C120', 'Ishaan Khatter', 'Groceries', 7, 41.20, '2026-02-16', 'Paid'),
 (1095, 'C106', 'Anjali Desai', 'Dairy', 6, 20.00, '2026-02-17', 'Refunded'),
 (1096, 'C115', 'Gaurav Kapur', 'Packaged Foods', 9, 19.00, '2026-02-17', 'Paid'),
 (1097, 'C102', 'Priya Patel', 'Home Appliances', 1, 750.00, '2026-02-18', 'Paid'),
 (1098, 'C105', 'vikram singh', 'Apparel', 3, 160.00, '2026-02-18', 'Paid'),
 (1099, 'C108', 'kiran joshi', 'Personal Care', 5, 55.40, '2026-02-19', 'Pending'),
 (1100, 'C116', 'Arjun Kapoor', 'Groceries', 16, 12.50, '2026-02-19', 'Paid');
 select * from dmart_orders;

Screenshot:

The screenshot displays the MySQL Workbench interface. The top menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar shows the SCHEMAS pane with a tree view containing 'jiba' (Tables, Views, Stored Procedures, Functions) and 'sys'. The main editor window shows a SQL query in the 'SQL File 7' tab, limited to 1000 rows. The query is a SELECT statement from 'dmat_orders' with various filters. Below the editor, the 'Result Grid' shows a table with columns: order_id, customer_id, customer_name, product_category, quantity, price_per_unit, order_date, and payment_status. The table contains 6 rows of data. The bottom pane shows the 'Output' window with a message: '1 22:13:18 select * from dmat_orders LIMIT 0, 1000' and '100 row(s) returned'. The status bar at the bottom indicates '2 cm of rain Wednesday' and the system clock shows '22:20 27-06-2026'.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

Tables

Views

Stored Procedures

Functions

sys

SQL File 7

Limit to 1000 rows

```
1092, 'C119', 'Sanjay Dutt', 'Packaged Foods', 11, 22.00, '2026-02-15', 'Paid'),
1093, 'C104', 'Sneha Reddy', 'Apparel', 4, 135.00, '2026-02-16', 'Paid'),
1094, 'C120', 'Ishaan Khatter', 'Groceries', 7, 41.20, '2026-02-16', 'Paid'),
1095, 'C106', 'Anjali Desai', 'Dairy', 6, 20.00, '2026-02-17', 'Refunded'),
1096, 'C115', 'Gaurav Kapur', 'Packaged Foods', 8, 19.00, '2026-02-17', 'Paid'),
1097, 'C102', 'Priya Patel', 'Home Appliances', 1, 750.00, '2026-02-18', 'Paid'),
1098, 'C105', 'Vikram Singh', 'Apparel', 3, 160.00, '2026-02-18', 'Paid'),
1099, 'C108', 'Kiran Joshi', 'Personal Care', 5, 55.40, '2026-02-19', 'Pending'),
1100, 'C116', 'Arjun Kapoor', 'Groceries', 16, 12.50, '2026-02-19', 'Paid');
116 select * from dmat_orders;
```

Result Grid

order_id	customer_id	customer_name	product_category	quantity	price_per_unit	order_date	payment_status
1001	C101	Rohan Sharma	Groceries	5	45.50	2026-01-01	Paid
1002	C102	Priya Patel	Electronics	1	1200.75	2026-01-01	Paid
1003	C103	ANIT KEDHRA	Apparel	3	150.20	2026-01-02	Pending
1004	C101	Rohan Sharma	Packaged Foods	10	22.45	2026-01-02	Paid
1005	C104	Sneha Reddy	Personal Care	2	85.33	2026-01-03	Paid
1006	C105	Vikram Singh	Groceries	12	10.00	2026-01-03	Refunded

Information

No object selected

Object Info Session

Output

Action Output

1 22:13:18 select * from dmat_orders LIMIT 0, 1000

Message

100 row(s) returned

Duration / Fetch

0.000 sec / 0.000 sec

2 cm of rain Wednesday

Search

ENG IN

22:20 27-06-2026

Q. 3 Calculate the total price of products and create a separate column for it.

Query:

```
select *,(price_per_unit*quantity) as total_price from dmart_orders;
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL editor at the top contains a query to calculate the total price for each order by multiplying the price per unit by the quantity. The query is as follows:

```
select *,(price_per_unit*quantity) as total_price from dmart_orders;
```

Below the editor, the 'Result Grid' shows the output of the query. The columns are: order_id, customer_id, customer_name, product_category, quantity, price_per_unit, order_date, payment_status, and total_price. The results are as follows:

order_id	customer_id	customer_name	product_category	quantity	price_per_unit	order_date	payment_status	total_price
1001	C101	Rohan Sharma	Groceries	5	45.50	2026-01-01	Paid	227.50
1002	C102	Priya Patel	Electronics	1	1200.75	2026-01-01	Paid	1200.75
1003	C103	AMIT MISHRA	Apparel	3	150.20	2026-01-02	Pending	450.60
1004	C101	Rohan Sharma	Packaged Foods	10	22.45	2026-01-02	Paid	224.50
1005	C104	Sneha Reddy	Personal Care	2	85.33	2026-01-03	Paid	170.66
1006	C105	Vikram Singh	Groceries	12	10.00	2026-01-03	Refunded	120.00

The bottom panel shows the 'Action Output' tab, which displays the execution of the query. The output indicates that the query was successful and returned 100 rows.

Q. 4 Give 15% of discount to such customer who's total spend is above 599 and the payment status is 'paid'.

Query:

```
select*, (price_per_unit*quantity)
as total_price,
if(payment_status!='Paid','-',)
if(price_per_unit*quantity>599,round((price_per_unit*quantity)*0.15,2),'-'))
as discount_amount
from dmart_orders;
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL editor contains a query that calculates the total price and applies a 15% discount to customers whose total spend is above 599 and whose payment status is 'Paid'. The query is as follows:

```
select*, (price_per_unit*quantity)
as total_price,
if(payment_status!='Paid','-',)
if(price_per_unit*quantity>599,round((price_per_unit*quantity)*0.15,2),'-'))
as discount_amount
from dmart_orders;
```

The results are shown in a table with the following columns: order_id, customer_id, customer_name, product_category, quantity, price_per_unit, order_date, payment_status, total_price, and discount_amount. The results are as follows:

order_id	customer_id	customer_name	product_category	quantity	price_per_unit	order_date	payment_status	total_price	discount_amount
1001	C101	Rohan Sharma	Groceries	5	45.50	2026-01-01	Paid	227.50	-
1002	C102	Priya Patel	Electronics	1	1200.75	2026-01-01	Paid	1200.75	180.11
1003	C103	AMIT MISHRA	Apparel	3	150.20	2026-01-02	Pending	450.60	-
1004	C101	Rohan Sharma	Packaged Foods	10	22.45	2026-01-02	Paid	224.50	-
1005	C104	Sneha Reddy	Personal Care	2	85.33	2026-01-03	Paid	170.66	-
1006	C105	Vikram Singh	Groceries	12	10.00	2026-01-03	Refunded	120.00	-

The bottom of the screenshot shows the 'Output' tab with a list of actions and their results. The first action is a select query that returns 100 rows. The second action is a select query that returns 100 rows. The third action is a select query that returns 100 rows. The fourth action is a select query that returns 100 rows. The fifth action is a select query that returns 100 rows. The sixth action is a select query that returns 100 rows. The seventh action is a select query that returns 100 rows. The eighth action is a select query that returns 100 rows. The ninth action is a select query that returns 100 rows. The tenth action is a select query that returns 100 rows.

Q. 5 Calculate to total revenue generated across all the product categories.

Query:

```
select product_category,  
  
sum((price_per_unit*quantity)) as total_revenue  
  
from dmart_orders  
  
group by product_category;
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL editor contains a query to calculate the total revenue by product category. The query is as follows:

```
select product_category,  
sum((price_per_unit*quantity)) as total_revenue  
from dmart_orders  
group by product_category;
```

The results are shown in a table with two columns: product_category and total_revenue.

product_category	total_revenue
Groceries	5238.30
Electronics	10438.75
Apparel	7107.04
Packaged Foods	3082.00
Personal Care	2872.25
Home Appliances	5848.50

The bottom panel shows the output of the query, indicating that 7 row(s) were returned. The status bar at the bottom shows the system time as 19:26 on 28-06-2025.

Q. 6 Which product categories are lagging in pending status.

Query:

```
select product_category, payment_status, count(payment_status) as pay_status from dmart_orders
where payment_status='Pending'
group by product_category;
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL editor contains the following query:

```
select product_category, payment_status, count(payment_status) as pay_status from dmart_orders
where payment_status='Pending'
group by product_category;
```

The Results tab shows the output of the query:

product_category	payment_status	pay_status
Apparel	Pending	4
Personal Care	Pending	2
Groceries	Pending	2
Packaged Foods	Pending	2
Home Appliances	Pending	2
Electronics	Pending	1

The Output tab shows the execution log with the following messages:

- 15 19:28:40 select product_category where payment_status='Pending' from dmart_orders group by product_category Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se... 0.000 sec
- 16 19:28:47 select product_category where payment_status='Pending' from dmart_orders group by product_category Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se... 0.000 sec
- 17 19:29:40 select product_category from dmart_orders where payment_status='Pending' LIMIT 0, 1000 13 row(s) returned 0.000 sec / 0.000 sec
- 18 19:29:56 select product_category, payment_status from dmart_orders where payment_status='Pending' LIMIT 0, 1000 13 row(s) returned 0.000 sec / 0.000 sec
- 19 19:30:02 select product_category, payment_status from dmart_orders where payment_status='Pending' LIMIT 0, 1000 13 row(s) returned 0.000 sec / 0.000 sec
- 20 19:30:45 select product_category, payment_status, count(payment_status) as pay_status from dmart_orders where pay... Error Code: 1140. In aggregated query without GROUP BY, expression #1 of SELECT list contains nonaggrega... 0.000 sec
- 21 19:31:27 select product_category, payment_status, count(payment_status) as pay_status from dmart_orders where pay... 6 row(s) returned 0.000 sec / 0.000 sec

Q. 7 Calculate the total revenue lost due to refund transaction.

Query:

```
select sum(price_per_unit*quantity) as revenue_lost_due_to_refund from dmart_orders  
where payment_status='Refunded';
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The main editor window shows a SQL query: `select sum(price_per_unit*quantity) as revenue_lost_due_to_refund from dmart_orders where payment_status='Refunded';`. The query is highlighted in blue. Below the editor, the 'Result Grid' shows a single row with the value 3056.60. The 'Output' tab at the bottom shows a log of SQL statements and their execution times. The 'Administration' tab is also visible, showing 'No object selected'.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

Tables

Views

Stored Procedures

Functions

sys

SQL File 3* SQL2* SQL File 5* SQL File 6* SQL3 SQL3 SQL3 SQL3*

Limit to 1000 rows

107
108
109
110
111
112
113
114
115
116
117

select sum(price_per_unit*quantity) as revenue_lost_due_to_refund from dmart_orders
where payment_status='Refunded';

Result Grid

revenue_lost_due_to_refund

3056.60

Result 16 x

Read Only

Context Help

Snippets

Output

Action Output

No object selected

Object Info Session

25°C Mostly cloudy

Search

ENG IN

20:07 28-06-2026

Q. 8 Print the details of top 10 customers with highest total spend.

Query:

```
select *,(price_per_unit*quantity) as total_revenue from dmart_orders order by total_revenue desc limit 10;
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL editor at the top contains the following query:

```
select *,(price_per_unit*quantity) as total_revenue from dmart_orders order by total_revenue desc limit 10;
```

Below the editor, the 'Result Grid' shows the top 10 customers by total revenue. The columns are: order_id, customer_id, customer_name, product_category, quantity, price_per_unit, order_date, payment_status, and total_revenue.

order_id	customer_id	customer_name	product_category	quantity	price_per_unit	order_date	payment_status	total_revenue
1051	C101	Rohan Sharma	Electronics	1	1350.00	2026-01-26	Paid	1350.00
1002	C102	Priya Patel	Electronics	1	1200.75	2026-01-01	Paid	1200.75
1079	C108	Kiran Joshi	Electronics	1	1150.00	2026-02-09	Paid	1150.00
1041	C115	Gaurav Kapur	Electronics	1	999.00	2026-01-21	Paid	999.00
1016	C105	Vikram Singh	Electronics	1	899.00	2026-01-08	Paid	899.00
1064	C110	Pooja Hegde	Home Appliances	1	890.00	2026-02-01	Paid	890.00

The bottom panel shows the 'Action Output' with a log of SQL statements and their execution times. The last entry is:

```
20 20:45:16 select *,(price_per_unit*quantity) as total_revenue from dmart_orders order by total_revenue desc limit 10 10 row(s) returned 0.000 sec / 0.000 sec
```

Q. 9 Calculate the total items sold across all transactions.

Query:

```
select payment_status, sum(quantity) as total_items_sold from dmart_orders group by payment_status;
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL editor contains a query to calculate the total items sold across all transactions, grouped by payment status. The query is as follows:

```
select payment_status, sum(quantity) as total_items_sold from dmart_orders group by payment_status;
```

The results are shown in the Result Grid, which displays the following data:

payment_status	total_items_sold
Paid	420
Pending	71
Refunded	53

The bottom panel shows the Action Output, which lists the execution of the query and the resulting message:

```
21 20:56:40 select product_category.payment_status, quantity, sum(price_per_unit * quantity) as total_revenue from dmart_or... Error Code: 1055. Expression #3 of SELECT list is not in GROUP BY clause and contains nonaggregated colu... 0.000 sec
22 20:57:36 select product_category.payment_status, quantity, sum(quantity) as total_quantity, sum(price_per_unit * quantity) ... Error Code: 1055. Expression #3 of SELECT list is not in GROUP BY clause and contains nonaggregated colu... 0.000 sec
23 20:57:50 select product_category.payment_status, quantity, sum(quantity) as total_quantity, sum(price_per_unit * quantity) ... Error Code: 1055. Expression #3 of SELECT list is not in GROUP BY clause and contains nonaggregated colu... 0.000 sec
24 20:58:38 select product_category.payment_status, quantity, sum(quantity) as total_quantity, sum(price_per_unit * quantity) as total_f... 19 row(s) returned 0.000 sec / 0.000 sec
25 21:02:19 select sum(quantity) as total_items_sold from dmart_orders LIMIT 0. 1000 1 row(s) returned 0.000 sec / 0.000 sec
26 21:03:04 select payment_status, sum(quantity) as total_items_sold from dmart_orders LIMIT 0. 1000 Error Code: 1140. In aggregated query without GROUP BY, expression #1 of SELECT list contains nonaggrega... 0.015 sec
27 21:03:22 select payment_status, sum(quantity) as total_items_sold from dmart_orders group by payment_status LIMIT 0. ... 3 row(s) returned 0.016 sec / 0.000 sec
```

Q. 10 Total revenue generated across all the paid orders.

Query:

```
select sum(price_per_unit*quantity) as total_revenue from dmart_orders  
where payment_status='Paid';
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The main editor window shows a SQL query: `select sum(price_per_unit*quantity) as total_revenue from dmart_orders where payment_status='Paid';`. The query is executed, and the results are shown in the 'Result Grid' pane. The results table has one column, 'total_revenue', with a single row containing the value '28668.99'. The 'Output' pane at the bottom shows the execution log, indicating that the query was completed successfully.

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

total_revenue
28668.99

Result 1

Output

#	Time	Action	Message	Duration / Fetch
1	21:54:02	select * from dmat_orders (quantity) as total_items_sold where payment_status='Paid'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL serv...	0.016 sec
2	21:54:08	select * from dmat_orders (quantity) as total_items_sold where payment_status='Paid'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL serv...	0.016 sec
3	21:57:24	select sum(price_per_unit*quantity) as total_revenue from dmat_orders where payment_status='Paid' LIMIT 0, 10...	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

Q. 10 Calculate the average revenue generated per single unit item sold.

Query:

```
select product_category, avg(price_per_unit) as avg_price from dmart_orders group by product_category order by avg_price desc;
```

Screenshot:

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
select product_category, avg(price_per_unit) as avg_price from dmart_orders group by product_category order by avg_price desc;
```

The Results tab displays the output of the query as a table:

product_category	avg_price
Electronics	747.557692
Home Appliances	476.568192
Apparel	180.048571
Personal Care	82.071538
Groceries	31.658696

The bottom panel shows the Query History and Output tabs. The Query History tab lists several queries with their execution times and messages. The Output tab shows the results of the current query, indicating that 7 rows were returned.

Q. 11 Fetch the data of all customers between '2026-02-01' and '2026-02-25'.

Query:

select *from dmart_orders where order_date between '2026-02-01' and '2026-02-25';

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL editor at the top contains a query to select all records from the `dmart_orders` table where the `order_date` is between '2026-02-01' and '2026-02-25'. The query is as follows:

```
select *from dmart_orders where order_date between '2026-02-01' and '2026-02-25';
```

Below the editor, the 'Result Grid' shows the output of the query. The results are displayed in a table with the following columns: `order_id`, `customer_id`, `customer_name`, `product_category`, `quantity`, `price_per_unit`, `order_date`, and `payment_status`.

order_id	customer_id	customer_name	product_category	quantity	price_per_unit	order_date	payment_status
1063	C116	Arjun Kapoor	Groceries	15	9.50	2026-02-01	Pending
1064	C110	Pooja Hegde	Home Appliances	1	890.00	2026-02-01	Paid
1065	C103	ANET MESHERA	Personal Care	3	88.00	2026-02-02	Paid
1066	C113	deepak Gupta	Groceries	7	44.00	2026-02-02	Paid
1067	C117	Neha Kakkar	Packaged Foods	10	20.00	2026-02-03	Paid

The bottom panel of the screenshot shows the 'Action Output' tab, which provides a detailed log of the query execution, including the time taken and the number of rows returned for each step.

Q. 12 Fetch the data of customers who's name starts with 'R'.

Query:

```
select *from dmart_orders where customer_name like 'r%';
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL editor contains a query to fetch orders where the customer name starts with 'R'. The query is as follows:

```
107 (1092, 'C119', 'Sanjay Dutt', 'Packaged Foods', 11, 22.00, '2026-02-15', 'Paid'),
108 (1093, 'C104', 'Sneha Reddy', 'Apparel', 4, 135.00, '2026-02-16', 'Paid'),
109 (1094, 'C120', 'Ishaan Khatter', 'Groceries', 7, 41.20, '2026-02-16', 'Paid'),
110 (1095, 'C106', 'Anjali Desai', 'Dairy', 6, 20.00, '2026-02-17', 'Refunded'),
111 (1096, 'C115', 'Gaurav Kapur', 'Packaged Foods', 9, 19.00, '2026-02-17', 'Paid'),
112 (1097, 'C102', 'Priya Patel', 'Home Appliances', 1, 750.00, '2026-02-18', 'Paid'),
113 (1098, 'C105', 'Vikram Singh', 'Apparel', 3, 160.00, '2026-02-18', 'Paid'),
114 (1099, 'C108', 'Kiran Joshi', 'Personal Care', 5, 55.40, '2026-02-19', 'Pending'),
115 (1100, 'C116', 'Arjun Kapoor', 'Groceries', 16, 12.50, '2026-02-19', 'Paid');
116 select *from dmart_orders where customer_name like 'r%';
117
```

The Results grid shows the following data:

order_id	customer_id	customer_name	product_category	quantity	price_per_unit	order_date	payment_status
1010	C107	Raj Mahotra	Groceries	8	25.25	2026-01-05	Paid
1020	C107	Raj Mahotra	Apparel	1	250.00	2026-01-10	Pending
1026	C114	Ritu Phogat	Personal Care	2	95.50	2026-01-13	Paid
1035	C107	Raj Mahotra	Groceries	9	38.00	2026-01-18	Paid
1038	C114	Ritu Phogat	Groceries	5	48.00	2026-01-19	Paid

The Output tab shows the execution log with the following entries:

#	Time	Action	Message	Duration / Fetch
22	22:28:55	select *from dmart_orders where order_date between '2026-02-01' and '2026-02-25' LIMIT 0, 1000	38 row(s) returned	0.000 sec / 0.000 sec
23	22:31:40	select *from dmat_orders where customer_name='A%' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
24	22:31:49	select *from dmat_orders where customer_name='A%' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
25	22:31:53	select *from dmat_orders where customer_name='A%' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
26	22:31:57	select *from dmat_orders where customer_name='A%' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
27	22:32:27	select *from dmat_orders where customer_name like 'h%' LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
28	22:32:33	select *from dmat_orders where customer_name like 'Y%' LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

Q. 13 Create a new column order_tier labelling each customer as per the order quantity.

Query:

```
select *,  
  
if(quantity>10,'Bulk order',  
  
if(quantity >5 and quantity< 10, 'Regular order','singel order'))  
  
as order_tier  
  
from dmart_orders;
```

Screenshot:

The screenshot displays the MySQL Workbench interface. The SQL editor contains the following query:

```
select *,  
if(quantity>10,'Bulk order',  
if(quantity >5 and quantity< 10, 'Regular order','singel order'))  
as order_tier  
from dmart_orders;
```

The Results grid shows the following data:

order_id	customer_id	customer_name	product_category	quantity	price_per_unit	order_date	payment_status	order_tier
1001	C101	Rohan Sharma	Groceries	5	45.50	2026-01-01	Paid	singel order
1002	C102	Priya Patel	Electronics	1	1200.75	2026-01-01	Paid	singel order
1003	C103	AKET MISHRA	Apparel	3	150.20	2026-01-02	Pending	singel order
1004	C101	Rohan Sharma	Packaged Foods	10	22.45	2026-01-02	Paid	singel order
1005	C104	Sneha Reddy	Personal Care	2	85.33	2026-01-03	Paid	singel order

The Output tab shows the execution log with the following messages:

```
# Time Action Message Duration / Fetch  
29 22:40:55 select customer_name,product_category,if(quantity>10,'Bulk order',if(quantity between 5 and 10, 'Regular order', 'singel order')) as order_tier from dmart_orders; Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version [5.7.33] 0.000 sec  
30 22:41:28 select customer_name,product_category,if(quantity>10,'Bulk order',if(quantity>5 and quantity<10, 'Regular order', 'singel order')) as order_tier from dmart_orders; Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version [5.7.33] 0.015 sec  
31 22:42:02 select customer_name,product_category,if(quantity>10,'Bulk order',if(quantity>5 and quantity<10, 'Regular order', 'singel order')) as order_tier from dmart_orders; Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version [5.7.33] 0.000 sec  
32 22:42:03 select customer_name,product_category,if(quantity>10,'Bulk order',if(quantity>5 and quantity<10, 'Regular order', 'singel order')) as order_tier from dmart_orders; Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version [5.7.33] 0.000 sec  
33 22:42:17 select *,if(quantity>10,'Bulk order',if(quantity>5 and quantity<10, 'Regular order', 'singel order')) as order_tier from dmart_orders; Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version [5.7.33] 0.000 sec  
34 22:42:18 select *,if(quantity>10,'Bulk order',if(quantity>5 and quantity<10, 'Regular order', 'singel order')) as order_tier from dmart_orders; Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version [5.7.33] 0.000 sec  
35 22:42:48 select *,if(quantity>10,'Bulk order',if(quantity>5 and quantity<10, 'Regular order', 'singel order')) as order_tier from dmart_orders; 100 row(s) returned 0.000 sec / 0.000 sec
```