```java
import
java.sql.Conne
ction;

import java.sql.DriverManager;

import java.sql.ResultSet;

import java.sql.Statement;

import java.text.SimpleDateFormat;

import java.util.Date;



/*

 * To change this license header, choose License Headers in Project
Properties.

 * To change this template file, choose Tools | Templates

 * and open the template in the editor.

 */


/**

 *

 *

 */




public class AdminDesh extends javax.swing.JFrame  {


    /**

     * Creates new form UserDesh

     */
```

```java
    public AdminDesh() {

        initComponents();


        SimpleDateFormat formatter = new SimpleDateFormat("dd/MM/yyyy
HH:mm:ss");

        Date date = new Date();

        jLabel4.setText(formatter.format(date));



    }



    /**

     * This method is called from within the constructor to initialize the
form.

     * WARNING: Do NOT modify this code. The content of this method is
always

     * regenerated by the Form Editor.

     */

    @SuppressWarnings("unchecked")

    // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
BEGIN:initComponents

    private void initComponents() {


        jPanel1 = new javax.swing.JPanel();

        jLabel1 = new javax.swing.JLabel();

        jButton1 = new javax.swing.JButton();

        jButton2 = new javax.swing.JButton();

        jButton3 = new javax.swing.JButton();

        jLabel4 = new javax.swing.JLabel();

        jButton4 = new javax.swing.JButton();
```

```java
        jButton7 = new javax.swing.JButton();

        jButton8 = new javax.swing.JButton();

        jButton9 = new javax.swing.JButton();



    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);


        jPanel1.setBackground(new java.awt.Color(204, 255, 204));


        jLabel1.setFont(new java.awt.Font("Arial Unicode MS", 0, 24)); //
NOI18N

        jLabel1.setText("STAR BANK Admin Panel");


        javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);

        jPanel1.setLayout(jPanel1Layout);

        jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADIN
G)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGap(88, 88, 88)
                .addComponent(jLabel1)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
        jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADIN
G)
```

```java
                .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()

                    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)

                    .addComponent(jLabel1)

                    .addContainerGap())
        );


        jButton1.setText("LogOut");

        jButton1.addActionListener(new java.awt.event.ActionListener() {

            public void actionPerformed(java.awt.event.ActionEvent evt) {

                jButton1ActionPerformed(evt);

            }

        });


        jButton2.setText("New User Registration");

        jButton2.addActionListener(new java.awt.event.ActionListener() {

            public void actionPerformed(java.awt.event.ActionEvent evt) {

                jButton2ActionPerformed(evt);

            }

        });


        jButton3.setText("Transition History");


        jLabel4.setFont(new java.awt.Font("Arial Unicode MS", 0, 16)); //
NOI18N


        jButton4.setText("Transition");
```

```java
        jButton7.setText("Requests");

        jButton7.addActionListener(new java.awt.event.ActionListener() {

            public void actionPerformed(java.awt.event.ActionEvent evt) {

                jButton7ActionPerformed(evt);

            }

        });


        jButton8.setText("Services");


        jButton9.setText("Quick Transfer");


        javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());

        getContentPane().setLayout(layout);

        layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

            .addComponent(jPanel1,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

            .addGroup(layout.createSequentialGroup()

                .addGroup(layout.createParallelGroup(javax.swing.GroupLayo
ut.Alignment.LEADING)

                    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup()

                        .addContainerGap()

                        .addGroup(layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)

                            .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE, 146, Short.MAX_VALUE)
```

```java
                                        .addComponent(jButton7,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
                                    .addGap(10, 10, 10)
                                    .addGroup(layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING, false)
                                        .addGroup(layout.createSequentialGroup()
                                            .addComponent(jButton8,
javax.swing.GroupLayout.PREFERRED_SIZE, 147,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                            .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                                            .addComponent(jButton9,
javax.swing.GroupLayout.PREFERRED_SIZE, 152,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                        .addGroup(layout.createSequentialGroup()
                                            .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 147,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                            .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED)
                                            .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 152,
javax.swing.GroupLayout.PREFERRED_SIZE))))
                            .addGroup(layout.createSequentialGroup()
                                .addGap(124, 124, 124)
                                .addComponent(jLabel4,
javax.swing.GroupLayout.PREFERRED_SIZE, 207,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                .addComponent(jButton1)
                                .addGap(17, 17, 17)))
```

```java
                        .addContainerGap())
            );
            layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(layout.createSequentialGroup()
                    .addComponent(jPanel1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
                    .addGroup(layout.createParallelGroup(javax.swing.GroupLayo
ut.Alignment.LEADING)
                        .addComponent(jLabel4,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(jButton1))
                    .addGap(30, 30, 30)
                    .addGroup(layout.createParallelGroup(javax.swing.GroupLayo
ut.Alignment.BASELINE)
                        .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE))
                    .addGap(18, 18, 18)
                    .addGroup(layout.createParallelGroup(javax.swing.GroupLayo
ut.Alignment.BASELINE)
```

```java
                        .addComponent(jButton8,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)

                        .addComponent(jButton9,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)

                        .addComponent(jButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE))

                    .addContainerGap(19, Short.MAX_VALUE))
        );


        pack();

    }// </editor-fold>//GEN-END:initComponents


    private void jButton1ActionPerformed(java.awt.event.ActionEvent evt)
{//GEN-FIRST:event_jButton1ActionPerformed

        System.exit(0);

    }//GEN-LAST:event_jButton1ActionPerformed


    private void jButton2ActionPerformed(java.awt.event.ActionEvent evt)
{//GEN-FIRST:event_jButton2ActionPerformed

            AdminDesh pb1=new AdminDesh();

            NewUserReg pb2=new NewUserReg();

            pb1.setVisible(false);

            pb2.setVisible(true);

            dispose();

    }//GEN-LAST:event_jButton2ActionPerformed


    private void jButton7ActionPerformed(java.awt.event.ActionEvent evt)
{//GEN-FIRST:event_jButton7ActionPerformed
```

```java
        // TODO add your handling code here:

    }//GEN-LAST:event_jButton7ActionPerformed


    /**
     * @param args the command line arguments
     */
    public static void main(String args[]) {
        /* Set the Nimbus look and feel */
        //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
        /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
         * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.html
         */
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;
                }
            }
        } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(UserDesh.class.getName()).log(java.util
.logging.Level.SEVERE, null, ex);
        } catch (InstantiationException ex) {
```

```java
                java.util.logging.Logger.getLogger(UserDesh.class.getName()).log(java.util
        .logging.Level.SEVERE, null, ex);

            } catch (IllegalAccessException ex) {

                java.util.logging.Logger.getLogger(UserDesh.class.getName()).log(java.util
        .logging.Level.SEVERE, null, ex);

            } catch (javax.swing.UnsupportedLookAndFeelException ex) {

                java.util.logging.Logger.getLogger(UserDesh.class.getName()).log(java.util
        .logging.Level.SEVERE, null, ex);

            }
        //</editor-fold>


        /* Create and display the form */
        java.awt.EventQueue.invokeLater(new Runnable() {

            public void run() {

                new AdminDesh().setVisible(true);



            }

        });

    }


    // Variables declaration - do not modify//GEN-BEGIN:variables

    private javax.swing.JButton jButton1;

    private javax.swing.JButton jButton2;

    private javax.swing.JButton jButton3;

    private javax.swing.JButton jButton4;

    private javax.swing.JButton jButton7;
```

```java
    private javax.swing.JButton jButton8;

    private javax.swing.JButton jButton9;

    private javax.swing.JLabel jLabel1;

    private javax.swing.JLabel jLabel4;

    private javax.swing.JPanel jPanel1;

    // End of variables declaration//GEN-END:variables

}
```