```
<?xml version="1.0" encoding="UTF-8" ?>
<Form version="1.3" maxVersion="1.9"</pre>
type="org.netbeans.modules.form.forminfo.JFrameFormInfo">
  <Properties>
    <Property name="defaultCloseOperation" type="int" value="3"/>
  </Properties>
  <SyntheticProperties>
    <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
    <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
  </SyntheticProperties>
  <AuxValues>
    <AuxValue name="FormSettings autoResourcing" type="java.lang.Integer"</pre>
value="0"/>
    <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"</pre>
value="false"/>
    <AuxValue name="FormSettings generateFON" type="java.lang.Boolean"</pre>
value="true"/>
    <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"</pre>
value="false"/>
    <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"</pre>
value="false"/>
    <AuxValue name="FormSettings layoutCodeTarget" type="java.lang.Integer"</pre>
value="1"/>
    <AuxValue name="FormSettings listenerGenerationStyle" type="java.lang.Integer"</pre>
value="0"/>
    <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"</pre>
value="false"/>
    <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"</pre>
value="2"/>
```

```
</AuxValues>
  <Layout>
    <DimensionLayout dim="0">
      <Group type="103" groupAlignment="0" attributes="0">
          <Group type="102" alignment="1" attributes="0">
              <EmptySpace min="-2" pref="31" max="-2" attributes="0"/>
              <Group type="103" groupAlignment="0" attributes="0">
                   <Component id="jLabel3" alignment="0" min="-2" pref="101" max="-</pre>
2" attributes="0"/>
                   <Component id="jLabel2" alignment="0" min="-2" pref="101" max="-</pre>
2" attributes="0"/>
              </Group>
              <EmptySpace pref="58" max="32767" attributes="0"/>
              <Group type="103" groupAlignment="0" attributes="0">
                   <Component id="jLabel4" min="-2" pref="192" max="-2"</pre>
attributes="0"/>
                   <Group type="103" alignment="0" groupAlignment="1" max="-2"</pre>
attributes="0">
                       <Component id="jPasswordField1" alignment="0" max="32767"</pre>
attributes="0"/>
                       <Component id="jTextField2" alignment="0" pref="166"</pre>
max="32767" attributes="0"/>
                   </Group>
              </Group>
              <EmptySpace min="-2" pref="25" max="-2" attributes="0"/>
          </Group>
          <Group type="102" alignment="1" attributes="0">
              <EmptySpace max="32767" attributes="0"/>
              <Group type="103" groupAlignment="0" attributes="0">
```

```
<Group type="102" alignment="1" attributes="0">
                      <Component id="jLabel1" min="-2" pref="202" max="-2"</pre>
attributes="0"/>
                      <EmptySpace min="-2" pref="94" max="-2" attributes="0"/>
                  </Group>
                  <Group type="102" alignment="1" attributes="0">
                      <Component id="jButton1" min="-2" max="-2" attributes="0"/>
                      <EmptySpace min="-2" pref="103" max="-2" attributes="0"/>
                  </Group>
              </Group>
          </Group>
      </Group>
    </DimensionLayout>
    <DimensionLayout dim="1">
      <Group type="103" groupAlignment="0" attributes="0">
          <Group type="102" alignment="0" attributes="0">
              <EmptySpace max="-2" attributes="0"/>
              <Component id="jLabel1" min="-2" pref="37" max="-2" attributes="0"/>
              <EmptySpace min="-2" pref="24" max="-2" attributes="0"/>
              <Component id="jLabel4" min="-2" max="-2" attributes="0"/>
              <EmptySpace type="unrelated" max="-2" attributes="0"/>
              <Group type="103" groupAlignment="3" attributes="0">
                  <Component id="jLabel2" alignment="3" min="-2" max="-2"</pre>
attributes="0"/>
                  <Component id="jTextField2" alignment="3" min="-2" pref="25"</pre>
max="-2" attributes="0"/>
              </Group>
              <EmptySpace min="-2" pref="25" max="-2" attributes="0"/>
              <Group type="103" groupAlignment="3" attributes="0">
```

```
<Component id="jLabel3" alignment="3" min="-2" max="-2"</pre>
attributes="0"/>
                  <Component id="jPasswordField1" alignment="3" min="-2" pref="25"</pre>
max="-2" attributes="0"/>
              </Group>
              <EmptySpace min="-2" pref="45" max="-2" attributes="0"/>
              <Component id="jButton1" min="-2" max="-2" attributes="0"/>
              <EmptySpace pref="56" max="32767" attributes="0"/>
          </Group>
      </Group>
    </DimensionLayout>
  </Layout>
  <SubComponents>
    <Component class="javax.swing.JLabel" name="jLabel1">
      <Properties>
        <Property name="font" type="java.awt.Font"</pre>
editor="org.netbeans.beaninfo.editors.FontEditor">
          <Font name="Arial Unicode MS" size="24" style="0"/>
        </Property>
        <Property name="text" type="java.lang.String" value="ADMIN PANEL"/>
      </Properties>
    </Component>
    <Component class="javax.swing.JLabel" name="jLabel2">
      <Properties>
        <Property name="font" type="java.awt.Font"</pre>
editor="org.netbeans.beaninfo.editors.FontEditor">
          <Font name="Arial Unicode MS" size="18" style="0"/>
        </Property>
        <Property name="text" type="java.lang.String" value="UserName"/>
```

```
</Properties>
    </Component>
    <Component class="javax.swing.JLabel" name="jLabel3">
      <Properties>
        <Property name="font" type="java.awt.Font"</pre>
editor="org.netbeans.beaninfo.editors.FontEditor">
          <Font name="Arial Unicode MS" size="18" style="0"/>
        </Property>
        <Property name="text" type="java.lang.String" value="Password"/>
      </Properties>
    </Component>
    <Component class="javax.swing.JTextField" name="jTextField2">
      <Events>
        <EventHandler event="actionPerformed"</pre>
listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
handler="jTextField2ActionPerformed"/>
      </Events>
    </Component>
    <Component class="javax.swing.JButton" name="jButton1">
      <Properties>
        <Property name="font" type="java.awt.Font"</pre>
editor="org.netbeans.beaninfo.editors.FontEditor">
          <Font name="Arial Unicode MS" size="18" style="0"/>
        </Property>
        <Property name="text" type="java.lang.String" value="Login"/>
      </Properties>
      <Events>
        <EventHandler event="actionPerformed"</pre>
listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
handler="jButton1ActionPerformed"/>
```

```
</form>
```