CSA3714 Software Testing

CO1 - AT1 Descriptive

Answers

Priyanka. P
192311423

13/10/26

8/10

8) Cross Browser Testing

Defect Origin : Differences in browser engines, CSS support, Javascript behaviour, screen sizes and browser versions.

Testing strategy : Test important function such as login, product search, cart, payment and checkout across major browsers.

Example : A checkout button may work in Chrome but fail in Firefox due to Javascript compatability issues.

Techniques : Use compatability testing, responsive, automated scripts and Tools such as selenium.

9) Defect Classification in Payroll:

Defect classification : Salary errors be logical, calculation, boundary or data handling defects.

Testing : Verify basic salary, allowances, deductions, overtime, tax and final salary calculations.

Example: Incorrectly subtracting deductions instead of adding eligible allowance produces an incorrect salary.

Prevention: Use code reviews, boundary value analysis and automated regression tests.

11) Data Inconsistency in Healthcare Application:

Defect analysis: Data inconsistency may occur due to incorrect database updates, synchronization failures or integration errors between modules.

Systematic Testing: Perform integration database and consistency testing for example verify that payments updated prescription appears correctly in all modules.

Improvement: Maintain a defect repository record clear bug reports, prioritize defects.

12) Repeated Defects in Software Releases.

Defect Repository: A centralized database stores defect details and causes, severity, status, solutions.

Test Design: Use previous defect records to create targeted test cases for error prone modules.

Example: Repeated Login Failures indicate authentication problems that require additional security and regression tests.

Prevention: Analyze defect patterns, perform root cause analysis, update test cases and conduct regular code reviews.

13) Web based Learning System Failure during Peak Usage:

Testing gaps: Insufficient load testing, stress testing and concurrency testing may cause failure during peak usage.

Test Planning: Identify peak user loads, important features, performance limits and expected response times.

Example: Simulate thousands of students accessing online examinations simultaneously to identify server overload.

Improvement: Use tools such as JMeter, monitor server resources, conduct scalability testing and automate performance tests.