A Minor Project Synopsis

On

Project ID- BTP2CSE127

Title of Project-Scaffold Decoration using Conditional VAEs

Submitted in partial fulfillment of the

requirements for the award of the

degree of

BACHELOR OF TECHNOLOGY

Session 2025-26
in

Computer Science and Engineering

By- Sachin Pandey (2410031664)

Devansh Mishra (2410031697)

Pragya Dokania (2410031584)

Priyanshu Gangwar (2410031630)

Under the guidance of ---Dr. Monika Kumari Ma'am

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

IILM UNIVERSITY, GREATER

NOIDA, INDIA

March, 2026

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

IILM UNIVERSITY, GREATER NOIDA

Index page with the following items:

Section no.	Section	Page no.
1	Introduction	
2	Problem Statement	
3	Literature Review	
4	Objectives	
4	Methodology	
6	Tools & Technologies	
7	Expected Outcomes	
8	Applications	
9	Conclusion and Future Work	

Signature of Supervisor: _____

Date: _____

Scaffold Decoration using Conditional Variational Autoencoders (CVAE)

---

1. Introduction

Artificial Intelligence (AI) and Machine Learning (ML) are transforming modern industries, especially healthcare and drug discovery. The development of new drugs is a complex, time-consuming, and expensive process that often takes years of research and testing. One of the major challenges in this domain is designing new molecular structures that satisfy specific chemical and biological properties.

Traditionally, drug discovery relies on laboratory experiments and manual design, which are not only costly but also inefficient when exploring a large number of molecular possibilities. With the advancement of deep learning, computational approaches are now being widely used to accelerate molecular design and reduce human effort.

Generative models are a class of machine learning models that can generate new data similar to the data they are trained on. Among these, Variational Autoencoders (VAE) have gained popularity due to their ability to learn a compressed representation of data and generate new samples from it. However, standard VAEs generate outputs randomly and do not allow control over the properties of the generated data.

To address this limitation, Conditional Variational Autoencoders (CVAE) were introduced. CVAE extends the VAE framework by incorporating additional conditions or inputs, enabling

controlled generation of data. This makes CVAE particularly useful in applications where specific outputs are required.

In chemistry, molecules often consist of a core structure known as a scaffold. Scaffold decoration refers to modifying this base structure by adding or replacing functional groups while preserving the main framework. This technique is highly useful in drug design, as it allows researchers to explore variations of known molecules without losing their essential characteristics.

This project focuses on applying CVAE for scaffold decoration. The model learns patterns from existing molecular data and generates new molecules based on a given scaffold and condition. This approach improves efficiency and allows the exploration of a wide range of chemical structures.

The significance of this work lies in demonstrating how AI techniques can be applied to solve real-world problems. By automating molecular generation, this project highlights the potential of deep learning in accelerating drug discovery and reducing costs.

---

2. Problem Statement

Designing molecules with desired properties is a major challenge in drug discovery. Traditional methods are slow, expensive, and not scalable.

This project aims to develop a system that can:

- Automatically generate new molecular structures
- Preserve the core scaffold of molecules
- Introduce variations in functional groups
- Ensure diversity and validity of generated molecules

The problem is solved using Conditional Variational Autoencoders to enable controlled and efficient molecular generation.

---

3. Literature Review

Deep learning has introduced several techniques for molecular generation and design.

3.1 Variational Autoencoders (VAE)

Kingma and Welling (2014) proposed VAEs, which are probabilistic models capable of generating new data by learning latent representations.

Advantages:

- Continuous latent space
- Ability to generate new samples

Limitations:

- No control over output

3.2 Conditional Variational Autoencoders (CVAE)

Sohn et al. (2015) introduced CVAE, which incorporates additional information into the model for controlled generation.

Advantages:

- Controlled output

- Flexible architecture

3.3 Deep Learning in Molecular Design

Gómez-Bombarelli et al. (2018) demonstrated molecular generation using VAEs and SMILES representation.

3.4 Scaffold-Based Molecular Design

This approach focuses on preserving the core structure while modifying functional groups, ensuring chemical stability.

3.5 Research Gap

- Limited control in VAE
- Invalid molecule generation
- Need for scaffold-based models

This project addresses these issues using CVAE.

---

4. Objectives

- Study VAE and CVAE
- Implement scaffold decoration

- Generate new molecules
- Preserve structure
- Analyze performance

---

5. Methodology

5.1 Flowchart

Input Scaffold + Condition

↓

Data Preprocessing

↓

Encoder

↓

Latent Space

↓

Decoder

↓

Generated Molecules

5.2 Data Collection

Molecular data is collected in SMILES format.

5.3 Data Preprocessing

- Remove invalid data
- Tokenize SMILES
- Convert to numeric format

5.4 Model Architecture

Input (X, C)

↓

Encoder

↓

Latent Space (Z)

↓

Decoder

↓

Output (X')

5.5 Working of VAE and CVAE (Detailed)

VAE Working:

1. Input data is passed to encoder
2. Encoder generates mean and variance
3. Latent vector is sampled
4. Decoder reconstructs output

CVAE Working:

1. Input + condition given
2. Encoder processes both
3. Latent representation created
4. Decoder generates controlled output

5.6 Latent Space Diagram

```
  Latent Space
 -----------------
 |  •  •  •  |
 | •  •  •   |
 |  •  •  •  |
 -----------------
```

(Similar molecules cluster together)

5.7 Training

- Reconstruction Loss
- KL Divergence
- Optimizer: Adam

5.8 Evaluation

- Validity
- Diversity
- Similarity

---

6. Tools & Technologies

- Python
- TensorFlow / PyTorch
- NumPy, Pandas
- Matplotlib

---

7. Expected Outcomes

- New molecule generation
- Controlled output
- Scaffold preservation

---

8. Applications

- Drug discovery
- Chemical research
- Material science
- Biotechnology

9. Conclusion and Future Work

This project demonstrates the use of CVAE in scaffold-based molecular design. It shows how AI can generate new molecules efficiently.

Future work:

- Improve accuracy
- Use larger datasets
- Real-world testing

References

[1] D. P. Kingma and M. Welling, *"Auto-Encoding Variational Bayes,"* arXiv preprint arXiv:1312.6114, 2014.

[2] K. Sohn, H. Lee, and X. Yan, *"Learning Structured Output Representation using Deep Conditional Generative Models,"* in *Advances in Neural Information Processing Systems (NeurIPS)*, 2015.

[3] R. Gómez-Bombarelli et al., *"Automatic Chemical Design Using a Data-Driven Continuous Representation of Molecules," ACS Central Science*, vol. 4, no. 2, pp. 268–276, 2018.

[4] J. M. Jiménez-Luna, F. Grisoni, and G. Schneider, *"Drug Discovery with Explainable Artificial Intelligence," Nature Machine Intelligence*, vol. 2, pp. 573–584, 2020.

[5] A. Zhavoronkov et al., *"Deep Learning Enables Rapid Identification of Potent DDR1 Kinase Inhibitors," Nature Biotechnology*, vol. 37, pp. 1038–1040, 2019.