Experiment-5

Aim: Exercise on retrieving records from the table.

EMPLOYEES (Employee_Id, First_Name, Last_Name, Email, Phone_Number, Hire_Date, Job_Id, Salary, Commission_Act, Manager_Id, Department_Id).

- **Create Database and Table**
  - **Code:**

```sql
CREATE DATABASE ASSIGNMENT_5;
USE ASSIGNMENT_5;

CREATE TABLE Employees (
Employee_ID INT PRIMARY KEY,
First_Name VARCHAR(50),
Last_Name VARCHAR(50),
Email VARCHAR(100),
Phone_Number VARCHAR(10),
Hire_Date DATE,
Job_ID VARCHAR(20),
Salary DECIMAL,
Commission_Act INT,
Manager_ID int,
Department_ID int
);
```

➢ **Explanation:**
- This creates a new database named *ASSIGNMENT_5*.
- This command tells SQL to use the created database.
- This creates a table with employee details like ID, name, salary, department, etc.

- **Insert Sample Data**
- **Code:**

```sql
INSERT INTO EMPLOYEES VALUES
(101, 'Priyanshi', 'Patel', 'patel@gmail.com', '12345', '2020-01-10', 'IT_PROG', 5000, NULL, 100, 60),
(102, 'Dolly', 'Sharma', 'dolly@gmail.com', '67890', '2021-02-15', 'HR', 4800, NULL, 100, 70),
(103, 'Akansha', 'Yadav', 'akansha@gmail.com', '54321', '2019-03-20', 'SALES', 3000, NULL, 101, 80),
(104, 'Neha', 'Austin', 'neha@gmail.com', '98765', '2022-04-25', 'IT_PROG', 7000, NULL, 100, 60),
(105, 'Raj', 'Austin', 'raj@gmail.com', '11223', '2023-05-30', 'HR', 4500, NULL, 102, 90);
```

➢ **Explanation:**
- Inserts sample employee data for testing queries.

(a) Find out the employee id, names, salaries of all the employees

- **Code:**

```
SELECT Employee_ID, First_Name, Last_Name, Salary FROM Employees;
```

- **Output:**

Result Grid | Filter Rows:

Employee_ID	First_Name	Last_Name	Salary
101	Priyanshi	Patel	5000
102	Dolly	Sharma	4800
103	Akansha	Yadav	3000
104	Neha	Verma	7000
105	Raj	Kumar	4500
NULL	NULL	NULL	NULL

➢ **Explanation:**

- SELECT chooses specific columns
- Displays employee ID, first name, last name, and salary

(b) List out the employees who works under manager 100

- **Code:**

```
SELECT *
FROM EMPLOYEES
WHERE Manager_Id = 100;
```

- **Output:**

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Employee_ID	First_Name	Last_Name	Email	Phone_Number	Hire_Date	Job_ID	Salary	Commission_Act	Manager_ID	Department_ID
101	Priyanshi	Patel	patel@gmail.com	12345	2020-01-10	IT_PROG	5000	NULL	100	60
102	Dolly	Sharma	dolly@gmail.com	67890	2021-02-15	HR	4800	NULL	100	70
104	Neha	Verma	neha@gmail.com	98765	2022-04-25	IT_PROG	7000	NULL	100	60
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

➢ **Explanation:**

- WHERE filters records
- Shows employees whose manager ID is 100

(c) Find the names of the employees who have a salary greater than or equal to 4800

- **Code:**

```
SELECT First_Name, Last_Name FROM Employees
Where Salary >= 4800;
```

- **Output:**

Result Grid | Filter Rows:

First_Name	Last_Name
Priyanshi	Patel
Dolly	Sharma
Neha	Verma

➢ **Explanation:**

- >= means greater than or equal
- Filters employees earning 4800 or more

(d) List out the employees whose last name is ‘AUSTIN’

- **Code:**

```
SELECT * FROM Employees
Where Last_Name = "Austin";
```

- **Output:**

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

Employee_ID	First_Name	Last_Name	Email	Phone_Number	Hire_Date	Job_ID	Salary	Commission_Act	Manager_ID	Department_ID
104	Neha	Austin	neha@gmail.com	98765	2022-04-25	IT_PROG	7000	NULL	100	60
105	Raj	Austin	raj@gmail.com	11223	2023-05-30	HR	4500	NULL	102	90
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

➢ Explanation:

- Matches exact text
- Displays employees with last name AUSTIN

(e) Find the names of the employees who works in departments 60,70 and 80

- **Code:**

```
SELECT First_Name, Last_Name FROM Employees
Where Department_ID IN (60, 70, 80);
```

- **Output:**

Result Grid | Filter Rows:

First_Name	Last_Name
Priyanshi	Patel
Dolly	Sharma
Akansha	Yadav
Neha	Austin

➢ **Explanation:**

- IN is used to match multiple values
- Shows employees belonging to given departments

(f) Display the unique Manager_Id.

- **Code:**

```
SELECT DISTINCT Manager_ID FROM Employees;
```

- **Output:**

Result Grid

Manager_ID
100
101
102

➢ **Explanation:**

- DISTINCT removes duplicate values
- Shows only unique manager IDs