

wellConnect Wellness API

API Request Types Reference

This document lists every HTTP endpoint hosted by the wellConnect NestJS backend, with request method, path, authentication notes, and the exact request body / path types derived from the controllers and class-validator DTOs.

Generated: 2026-09-29 | Base URL: http://<host>:3000 | API prefix: /api/v1 | Swagger: /api/docs

1. Conventions

- Global prefix: /api/v1 applies to all routes except GET /health.
- Successful responses (except health): { "success": true, "data": <payload> }
- Error responses: { "success": false, "error": { "code", "message", "details" }, "requestId" }
- Content-Type for bodies: application/json
- JWT claims (when auth enabled): sub = wellnessUserId, propertyId, role
- Auth guards are currently commented out in controllers for local testing; production intends Bearer JWT on resident/admin routes.
- Validation: whitelist + forbidNonWhitelisted; unknown fields are rejected.

2. Endpoint index

Field	Type	Required	Notes / Constraints
GET /health	-	None	API + DB health (no /api/v1 prefix)
POST /api/v1/auth/dev-token	-	None	Issue development JWT
POST	-	Bearer	Ingest Health Connect data
GET /api/v1/wellness/profile	-	Bearer	Latest wellness profile
GET	-	Bearer	List recommendations
POST	-	Bearer	Generate recommendation
POST /api/v1/wellness/feedback	-	Bearer	Submit feedback
POST	-	Bearer	Register FCM device
POST	-	Bearer	Mark notification opened
POST	-	Bearer	Mark notification actioned
GET	-	Bearer	List property features
POST .../properties/:propertyId/features	-	Bearer + PROPERTY_ADMIN	Create property feature

3. Auth

3.1 Issue development JWT

POST /api/v1/auth/dev-token

Auth: None. Enabled only when AUTH_DEV_MODE=true.

Request type: DevTokenDto (JSON body)

Response: { accessToken, tokenType: "Bearer", expiresIn }

Field	Type	Required	Notes / Constraints
wellnessUserId	string	Yes	1-64 chars; pattern ^[A-Za-z0-9_-]+\$
propertyId	string	Yes	1-64 chars; pattern ^[A-Za-z0-9_-]+\$
role	enum	No	RESIDENT PROPERTY_ADMIN (default RESIDENT)

Example request:

```
{
  "wellnessUserId": "wu_recovery_001",
  "propertyId": "property_001",
  "role": "RESIDENT"
}
```

4. Health

4.1 Health check

GET /health

Auth: None | Not under /api/v1 | Not response-wrapped

Request type: None (no body, no params)

Response: { status, database, timestamp, environment }

5. Wellness - Health data ingestion

5.1 Submit normalized Health Connect data

POST /api/v1/wellness/health-data

Auth: Bearer JWT (intended); throttle 30 req / 60s

Request type: SubmitHealthDataDto

Headers: Authorization: Bearer <token>; Content-Type: application/json

Top-level fields:

Field	Type	Required	Notes / Constraints
schemaVersion	string	Yes	Must equal "1.0"
userContext	UserContextDto	Yes	Resident + app context
dataContext	DataContextDto	Yes	Window metadata
dailyHealthData	DailyHealthDataDto[]	Yes	1-14 days; unique dates required

userContext:

Field	Type	Required	Notes / Constraints
wellnessUserId	string	Yes	Must match JWT sub; ^[A-Za-z0-9_-]+\$

Field	Type	Required	Notes / Constraints
propertyId	string	Yes	Must match JWT propertyId
appVersion	string	Yes	Max 32
platform	enum	Yes	ANDROID IOS
timezone	string	Yes	IANA tz, max 64 (e.g. Asia/Kolkata)

dataContext:

Field	Type	Required	Notes / Constraints
generatedAt	ISO-8601 string	Yes	e.g. 2026-09-29T10:30:00+05:30
dataFrom	YYYY-MM-DD	Yes	Inclusive start date
dataTo	YYYY-MM-DD	Yes	Inclusive end date
daysAvailable	integer	Yes	1-14

dailyHealthData[] item:

Field	Type	Required	Notes / Constraints
date	YYYY-MM-DD	Yes	Unique within array
steps	integer	Yes	0-100000
distanceMeters	integer	Yes	0-200000
activeCalories	integer	Yes	0-20000
restingHeartRate	integer null	No	30-220 if present
averageHeartRate	integer null	No	30-220 if present
sleepMinutes	integer null	No	0-1440 if present
dataAvailability	object	Yes	Boolean flags per metric

dataAvailability:

Field	Type	Required	Notes / Constraints
steps	boolean	Yes	
distance	boolean	Yes	
activeCalories	boolean	Yes	
restingHeartRate	boolean	Yes	
averageHeartRate	boolean	Yes	
sleep	boolean	Yes	

Example request (one day shown; send 1-14 days):

```
{
  "schemaVersion": "1.0",
  "userContext": {
    "wellnessUserId": "wu_recovery_001",
    "propertyId": "property_001",
    "appVersion": "1.0.0",
    "platform": "ANDROID",
    "timezone": "Asia/Kolkata"
  },
  "dataContext": {
    "generatedAt": "2026-09-29T10:30:00+05:30",
    "dataFrom": "2026-09-23",
    "dataTo": "2026-09-29",
    "daysAvailable": 7
  },
  "dailyHealthData": [
    {
      "date": "2026-09-23",
      "steps": 9800,
      "distanceMeters": 7350,
      "activeCalories": 490,
      "restingHeartRate": 66,
      "averageHeartRate": 80,
      "sleepMinutes": 340,
      "dataAvailability": {
        "steps": true,
        "distance": true,
        "activeCalories": true,
        "restingHeartRate": true,
        "averageHeartRate": true,
        "sleep": true
      }
    }
  ]
}
```

6. Wellness - Profile & recommendations

6.1 Get wellness profile

GET /api/v1/wellness/profile

Auth: Bearer JWT (intended)

Request type: None (identity from JWT)

No body. No query params.

6.2 List recommendations

GET /api/v1/wellness/recommendations

Auth: Bearer JWT (intended)

Request type: None (identity from JWT)

No body. No query params.

6.3 Generate recommendation

POST /api/v1/wellness/recommendations/generate

Auth: Bearer JWT (intended)

Request type: Empty body

Uses stored health data for the authenticated wellnessUserId. Send Authorization header only; no JSON body is required.

7. Wellness - Feedback

7.1 Submit recommendation feedback

POST /api/v1/wellness/feedback

Auth: Bearer JWT (intended)

Request type: SubmitFeedbackDto

Field	Type	Required	Notes / Constraints
recommendationId	string	Yes	1-64 chars
action	enum	Yes	SHOWN OPENED CLICKED BOOKED COMPLETED DISMISSED NOT_INTERESTED
rating	integer	No	1-5
feedback	string	No	Max 500 chars

Example request:

```
{
  "recommendationId": "rec_8f92ab",
  "action": "CLICKED",
  "rating": 5,
  "feedback": "Nice suggestion"
}
```

8. Notifications

8.1 Register / refresh FCM device

POST /api/v1/notifications/devices

Auth: Bearer JWT (intended)

Request type: RegisterDeviceDto

Field	Type	Required	Notes / Constraints
deviceId	string	Yes	1-128 chars
platform	enum	Yes	ANDROID IOS
fcmToken	string	Yes	1-4096 chars
appVersion	string	Yes	Max 32
notificationsEnabled	boolean	No	Optional; server default if omitted

Example request:

```
{
  "deviceId": "device-123",
  "platform": "ANDROID",
  "fcmToken": "fcm-token-from-firebase-sdk",
  "appVersion": "1.0.0",
  "notificationsEnabled": true
}
```

8.2 Mark notification opened

POST /api/v1/notifications/:id/opened

Auth: Bearer JWT (intended)

Request type: Path param only

Field	Type	Required	Notes / Constraints
id (path)	string	Yes	Notification id, e.g. ntf_...

No JSON body.

8.3 Mark notification actioned

POST /api/v1/notifications/:id/actioned

Auth: Bearer JWT (intended)

Request type: Path param only

Field	Type	Required	Notes / Constraints
id (path)	string	Yes	Notification id, e.g. ntf_...

No JSON body.

9. Properties

9.1 List property features

GET /api/v1/properties/:propertyId/features

Auth: Bearer JWT (intended)

Request type: Path param only

Field	Type	Required	Notes / Constraints
propertyId (path)	string	Yes	e.g. property_001; must align with caller access

No JSON body.

9.2 Create property feature

POST /api/v1/properties/:propertyId/features

Auth: Bearer JWT + role PROPERTY_ADMIN (intended)

Request type: CreateFeatureDto + path propertyId

Field	Type	Required	Notes / Constraints
propertyId (path)	string	Yes	Target property
featureId	string	Yes	^[a-z0-9_]+\$, max 64 (e.g. service_spa)
featureType	string	Yes	^[A-Z0-9_]+\$, max 32 (e.g. SPA, GYM)
name	string	Yes	1-80 chars
category	string	Yes	1-32 (e.g. WELLNESS, FITNESS, DINING)
serviceId	string	No	Max 64
outletId	string	No	Max 64
enabled	boolean	No	
available	boolean	No	
deepLink	string	Yes	Must match ^app://[A-Za-z0-9/_-]+\$
tags	string[]	No	e.g. ["recovery", "relaxation"]

Example request:

```
{
  "featureId": "service_spa",
  "featureType": "SPA",
  "name": "Spa",
  "category": "WELLNESS",
  "serviceId": "spa",
  "enabled": true,
  "available": true,
  "deepLink": "app://service/spa",
  "tags": ["recovery", "relaxation"]
}
```

10. Shared type summary

Named request DTOs used by the hosted API:

- DevTokenDto
- SubmitHealthDataDto (embeds UserContextDto, DataContextDto, DailyHealthDataDto, DataAvailabilityDto)
- SubmitFeedbackDto
- RegisterDeviceDto
- CreateFeatureDto

Path-only / empty-body request types:

- GET /health
- GET /api/v1/wellness/profile
- GET /api/v1/wellness/recommendations
- POST /api/v1/wellness/recommendations/generate
- POST /api/v1/notifications/:id/opened
- POST /api/v1/notifications/:id/actioned
- GET /api/v1/properties/:propertyId/features

Note: The Slack sample file `healthcare_training_data_7_users_7_days.json` was not accessible from this environment (private Slack URL). Health-data examples above match the `SubmitHealthDataDto` schema and seeded synthetic residents in `prisma/seed.ts`. Interactive OpenAPI remains at `/api/docs`.