


One FILE to Another File Connect →

FLASK


Connection PATH



Flask install Commands

1. python --version
2. python -m pip install flask
3. pip install flask

App.py FILE →



The screenshot shows a code editor with a dark theme. The top bar includes 'Edit', 'Selection', and a search icon with the text 'flask'. Below the top bar, there are two tabs: 'app.py' (active) and 'index.html'. The main area displays the contents of 'app.py' with line numbers 1 through 15. The code is as follows:

```
1 from flask import Flask, render_template
2
3 app = Flask(__name__)
4
5 @app.route('/')
6 def data():
7     return render_template('index.html')
8
9 @app.route('/music.html')
10 def data1():
11     return render_template('music.html')
12
13 if __name__ == '__main__':
14     app.run(debug=True)
15
```

File 1→

Index.html

```
File Edit Selection ... flask
app.py 1 index.html X
templates > index.html > html > body
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <style>...
23 </style>
24
25 <body>
26   <p id="op1"> welcome to flask 😊 </p>
27   <p id="data"></p>
28   <input type="text" id="l1">
29   <input type="button" value="click me" onclick="clickme2()" >
30   <br><br>
31
32   <!-- <input type="button" onclick="window.location.href='/music.html'" -->
33   <button>
34     <a onclick="window.location.href='/music.html'">CLICKE ME </a>
35   </button>
36
37 </body>
38 <script>
39   let y;
40   function clickme2(){
41     y=document.getElementById('l1').value;
42     document.getElementById('data').innerText=`HELLO ${y}`;
43   }
44
45
46 </script>
47 </html>
```

Music.html

```
Edit Selection ...
app.py index.html music.html X
templates > music.html > html > head
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4
5   <title>Document</title>
6 </head>
7 <body>
8   hello Mr.MUSIC 🎵🎵
9 </body>
10 </html>
```

