Cucumber Report

| Start : Sep 26, 11:03:09.791 PM	End : Sep 26, 11:05:08.932 PM	Duration : 1 m 59.141 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 3 SKIPPED - 0	PASSED - 53 FAILED - 2 SKIPPED - 2

Features: 4 — 75 %

Scenarios: 9 — 66 %

Steps: 57 — 92 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating the Admin Functionality in Pay Grades	19.404 s	1	1	0	0	8	8	0	0
Validating the Admin Functionality in Organization	38.683 s	3	3	0	0	21	21	0	0
Validating the Admin UserMagement Functionality	18.871 s	2	2	0	0	16	16	0	0
Orange HRM Login feature test	42.111 s	3	0	3	0	12	8	2	2

#	Feature Name	Scenario Name
1	*Orange HRM Login feature test*	*To validate the Login feature of the OrangeHRM*
2		*To validate the Login feature of the OrangeHRM*
3		*To validate the Login feature of the OrangeHRM*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@ValidatingPayGrade	1	1	0	0	1	1	0	0
@ValidatingGeneralInfo	1	1	0	0	1	1	0	0
@CreatingUserByLocation	1	1	0	0	1	1	0	0
@ValidatingUserByLocationInOraganization	1	1	0	0	1	1	0	0
@UserCreation	1	1	0	0	1	1	0	0
@UserCreationValidation	1	1	0	0	1	1	0	0
@Valid_Credential	1	0	1	0	1	0	1	0
@Invalid_Credential	2	0	2	0	1	0	1	0

| #	Feature Name	T	P	F	S	Duration
1	Validating the Admin Functionality in Pay Grades	1	1	0	0	19.404 s
2	Validating the Admin Functionality in Organization	3	3	0	0	38.683 s
3	Validating the Admin UserMagement Functionality	2	2	0	0	18.871 s
4	Orange HRM Login feature test	3	0	3	0	42.111 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating the Admin Functionality in Pay Grades	Checking the functionality Pay Grades in Job	8	8	0	0	19.400 s
2	Validating the Admin Functionality in Organization	Checking the functionality of General Informationf in Organization	7	7	0	0	12.264 s
3		Checking the functionality of Location in Organization	7	7	0	0	17.728 s
4		Searching the user by selecting the Location in Organization	7	7	0	0	8.668 s
5	Validating the Admin UserMagement Functionality	Add new User in User Management	8	8	0	0	12.481 s
6		Searching for Added User in User Management	8	8	0	0	6.378 s
7	Orange HRM Login feature test	To validate the Login feature of the OrangeHRM	4	4	0	0	2.904 s
8		To validate the Login feature of the OrangeHRM	4	1	1	2	17.114 s
9		To validate the Login feature of the OrangeHRM	4	3	1	0	22.065 s

Validating the Admin Functionality in Pay Grades

PASSED	DURATION - 19.404 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
/ 11:03:09.791 PM // 11:03:29.195 PM /					

Checking the functionality Pay Grades in Job

PASSED	DURATION - 19.400 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
/ 11:03:09.795 PM // 11:03:29.195 PM /				
Validating the Admin Functionality in Pay Grades				
@ValidatingPayGrade				

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	8.704 s
2	When Use enter login details	PASSED	0.828 s
3	And click the Login btn	PASSED	0.053 s
4	Given Select Admin	PASSED	2.940 s
5	And Select Job and click on Pay Grades	PASSED	0.905 s
6	When Click on Add and fill the details of Pay Grades	PASSED	1.344 s
7	And Click on Save Pay Grades	PASSED	0.315 s
8	Then User validate the saved successfully Pay Grades	PASSED	3.235 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.189 s

Validating the Admin Functionality in Organization

PASSED	DURATION - 38.683 s	Scenarios		Steps	
/ 11:03:29.227 PM // 11:04:07.910 PM /		Total - 3 Pass - 3 Fail - 0 Skip - 0	3	Total - 21 Pass - 21 Fail - 0 Skip - 0	21

Checking the functionality of General Informationf in Organization

| PASSED	DURATION - 12.264 s		Steps	
/ 11:03:29.228 PM // 11:03:41.492 PM /			Total - 7 Pass - 7 Fail - 0 Skip - 0	7
Validating the Admin Functionality in Organization				
@ValidatingGeneralInfo				

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.399 s
2	When Use enter login details	PASSED	0.424 s
3	And click the Login btn	PASSED	1.113 s
4	Given Select Admin	PASSED	1.467 s
5	When Click on Organization and select General Informationf	PASSED	1.132 s
6	And Click on Edit and fill the details	PASSED	6.256 s
7	Then Take screeshotUser succesfully	PASSED	0.180 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	Screenshot 		

Checking the functionality of Location in Organization

PASSED	*DURATION - 17.728 s*
/ 11:03:41.506 PM // 11:03:59.234 PM /	
Validating the Admin Functionality in Organization	
@CreatingUserByLocation	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.995 s
2	When Use enter login details	PASSED	0.441 s
3	And click the Login btn	PASSED	1.220 s
4	Given Select Admin	PASSED	1.915 s
5	When Click on Organization and select Location	PASSED	3.627 s
6	And Click on Add and fill the details	PASSED	4.748 s
7	Then User validate the saved successfully	PASSED	3.733 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	Screenshot		

Searching the user by selecting the Location in Organization

PASSED	*DURATION - 8.668 s*
/ 11:03:59.242 PM // 11:04:07.910 PM /	
Validating the Admin Functionality in Organization	
@ValidatingUserByLocationInOraganization	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.372 s
2	When Use enter login details	PASSED	0.417 s
3	And click the Login btn	PASSED	0.040 s
4	Given Select Admin	PASSED	2.562 s
5	When Click on Organization and select Location	PASSED	3.710 s
6	And User Click the Search Btn	PASSED	0.389 s
7	Then get the user and validate the user by it location	PASSED	0.195 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	Screenshot		

Validating the Admin UserMagement Functionality

PASSED	DURATION - 18.871 s	Scenarios		Steps	
/ 11:04:07.928 PM // 11:04:26.799 PM /		Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 16 Pass - 16 Fail - 0 Skip - 0	16

Add new User in User Management

| PASSED	DURATION - 12.481 s		Steps	
/ 11:04:07.928 PM // 11:04:20.409 PM /			Total - 8	
Validating the Admin UserMagement Functionality			Pass - 8 Fail - 0 Skip - 0	8
@UserCreation				

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.367 s
2	When User enter the Admin and admin123	PASSED	0.440 s
3	And click the Login btn	PASSED	1.030 s
4	Given Select Admin	PASSED	1.499 s
5	And Select User Management and click on user	PASSED	0.996 s
6	When Click on Add and filling the details of user	PASSED	3.920 s
7	And Click on Save User	PASSED	0.043 s
8	Then User validate the saved successfully	PASSED	3.214 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	Screenshot		

Searching for Added User in User Management

PASSED	DURATION - 6.378 s		Steps	
/ 11:04:20.421 PM // 11:04:26.799 PM /			Total - 8	
Validating the Admin UserMagement Functionality			Pass - 8	
@UserCreationValidation			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.362 s
2	When User enter the Admin and admin123	PASSED	0.408 s
3	And click the Login btn	PASSED	0.045 s
4	Given Select Admin	PASSED	2.646 s
5	And Select User Management and click on user	PASSED	0.908 s
6	When User Enter the Search Details	PASSED	0.420 s
7	And User Click the Search Btn	PASSED	0.038 s
8	Then User Check Weather New user Added or not	PASSED	0.499 s

#	Step / Hook Details	Status	Duration
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	Screenshot		

Orange HRM Login feature test

FAILED	DURATION - 42.111 s		Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 8 Fail - 2 Skip - 2	
/ 11:04:26.821 PM // 11:05:08.932 PM /						

To validate the Login feature of the OrangeHRM

| FAILED	DURATION - 2.904 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:04:26.828 PM // 11:04:29.732 PM /				
Orange HRM Login feature test				
@Valid_Credential				

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.392 s
2	When User enter the Admin and admin123	PASSED	0.411 s
3	And click the Login btn	PASSED	0.038 s
4	Then Validating Login Page	PASSED	2.025 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.032 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

#	Step / Hook Details	Status	Duration

	117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\MMARAL~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54601}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54601/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)
	  at com.stepdefinition.HooKs.takeScreenshot(HooKs.java:33)		

	AFTER - com.stepdefinition.HooKs.setLogout()	FAILED	0.003 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, findElement {using=xpath, value=//img[@alt='profile picture']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\MMARAL~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54601}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54601/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy23.click(Unknown Source)
	  at com.pageactions.OrangeHRMLoginPageActions.setLogOut(OrangeHRMLoginPageActions.java:31)
	  at com.pageutilities.BugStrikerLogin.setLogoutBS(BugStrikerLogin.java:17)
	  at com.stepdefinition.HooKs.setLogout(HooKs.java:40)		

To validate the Login feature of the OrangeHRM

| FAILED	DURATION - 17.114 s
/ 11:04:29.745 PM // 11:04:46.859 PM /	
Orange HRM Login feature test	
@Invalid_Credential	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	6.932 s
2	When User enter the admin and admin	FAILED	0.004 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\MMARAL~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54601}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54601/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy23.sendKeys(Unknown Source)
	    at com.pageactions.OrangeHRMLoginPageActions.setUserName(OrangeHRMLoginPageActions.java:19)
	    at com.pageactions.OrangeHRMLoginPageActions.login(OrangeHRMLoginPageActions.java:37)
	    at com.stepdefinition.OrangeLoginStepDefinition.user_enter_the_user_name_and_pass_word(OrangeLoginStepDefinition.java:27)
	    at ?.User enter the admin and admin(file:///C:/Users/mmaralinganavar/Desktop/Pilot%20Project/GitOrangeHRM/PilotProject/ PilotProjectOrangeHRM/src/test/resources/Features/OHRMLoginPageTest.feature:5)
	* Not displayable characters are replaced by '?'.		

3	And click the Login btn	SKIPPED	0.001 s
4	Then Validating Login Page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	Screenshot		
	AFTER - com.stepdefinition.HooKs.setLogout()	FAILED	10.025 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@alt='profile picture']"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [231056ea42862d1d239410ac0241dd43, findElement {using=xpath, value=//img[@alt='profile picture']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\MMARAL~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54920}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54920/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 231056ea42862d1d239410ac0241dd43
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy23.click(Unknown Source)
	    at com.pageactions.OrangeHRMLoginPageActions.setLogOut(OrangeHRMLoginPageActions.java:31)
	    at com.pageutilities.BugStrikerLogin.setLogoutBS(BugStrikerLogin.java:17)		

#	Step / Hook Details	Status	Duration
	at com.stepdefinition.HooKs.setLogout(HooKs.java:40)		

To validate the Login feature of the OrangeHRM

FAILED	DURATION - 22.065 s
/ 11:04:46.867 PM // 11:05:08.932 PM /	
Orange HRM Login feature test	
@Invalid_Credential	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.696 s
2	When User enter the Mallikarjun and Maralinganavar	PASSED	0.445 s
3	And click the Login btn	PASSED	0.056 s
4	Then Validating Login Page	FAILED	10.688 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [231056ea42862d1d239410ac0241dd43, findElement {using=xpath, value=//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\MMARAL~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54920}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54920/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 231056ea42862d1d239410ac0241dd43
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.getText(Unknown Source) at com.pageactions.OrangeHRMHomePageAction.getHomePageText(OrangeHRMHomePageAction.java:19) at com.stepdefinition.OrangeLoginStepDefinition.validating_login_page(OrangeLoginStepDefinition.java:37) at ?.Validating Login Page(file:///C:/Users/mmaralinganavar/Desktop/Pilot%20Project/GitOrangeHRM/PilotProject/PilotProjectOrangeHRM/src/test/resources/Features/OHRMLoginPageTest.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.154 s

	AFTER - com.stepdefinition.HooKs.setLogout()
	
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@alt='profile picture']"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [231056ea42862d1d239410ac0241dd43, findElement {using=xpath, value=//img[@alt='profile picture']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\MMARAL~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54920}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54920/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 231056ea42862d1d239410ac0241dd43
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
		FAILED	10.024 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.click(Unknown Source) at com.pageactions.OrangeHRMLoginPageActions.setLogOut(OrangeHRMLoginPageActions.java:31) at com.pageutilities.BugStrikerLogin.setLogoutBS(BugStrikerLogin.java:17) at com.stepdefinition.HooKs.setLogout(HooKs.java:40)		