WEEK-2 (0005 LABS) Mite a java program to point "Italia morald" Class Hellaworld of public static waid main (string [] args) & edystem. and. perintle Ca Hello, Mardo!"5; wing if construct. - impart java - util - Jeanner; dargest Rullic static maid main (String args []) int num1, num2, num3;

dibate a Tour pragram de print the malues ofram umpout jour util scannes Class on\_ nunderes ( public static unid main Cestring args [] ){ System out printer Ca Enter the evalue: "); Granner in = neur Scanner (dystem in); -burdons to many and n = in-rectlat (); your (int i = 1, i <= n, i++) ( System-aut-printly (1); Public while dust amoin ( whome and silver int a = 2, b - 18 >く0 33 4くで胎 · lot is a colorus toport " altring . two miles 11 Pattorn import jour util deanner; does pattern ? Julie static waid main Colleing args [7) { System aut paints ("Enter nualuo :"), Jeanner in = new Doanner ( dystern - in). unt n = in . next Int(); unt count=1; your Cirt i-1; i2=n;i++){

```
edystem - aut - print (" \n");
                 for Cint; = 0; j < i; j++){
                           Cystem · cut · print (colt " + count?;
                                          count ++; (1) (1) < 10+ 16 25
                  Support of the Control of the Contro
              "() 3 in short " ) allowed . Inso mittle
  Import jana wil *; 2000 tot ) le edo
     Class cie ( day) "
              public static auxid main (althing augs []){
                       Icannes in = new Icannes (dystern. in);
                   System - aut print (a Enter cie mantes (aut af 50)="),
                unt ci = in next Int ();
                 Unternant print Ca Britis SEE marts Cout af 100)=">
                      unt see = in neat Int ();
                                                                                                                     x. Life musy trodenis
                            goe = yee/2j
                                unt fat z ci tsee;
                                91 (tat >90 88 tat < 100) [
                                   Dysters aut printle (« Grade is: S");
                                    else if Ctat > 80){
                                      Dystem. aut-println (" (brade is: A");
```

Scanned with CamScanner

times two motern else if (tot > 70){ Lystom · aut - println (« Grade in: 18"); du if (tet>60){ System aut printer C° garde in = ("); else if (10t >50) { System out-pointle (" grade vi = D"); · Littu Duroj benjaelse if Ctat >401 &

System-cut-printle ("Grade in =1=") romano pros e no periose dystem aut printle ("ever"). Than aid party ( " Tital SEE with ( On the discons.) int our in the fath 800 - 83 /2/ ûmbart jana util . A. class prime of public whatic would mouin (althing argsCI) rintat, n2; Decamen in = new escannos (Ayelem in).

Cyptom aut printer (« Enter exercised intege: "); n2 = win - next Int (); from (int i=n]; i<=n2, i+){

2 (0=1886=15%; 880=15%; ) } 2 (0=188; 880=15%; ) }