CHANDIGARH UNIVERSITY
Discover. Learn. Empower.

NAAC GRADE A+

EXPERIMENT 3

Student Name: PRIYANSHU
UID: 24BAI70700
Branch: AIT-CSE-AIML
Section/Group: 24AIT_KRG1_B
Semester: 5
Subject Name: ADBMS
Subject Code: 24CSP-310

QUESTION A:

You are given with the Employee schema; the task is to find the highest score for each respective department.

For eg: department D1 have the highest score as 5.28. Hence in the output, final updated score for D1 should be 5.28.
Same with the other departments i.e., D2, D3 and D4.

QUERY:

Query Query History

```sql
CREATE TABLE Employee
(
    EID INT PRIMARY KEY,
    DEPT VARCHAR(10),
    SCORES DECIMAL(5,2)
);

INSERT INTO Employee (EID, DEPT, SCORES)
VALUES
(1, 'D1', 1.00),
(2, 'D1', 5.28),
(3, 'D1', 4.00),
(4, 'D2', 8.00),
(5, 'D1', 2.50),
(6, 'D2', 7.00),
(7, 'D3', 9.00),
(8, 'D4', 10.20);
```

RESULT:

Data Output Messages Notifications

Showing rows: 1 to 8 Page No: 1 of 1

	eid [PK] integer	dept character varying (10)	scores numeric (5,2)
1	1	D1	5.28
2	2	D1	5.28
3	3	D1	5.28
4	4	D2	8.00
5	5	D1	5.28
6	6	D2	8.00
7	7	D3	9.00
8	8	D4	10.20

Total rows: 8 Query complete 00:00:00.450 CRLF Ln 30, Col 1

EXPERIMENT 3

QUESTION B:

A company maintains records of products sold by different salespersons. The management wants to prepare a sales performance report by identifying the salesperson(s) who generated the highest overall sales revenue. If multiple salespersons have the same highest total sales amount, all of them must be included in the final report. Return the seller ID(s) satisfying this condition

QUERY:

```sql
SELECT seller_id
FROM orders
GROUP BY seller_id
HAVING SUM(amount) = (
    SELECT MAX(total_sales)
    FROM (
        SELECT SUM(amount) AS total_sales
        FROM orders
        GROUP BY seller_id
    ) as sub
)
```

RESULT:



QUESTION C:

A company maintains employee salary records for different departments. The management wants to prepare a report containing employees whose salaries fall among the top three highest distinct salary values within their respective departments. If multiple employees receive the same qualifying salary, all such employees must be included in the final report. Display the department name, employee name, and salary for every qualifying employee.

EXPERIMENT 3

QUERY:

```sql
SELECT
    D.name AS Department,
    E.name AS Employee,
    E.salary AS Salary
FROM Employee AS E
JOIN Department AS D
  ON E.departmentId = D.id
WHERE (
    SELECT COUNT(DISTINCT E2.salary)
    FROM Employee AS E2
    WHERE E2.departmentId = E.departmentId
      AND E2.salary > E.salary
) < 3
ORDER BY D.NAME
```

RESULT:

Data Output Messages Notifications

Showing rows: 1 to 6 Page No: 1 of 1

	department character varying (50)	employee character varying (50)	salary integer
1	IT	Joe	85000
2	IT	Max	90000
3	IT	Randy	85000
4	IT	Will	70000
5	Sales	Henry	80000
6	Sales	Sam	60000

Total rows: 6 Query complete 00:00:00.144 CRLF Ln 42, Col 24