


ASSIGNMENT:4->


Problem Statement: Create a private bucket in AWS Upload a file and check by reassigned URL whether you can access the file or not .

Steps: Bucket is folder which is used to keep our file. For this these following steps will be followed:


- At first search S3 in search bar and click on it




- Now click on Buckets in the left side panel.




- Now click on Create bucket.




- Select AWS region Mumbai and give bucket name and remember this name should be unique as it is global.




- Now ACLs (Access Control List) is disabled. And we have also kept Block all public access check.




- Now click on Create Bucket.




- Now click on newly create bucket.




- Click on Upload.




- Click on Add files.




- After selecting file click on Upload.




- Now you can see Upload succeeded . Click on close.




- Go back to Buckets. Click on bucket name and click on checkbox of uploaded file name.




- Click on Actions dropdown and click on share with presigned URL.




- Select time intervals for presigned url as Minute. And give 5 as number of minutes and click on Create Presigned URL.




- Now paste this url in incognito mode and as we have given 5 minutes time interval so after 5 minutes no one can access it again . After pressing in incognito you can download the file.




- Now to delete it at first click on bucket option name and then at first empty it . And type permanently delete.



- After successfully deletion press on exit.



- Now press on Delete and write confirmation and click on Delete bucket.



- Now successfully bucket will be deleted.

